PSYCHOLOGICAL ABSTRACTS

EDITED BY

WALTER S. HUNTER, CLARK UNIVERSITY RAYMOND R. WILLOUGHBY (Associate Editor) CLARK UNIVERSITY

WITH THE COÖPERATION OF

F. C. BARTLETT, CAMBRIDGE UNIVERSITY ED. CLAPARÈDE, UNIVERSITY OF GENEVA †G. C. FERRARI, UNIVERSITY OF BOLOGNA A. MICHOTTE, University of Louvain

H. PIERON, SORBONNE M. PONZO, UNIVERSITY OF ROME

V. OSIPOV, LENINGRAD

P. RANSCHBURG, HUNGARIAN UNIVERSITY M. L. REYMERT, MOOSEHEART, ILL. L. E. MIRA, UNIVERSITY OF BARCELONA

W. WIRTH, UNIVERSITY OF LEIPZIG

CONTENTS

General
Sensation and Perception
Attention, Memory and Thought
Nervous System
Motor Phenomena and Action
Plant and Animal Behavior4778-4803
Evolution and Heredity4804-4807
Special Mental Conditions
Nervous and Mental Disorders4852-4917
Social Functions of the Individual4918-4968
Industrial and Personnel Problems
Childhood and Adolescence4989-5030
Educational Psychology
Biometry and Statistics5065-5069
Mental Tests5070-5088

PUBLISHED MONTHLY, WITH TWO ISSUES DURING DECEMBER, BY

THE AMERICAN PSYCHOLOGICAL ASSOCIATION

PRINCE AND LEMON STS., LANCASTER, PA.

Business Offices: PSYCHOLOGICAL REVIEW COMPANY LANCASTER, PA., AND PRINCETON, N. J.

Subscription, \$6.00 per year; Foreign, \$6.25.

Entered as second-class matter February 5, 1927, at the post-office at Lancaster, Pa., under the Act of March 3, 1879.

AUTHOR INDEX

Accardí, V., 4633 Adler, A., 4808, 48 Adrian, E. D., 4712, 4713, 4714 Aducco, V., 4735 Allendy, R., 4809 Allison, J. B., 4778 Ames, A., Jr., 4635, 4636 Andreiewa, E. W., 47 4636
Andrejewa, E. W., 4779
[Anon.i, 4607, 4608, 4852, 4853, 5031
Arndt, G., 4637
Arsian, K., 4715, 4716
Asbee, W., 4918
Ast-Upmark, E., 4638
Astrakhan, E., 4983
Atseni-Tedesco, P., 4990
Asboukier, D. J., 4854

Azboukier, D. J., 4854

Babcock, H., 5070
Bader, H., 4991
Baeyer, W. V., 4919
Baley, S., 5082
Ball, R. J., 4920
Ballezio, A., 4639
Banerji, M., 4810
Barinbaum, M., 4855, 4856
Barr, A. S., 4701
Barron, L., 4742
Barton, J. W., 4811
Battle, H. I., 4780
Beach, W. G., 4921
Beaumont, H., 4681
Becker, H., 4857
Beckman, R. O., 4969
Behr, C., 4640
Belswanger, G. W., 4922

Belswanger, G. W., 4922 Bellavitis, C., 4717 Bellissi, I., 4781 Belucci, L., 4718 Bencoloin, F., 4719 Benedict, C. G., 4736 Bernedict, F. G., 4736 Berens, C., 4641, 4642 Berge, S., 4923 Berger, H., 4858 Bernardi, R., 4859 Bien, E., 4812 Bier, W., 4737 Biereas de Haan, J. A., 4782 Biermann, B., 4813

4782 Bingham, B., 4813 Bingham, H. C., 4783 Binswanger, H., 4860 Bishop, G. H., 4720,

Bingham, H. C., 4783
Binswanger, H., 4860
Bishop, G. H., 4720,
4748
Blackfan, K. D., 4992
Blair, H. A., 4738
Blake Pritchard, E.
A., 4861
Blakeslee, A. F., 4643
Blankfort, M., 4814
Bonaventura, E., 4644,
4702, 5033, 5071
Borghesan, E., 4739
Bossard, J. H. S., 4924
Bosshard, H. M., 4862
Bousquet, G. H., 4609
Bovet, P., 4610, 5034
Brantmay, H., 4611
Bratianu, S., 4721
Brearly, H. C., 4925
Brodovskaya, V. S.,
5048

Brodovekeye, v. S., 5048
Broggi, E., 4815
Bromberg, W., 4645
Brown, G. G., 4926
Bruce, L. C., 4863
Bruckner, A., 5072
Bruno, G., 4722
Buchanan, S., 4816
Buras, E. I., 5035
Busemann, A., 4998
Buytendijk, F. J. J., 4713, 4784

Cabitto, L., 4864 Cairns, H., 4880 Campion, G. G., 4723 Canzlani, G., 4836 Carleton, E. H., 4646 Carlson, A. J., 4741,

Carpenter, C. R., 4785
Cattell, McK., 4714,
4724
Chailman, R. C., 4994
Chambers, W. D., 4865
Chance, B., 4647
Chernikova, O., 4983
S. Clark, L. P., 4866
Classen, W., 5036
Coates, A. E., 4725
Ook, W. H., 4786
Cole, W. H., 4786
Cole, W. H., 4786
Colombi, C., 4740
Commins, W. D., 4787
Copeland, H. A., 5073
638
Curtia, S. A., 4997
Cored, R. S., 4649
Crile, G. W., 4703
Culpin, M., 4867

Galdo, L., 4614
Galii, A., 4665, 4666
Galtsoff, P. S., 4791
Gerson, P. S., 4791
Gerson, P., 4824
Goldschmidt, R., 4635
Goldschmidt, R., 4746
Gozsano, M., 4750
Gray, W. L., 5041
Gray, W. S., 5041
Grewal, K. S., 4936
Gruender, H., 4617
Grinthal, E., 4878, 4879
Guerriero, C., 4721

Danielson, R. W., 4650 Davies, A. E., 4868 Davis, R. C., 5074 Day, P. L., 4651 De Beaux, O., 4927 De Boer, C., 4612 De Greeff, E., 4869 Delaney, J. H., 4652 Del Duca, M., 4788 Descoudres, A., 4998 Dies M. 5037 Descoeudres, A. 499.
Dewey, J., 4928
Diez, M., 5037
Di Glorglo, A. M., 465.
Dingwall, E. J., 4929
Disik, E., 4970
Dobrowolski, E. E.,

4971
Dockeray, F. C., 46:
Dolch, E. W., 5038
Dosušková, V., 4870
Dottrens, R., 5039
Driver, H. E., 4930
Drury, D. W., 4689
Dynes, J. B., 4817
Dyson, J. M., 4657

East, W. N., 4871 Eder, M. D., 4818 Edgerton, A. B., 4694 Edwards, A. S., 4931 El-Tarouti, M., 4654 Ellasberg, W., 4872,

Eliasberg, W., 4873 English, H. B., 4932 Ettinger, C. J., 4933 Eurich, A. C., 5040

Fairbairn, J. S., 4874
Fankhauser, E., 4875
Fedorow, N. T., 4655
Fedorowa, V. J., 4656
Felderman, L., 4657
Ferguson, F. R., 4727
Fernberger, S. W.,
4819

4819
Ferree, C. E., 4658, 4659, 4660, 4661
Fetter, D., 4741, 4742
Feuchtwanger, E., 4876 4876 Fielding, W. J., 4934 Filippova, O., 4983 Fischel, W., 4784 Fischer, E. P., 4662 Fitzpatrick, F. L., 4789 Flaschbart-Kraft, F., 4743 Fletcher, J. M., 4744,

Fletcher, J. M., 4744, 4745, 4745, Foa, C., 4746, Fontana, G., 4633, Fox, A. L., 4643, Francke, H., 4935, Freeman, E., 4663, Freeman, E., 4663, Freud, S., 4820, 4821, Freudenstein, K., 4790, Frickx, J., 5075, Friedmann, A., 5000, Fritz, V., 4991, Frohman, B. S., 4822, Frus, J., 4877, Fry, W. E., 4664 4790

4972 4749 4879 Guerriero, C., 4721 Gupta, K., 5042

Hamilton, W. F., 46 Hammond, M., 4618 Hardy, C., 4659 Harris, E., 4619 Harris, W., 4880 Harrowe, W. McC.,

Harrowea, W. McC., 4865
Hartmann, N., 4937
Hartmann, N., 4937
Harvey, O. L., 4938
Heller, T., 5002
Henderson, Y., 4751
Heron, W. T., 4793
Hersey, R. B., 4973
Hersey, R. B., 4973
Hersey, E., 5043
Hetzer, H., 5076
Heywood, H. B., 5077
Hoagland, H., 4714, 4724
Hofe, K. v., 4662
Hoffman, H. F., 4883
Holub, M., 5003
Holzlohner, E., 4667
Hoppe, J., 5044
Horney, K., 4826
Hosoya, Y., 4668
Hslao, H. H., 5078
Hu, I., 4939
Hudima, W. D., 4971
Hurd, A. W., 5045 5077

Illge, W., 5004 Ingle, D. J., 4811 Ingram, W. R., 4905 Inmate—Ward 8, 4884 Irwin, J. O., 5005, 5006, 5065 Isaacs, S., 5007 Iwatake, H., 4669

Jacobi, E., 4885, 5008 Jaehner, D., 5009 Jaensch, E., 4670 Jalota, S. S., 4620, 4757

4757 Jameson, S. H., 4940 Janota, O., 4886 Javoronkov, B. N., 5046 Jaxa-Bykowski, L., Jaxa-Byrowski, L., 5079 Jelliffe, S. E., 4887 Jenness, A., 4941 Jennings, J. E., 4671 Jones, V., 4827 Justin, F., 5010

Kalachninov, S. G., 5047
Kalsnelson, S. S., 5048
Kapuste, E., 5049
Kattentidt, I., 4828
Kats, D., 5011
Katsoff, S. L., 4942
Kaufmann, O., 4974
Kernohan, J. W., 4726
Klesow, F., 4672
Kirk, W., 4943
Kirkpatrick, C., 4944
Kisselow, M. W., 4888
Koch, A. F., 5012
Koch, E., 4752

Koester, H. L., 5080
Koller, L., 5076
Korczynska, Z., 4829
Kosnick, H., 4753
Kratina, F., 4704
Krause, F., 5050
Kravitz, D., 4673
Krelpe, K., 4754
Kflvf, M., 4889
Kroeber, A. L., 4930
Kronfeld, A., 4830
Kruk, W., 4975
Künkel, F., 4831, 4832
Kunze, J., 4674
Kuo, Z. Y., 4794
Kwalwasser, J., 5051

Lancaster, W. B., 4675
Langston, W. C., 4651
Lawton, G., 4834
Learmouth, J. R., 4726
Lechers, E., 4621
Lee, M. A. M., 5013
Lehman, H. C., 5061
Leroy, A., 4890
Lesser, A., 4945
Levinger, E., 4946
Levinschn, G., 4076
Levitov, N. D., 5081
Lewis, W. W., 4677
Ley, A., 4891
Lillie, W. J., 4726, 4678
Lindberg, A., 4835
Lipmann, O., 4976, 4977 Lipmann, O., 4970, 4977 Löbl, H., 5014 Looser, J. A., 4622 Loosli-Usteri, M., 5015 Loveli, T., 4978 Löwy, I., 5016 Lucklesh, M., 4679 Lumpkin, K. D. P., 4947 Luna, E., 4795 Lundholm, H., 4892

MacDonald, J. S., 4756
MacDonald, M. S., 4756
MacRac, M., 5052
Madlgan, L. F., 4646
Malti, H. P., 4757
Mangold, G. B., 4948
Manson, J. S., 4727
Marking, A., 4705
Maspes, E., 4836
Massaut, C., 4893
Mathien, —, 4894
Matuda, A., 4890
Matthes, K., 4758
Matthews, B. H. C., 4759, 4760
Max, L. W., 4761
McConnell, U. H., 4837
McCowan, P. K., 4895
McElwee, E. W., 5053
McGeoch, G. O., 4706
McNeely, J. H., 5054
Meek, C. K., 4949
Meerloo, A. M., 4896
Melli, R., 5017
Mendes-Correa, A. A., 4950
Merzbach, T., 4897
Milbarn, S., 4951
Miles, W. R., 4881

4950
Merzbach, T., 4897
Milburn, S., 4951
Miles, W. R., 4681
Molitor, A., 4796
Mondlo, E., 4898
Monjé, M., 4682
Monroe, M. M., 4661
Morgan, T. H., 4805
Morton, H. M., 4683
Moss, F. K., 4679
Mowrer, O. H., 4797
Moxon, C., 4838
Muchow, M., 5055
Miller, J., 4839
Miller, J., 4839
Miller, J., 4839
Murchison, C., 4623
Murray, J. M., 4840
Myers, H., 4979
Myslivecek, Z., 4899

Nakazima, S., 4798 Nassri, K., 5082 Needham, D. M., 4763 Nemoto, M., 4764 Nitsche, —, 4900 Nyssen, R., 4684

Oberndorf, C. P., 4841 O'Brien, C. S., 4651, 4685 Oeser, O. E., 4952 Ogle, K. N., 4635, 4636 Olander, H. T., 5056 Oliver, J. R., 4901 Otis, A. S., 5057 Ottonello, P., 4765 Ovio, G., 4686 4685

Page, R. M., 4980
Parr, A. E., 4799
Pastori, G., 4792
Patrick. G. W., 4624
Pauli, R., 4707
Pavlov, F. K., 5058
Pear, T. H., 4953, 4981
Pearn, O. P. N., 4902
Peres-Cirera, R., 4766
Perkins, F. T., 4687
Petroselli, F., 4903
Pfaender, A., 4767
Piaggio, N. T. H., 5083
Piddington, R., 4982
Pieraccini, G., 4768
Poos, F., 4688
Popek, E., 4904
Pyles, M. K., 5018

Quastel, J. H., 4895

Radioff, E. M., 4751
Rand, G., 4658, 4659, 4660, 4661
Rangacher, C., 4954
Ranson, S. W., 4905
Rey, W. S., 5019
Rend, C. S., 4906
Reisinger, L., 4800
Renwick, E. M., 5059
Richards, I. A., 4625
Riggall, R. M., 4907
Ritchie, A. D., 4769
Rizsati, E., 4908
Roese, H. F., 4777
Root, A. R., 5084
Root, E. B., 5084
Rowe, A. W., 4689, 4690
Rowland, W. D., 4690
Ruch, T. C., 4758
Ruclius, A., 5020
Rudnik, A., 4770
Rühle-Gerstel, A., 4842
Rushton, W. A. H.,
4771
Russell, A. E., 4691

4771 Russell, A. E., 4691 Rutherford, W. J., 4909 Ryazanov, I., 4983

Sacchi, U., 4740
Salit, P. W., 4685
Salmon, A., 4772
Samanta, M., 4692
Sanders, M., 4806
Santry, N. S. N., 4627
Scarlett, H. W., 4693
Scherer, M., 4628
Schilder, P., 4045
Schiller, P., v., 4699
Schlesinger, H., 4843
Schneider, E., 4984
Schneider, E., 4984
Schroeder, T., 4844
Searl, M. N., 4845
Seelbach, H., 4629
Segaar, J., 4801
Seidler, R., 5021, 5060
Shannon, C. E. G.,
4694

Shannon, C. M. G., 4694 Sharp, E. P., 5056 Shaw, M. E., 4955 Sheehan, D., 4729 Shellow, S. M., 4846 Shinn, A. V., 5022 Shrapovitskaya, M. L., 4773 Siegel, C., 4956

Sigel, E., 4910
Skinner, J. T., 4802
Smith, H. N., 4957
Smith, H. N., 4957
Smith, L. H., 4911
Smith, M. E., 5023
Smuts, J. C., 4630
Soloviev, V. K., 4774
Sommer, A. T., 5024
Spielrein, J., 4775
Squires, P. C., 4958
Stark, E. E., 4641,
4642
Stavraky, G., 4730
Steenbock, H., 4802
Stein, W. H., 4667
Steinhaus, H., 4695
Stern, W., 4708
Stevenson, P. H., 5066
Stewart, G. N., 4776
Sties, A., 4912
Stoke, S. M., 5061
Stolba, S. L., 4789
Stone, C. P., 4787
Stuchlik, J., 4913
Studencki, S. M., 5067
Sumpf, E., 5025
Swab, C. M., 4807
Symonds, C. P., 4696

Talbert, E. L., 4959 Tang, P.-S., 4803 Taylor, W. S., 4914 Thompson, E. I. M., 5062 Thompson, V., 4848
Thompson, D. F., 4960
Thomson, G. H., 5085
Thouless, R. H., 5085
Thurnwald, R., 4961
Tlegs, O. W., 4725
Tilton, J. W., 5041
Timmer, A. P., 4915
Tinker, M. A., 4962
Tsal, C., 4731

Uhl, W. L., 5052 Unger, M., 4916 Urban, F. M., 4631

Vance, T. F., 5026 Van Donk, E., 4802 Verhaeren, J., 4849 Vertes, J. O., 4709 Viteles, M. S., 4985 Vleugels, W., 4963 Voigt, G., 4830 Voronov, N. N., 4986 Vygotski, L. C., 4917

Wagner, K., 4923 Walcott, E., 5027 Walker, C. B., 4732, 4733 Walker, C. B., 4732, 4733
Walther, L., 4987, 4988
Warner, M. L., 5063
Weber, C. O., 5087
Wegner, W., 4777
Welss, G., 5028
Wells, D., 4964
Wentworth, H. A., 4660, 4697, 4698
Wenzl, A., 4710
Werner, H., 4699
White, W. A., 4632
Whitlow, C. M., 5064
Wiggand, F., 4670
Wilbur, G. B., 4850
Wilks, S. S., 5068
Wintsch, J., 4711
Wittels, F., 4851
Wojclechowski, J., 5088
Wolf, H. J., 4734
Wolfe, O., 4700
Wright, M. B., 4965
Wright, S., 5069

Yates, T. J. A., 4966 Young, P. V., 4967

Zanker, A., 5029 Zerov, V., 5030 Zipf, C. K., 4968

PSYCHOLOGICAL ABSTRACTS

Vol. VI, No. 12

DECEMBER, 1932

GENERAL

4607. [Anon.] Johannes Müller (1801-1858). J. Organotherap., 1932, 16, 208-210.—A short biography of the man, with a partial bibliography.—E. H. Kemp (Clark).

4608. [Anon.] Bibliographie des Jahres 1931. (Bibliography of 1931.) Zsch. f. Psychol., 1932, 125, 293-412.—2351 psychological articles and books which appeared in German, together with an author index.—E. Johns (New York City).

4609. Bousquet, G. H. Pareto's "residues." J. Hered., 1932, 23, 154-157.—An epitome of Pareto's views on reason and emotion in human affairs. Two categories of the non-logical action-inducing emotions are recognized: (1) a constant category, by far the most important, which corresponds to certain human instincts and emotions, termed the "residues," and (2) another category derived from the former which aspires to justify the former and satisfy man's need for reason and logic. Under (1) are classified and discussed (a) instinct of combinations, (b) persistence of the aggregates, (c) need of manifesting sentiments by external actions, (d) sociality, (e) integrity of the individual and of his dependents and possessions, (f) sexual residue.—B. S. Burks (Stanford).

4610. Bovet, P. Zur Einführing. (An introduction.) Psychol. Rundschau, 1932, 4, 49-54.—Commenting on the fine relationship which has existed between the Rousseau Institute at Geneva and the psychologists of German Switzerland, the author expresses appreciation of the dedication of this issue of the Rundschau to the Institute on the occasion of its twentieth anniversary. He commends Edouard Claparède on his worthy work in connection with the new pedagogy evolved in line with the Rousseau ideals.—A. B. Herrig (Michigan Central State Teachers College).

4611. Brantmay, H. Kampf um den Geist. (A contention relative to the mind.) Psychol. Rundschau, 1932, 4, 67-70.—History has seen many crises, each generation feeling that it is living through one. The author contends that the present-day new psychology presents the greatest crisis of our age.—A. B. Herrig (Michigan Central State Teachers College).

4612. De Boer, C. Sceptical notes on the sense-datum. J. Phil., 1931, 28, 505-519.—The fact of sense-data or sensa is not questioned. The "physical theory" assumes physical objects of which the sensa are appearances. The common alternative theory takes sensa as ultimate and explains physical objects as correlations of sensa. Both involve numerous objections, mainly through the fault of over-simplification. A more adequate, though perhaps not complete, theory would take account of the act of apprehension

and the function of symbolization. Apprehension includes interpretation and judgment, and the object of the perceptual situation is never simple, never an immediate experience, but is constituted in the process of symbolization. In symbolization there are two variables, the sensum which varies with perspective, etc., and the meaning which varies according to background, purpose, etc. The physical object is constituted in this process.—E. T. Mitchell (Texas).

4613. Dockeray, F. C. General psychology. New York: Prentice-Hall, 1932. Pp. xxi + 581. \$3.50.—A text-book for elementary students. Psychology is classified as a biological science, and the method of treatment is objective and behavioristic. The following major topics are discussed: fields of psychology, 22 pages; psychology as a branch of science, 40 pages; the organism, 44 pages; genesis of human behavior, 58 pages; motivation, 28 pages; emotion, 26 pages; organized response, 47 pages; sensory discrimination, 72 pages; learning, 81 pages; thinking, 23 pages; levels of attainment, 46 pages; social behavior, 34 pages; and personality, 23 pages.—W. S. Hunter (Clark).

4614. Galdo, L. Modificazioni apportate all'ergoestesiometro del Galeotti per la ricerca delle attitudini muscolari. (Modifications of the ergesthesiometer of Galeotti for the investigation of muscular attitudes.) Policlinico, 1931, 33, 1207.—A résumé.—R. Calabresi (Rome).

4615. Ghigi, A. L'origine della specie nell' odierna biologia sperimentale. (The origin of species in present-day experimental biology.) Nuova ant., 1931, 270, 381-392.—There is a discussion of the three theories concerning fundamental causes of transformation of species; and a presentation of facts to prove that the theory of mutations (De Vries) has been confirmed by experimental observations. There follows a critical examination of the concept of adaptation to environment and orthogenesis.—R. Calabresi (Rome).

4616. Govinda, B. Abhidhammattha-Sangaha, ein Compendium Buddhistischer Philosophie und Psychologie. München-Neubiberg: Benares-Verlag (Ferd. Schwab), 1931. Pp. 232. RM. 7.00.—The volume consists of three parallel parts: (1) the translation from the original Pâli, (2) a systematic analysis of the original text in the form of diagrams and tables, and (3) explanatory essays following each chapter. The translation can be compared with the Pâli text word for word with the aid of a special system of enumeration, so that even one who is not acquainted with Pâli will be able to understand the terminology of the original text, its logical structure and composition, and the relations between the fundamental ideas and concepts. Those who do not want

to go into philological details will find the contents of every chapter explained in the essays following. Not only is Buddhist psychology shown as an organic system, but the principles on which it is based, the manner in which it is developed from the data of experience, and the reason for the arrangement and composition of the material are explained. The book does not stop with the philological and psychological analysis, but proceeds with up-to-date scientific methods to a positive synthesis of Buddhist psychology. Some chapters of the book were published several years ago in the Zeitschrift für Buddhismus under the editorship of Wilhelm Geiger.—W. Wirth (Leipzig).

4617. Gruender, H. Experimental psychology.

Milwaukee: Bruce, 1932. Pp. xiii + 455. \$2.50.—

This work is offered as "a reference book in advanced courses of psychology." "Supreme insistence has been placed . . . on the central fact that experimental psychology is strictly a natural science, and as such must be subject to strictly scientific methods." Chapters deal with the scope of psychology; sensations; color sensations; auditory sensations; the monocular perception of space; the binocular perception of space; imagination; memory; attention; instinct; thought; and the will. Each chapter is followed by a brief list of references for further reading. The "summing up" of the two chapters on instinct characterizes the nature of the book, when not concerned with directly sensory phenomena. It contains the following words: "In our sensitive impulse theory . . . all of the facts of animal life are har-moniously explained. Of course, our doctrine supposes the existence of an All-wise Creator who directs all His creatures in accordance with each one's peculiar nature and to ends which fit into the comprehensive plan of Divine Providence. And our doctrine safeguards man's unique place in nature as king of the visible creation. These aspects of our doctrine are probably the real reasons why our simple explanation of animal instinct is not acceptable to many." -O. L. Harvey (Boston).

4618. Hammond, M. "Gestalttheorie": its significance for teaching. Brit. J. Educ. Psychol., 1932, 2, 153-172.—Summarizes the Gestalt theories as contrasted with associationism, and reviews particularly the work in the field of visual perception. Points out similarities with conclusions of Ward and Stout, based largely on introspection and using the terms "attention" and "meaning." Conclusions are closely related to experiments in memory and reading, showing the superiority of "whole" over "part" learning. Suggests further possibilities of teaching by wholes as an elaboration of the theories.—K. M. Cowdery (Stanford).

4619. Harms, E. Einige charakteristische Züge der Psychologie Harald Höffdings. (Characteristic features of Harald Höffding's psychology.) Zsch. f. Psychol., 1932, 125, 249-289.—Harald Höffding himself wrote: "The main idea with which I am concerned, or still better, the hypothesis which I am trying to establish and to confirm, states that the fundamental law of the psychic or conscious life, in which

the psychic existence manifests itself, is synthesis." He was a strong adherent of voluntarism. Höffding's psychology is a purely "psychological" psychology, which tends to explain all psychic phenomena by themselves and not as manifestations of neurological systems that might underlie them.—E. Johns (New York City).

4620. Jalota, S. S. The effect of gravity on the values of the Hipp chronoscope readings. Indian J. Psychol., 1932, 7, 59-65.—Using a Wundt control hammer to start and stop the recording mechanism of a Hipp chronoscope, 20 readings were taken under each of two arrangements, one a "make-to-break" arrangement using only the lower pair of electro-magnets and the other a "break-to-make" arrangement using only the upper pair. Between the mean values obtained by the two methods a considerable difference was found, which seems to be due to the interference of the force of gravity. The author thinks that this interference can be completely avoided by a modification of the present model in such a manner as to keep the pull of the electro-magnets in a horizontal plane.-E. H. Kemp (Clark).

4621. Lechers, B. Lehrbuch der Physik für Mediziner, Biologen, und Psychologen. (Textbook of physics for physicians, biologists and psychologists.) Berlin: Teubner, 1930. Pp. 472. 18 M.—Physical phenomena extend to living beings as well as inanimate matter. Therefore the laws of physics are important for biologists, physicians, and psychologists. This is pointed out in the sixteenth edition of Lechers' Traité de Physique. The explanation of physical facts is always followed by a discussion of their application to the phenomena of life. In this edition are mentioned the more modern researches on mitogenetic irradiation, on the Raman effect, electroacoustics, ultra-violet rays, the periodic classification of elements, etc.—R. G. Sherwood (Redmond, Washington).

4622. Loeser, J. A. Die psychologische Autonomie des organischen Handelns. (The psychological autonomy of organie activity.) In Abhandlungen sur theoretischen Biologie. Berlin: Bornträger, 1931.

—For the author, all conduct is conscious, voluntary, intentional. The only exceptions are involuntary or reflex movements and phenomena of expression, as mimicry, etc. "The source of each movement is a conscious excitation." Three factors condition the response to this stimulation: (1) the physical constitution, (2) the milieu, and (3) the psychic capacities (sensory excitability, affective sensitivity, intelligence, memory, will). The concepts of automatism, of instinct, and of the unconscious are eliminated from the language of psychology. All is autonomy, liberty. There is a special chapter on animal behavior to illustrate the author's views on free will.—R. G. Sherwood (Redmond, Washington).

4623. Murchison, C. [Ed.] The psychological register. Vol. III. Worcester: Clark Univ. Press, 1932. Pp. xi + 1269. \$10.00.—This is the revised and enlarged edition of this directory, the original edition of which (see IV: 476) will be called Volume

II; Volume I will be a parallel work covering deceased psychologists back to antiquity. There are represented in the present volume 40 countries, as against 29 in Volume II, and about 2400 psychologists as against about 1250. The individual bibliographies have been made as nearly complete as possible. There is a complete name index, in which all known forms of the names are listed.—R. R. Willoughby (Clark).

4624. Patrick, G. W. Founding the psychological laboratory at the State University of Iowa; an historical sketch. *Iowa History & Pol.*, 1932 (July). Pp. 15.—O. L. Harvey (Boston).

4625. Richards, I. A. Human nature; an early Chinese argument. Psyche, 1932, No. 47, 62-77. In a word-for-word translation of probably the most famous and most important argument in the history of Confucianism, a dialog between Mencius and Koa Tzu, we are given an opportunity to compare Chinese and Western philosophic methods. While the interests of the argument are specific, they are directed to definite ultimate convictions, and are devoid, in general, of concern for theoretical adequacy; the movement is always concrete with little show of concern for the general. The Chinese mind operates within an unquestioned limit, "the accepted moral system," and in such arguments seeks a conception of the mind that will serve the purposes of the same. We can find parallelisms in our Western conceptions of the mind .- T. R. Garth (Denver).

4626. Sander, F. Ganzheit und Gestalt. Psychologische Untersuchungen. I. Funktionale Struktur, Erlebnisganzheit und Gestalt. (Totality and form. Psychological investigations. I. Functional structure, totality of experience and form.) Arch. f. d. ges. Psychol., 1932, 85, 237-260.—The author presents the limitations of a pure consciousness-psychology. It neglects the realm of emotional experience; feelings as indivisible qualities of consciousness as a whole are destroyed by analysis. It gives no access to personality problems, which deal not with actual consciousness phenomena, but with an enduring structural principle that determines individual experience and activity. It is this trans-phenomenal psychical principle which gives all our acts relation and meaning. The writer seeks to justify the assumption of this principle even for the field of perception. It manifests itself in the urge toward meaningful form and symmetry, in the playful modeling of children, in primitive art, in architecture, in the learning of memory material, and even in work rhythms. This structural determinative principle may be considered as operative throughout the entire realm of psychical reality, from the biological substructures of impulsive tendencies to the highest value tendencies of moral and religious forms of experience and behavior. When the balance of the structural components, the trans-finite form of the psyche, is disturbed, a feeling of unpleasantness, of dissatisfaction, results. When the member structures are in harmony with the whole, a profound feeling of joy is experienced.—J. L. Jervis (Yale).

4627. Sastry, N. S. N. Growth of psychology in India. Indian J. Psychol., 1932, 7, 1-40.—The growth of psychology in India from the time of the Upanishads (about the 7th century B. C.), the Geeta, and the Lokayata (who maintained the supremacy of sense perception, and believed that thought was a function of matter) down through the Jains (who held to a theory resembling parallelism) of about the 5th century B. C., the Mahayana (idealistic) and Hinayana (realistic) schools of the Buddhistic teachers, and the theistic schools of Indian thought (the Samkhya, Yoga, Nyaya, Mimamsa, and Vedanta) to the foundation of the first psychological laboratory in Calcutta in 1916 is sketched in this work.—E. H. Kemp (Clark).

4628. Scherer, M. Die Lehre von der Gestalt. Ihre Methode und ihr psychologischer Gegenstand. (The doctrine of the Gestalt. The method and the psychological material.) Berlin, Leipzig: De Gruyter, 1931.—Scherer holds that Gestaltists are not alone in recognizing behavior patterns, the dangers of atomistic analyses, and the need for viewing individuals and situations in their totality. He, however, does not feel any prejudice against any of these conceptions. The Gestalt theory is fundamentally a biophysical conception which twists the psychic into a form of "natural" phenomena. Without a philosophically adequately oriented critical method a psychophysical organism is placed in a circle of nat-ural processes and then the totality of reactions is investigated. Any given reaction is considered as an objectively observable effect of the environmental re-With this approach Scherer seeks to lationships. show in Part I that the underlying principle of Gestalt investigations is the old naturalistic mode of thinking which investigates the reactions of a psychophysical organism on the basis of a natural science. In this procedure the summative character of the Gestalt constellations is denied and is replaced by Gestalt "laws." In Part II the writer investigates the adequacy of Gestalt psychology as a science of the inner and outer behavior of living organisms, in solving the "real" problems of psychology. The adherents of the Gestalt conception of unity of responses meet some of these problems simply by discarding spontaneity, subjectivity, activity, meaning, What remains is a reaction automaton. The Gestaltist representation of this automaton is admittedly a much more closely organized conception than that of the other "natural science" psychologies, since these could only assemble the machine parts, but could not put them together. Scherer acknowledges the contributions of the Gestalt movement but denies the validity of the claims for universality made by its adherents .-- O. N. de Weerdt (Beloit).

4629. Seelbach, H. Verstehende Psychologie und Individualpsychologie. (Understanding psychology and individual-psychology.) Int. Zsch. f. Indiv.psychol., 1932, 10, 262-288.—"Understanding psychology" is represented in the presentations of Dilthey (1894), Jaspers (1913), and Spranger (1920), who recognize understanding and the mental life as a function not explicable in terms of cause and

effect. The present article represents Part I and compares Dilthey and Adler. Two other parts, treating Jaspers and Spranger, are to follow. Points of comparison discussed are: (1) the field and presuppositions; (2) the understanding; (3) teleology of the psychic life; (4) the unconscious; (5) static and dynamic conceptions of mental life; (6) society; (7) character; (8) values and norms.—O. N. de Weerdt (Beloit).

4630. Smuts, J. C. Das wissenschaftliche Weltbild der Gegenwart. (The present-day scientific conception of the world.) Int. Zsch. f. Indiv.-psychol., 1932, 10, 244-261.—Translation of the presidential address delivered at the 1931 meeting celebrating the centennial of the British Association for the Advance of Science.—O. N. de Weerdt (Beloit).

4631. Urban, F. M. Die Messbarkeit psychischer Mannigfaltigkeiten. (The measurability of psychic complexes.) Arch. f. d. ges. Psychol., 1932, 85, 229-236.—Assuming that psychic complexes are measurable, the author asks, with reference to a definite experimental material, what conclusions may be drawn from this assumption. He finds that Thurstone's assumption that the multiplicity of intervals is measurable is in accord with experience.—J. L. Jervis (Yale).

4632. White, W. A. The study of the mind. Science, 1932, 76, 90-92.—The study of the mind, as this author conceives it, is a "biological science which undertakes to investigate and explain...outwardly observable behavior... [and] circumstances in that world within us which can only be approached by methods of introspection." Psychopathology is concerned with the phenomena of distortions of reality which take place in the mentally diseased. The psyche is considered as "an organ, the function of which... is the equalizing of stresses and the releasing of tensions, with the necessary tendency to bring to pass a state of equilibrium—not a static but a dynamic equilibrium."—E. H. Kemp (Clark).

[See also abstracts 4652, 4830.]

SENSATION AND PERCEPTION

4633. Accardi, V., & Fontana, G. Sul sistema reticolo-endoteliale dell'occhio. Ricerche sperimentali. (On the reticulo-endothelial system of the eye. Experimental studies.) Boll. d'ocul., 1931, 10, 1056-1066.—The authors studied the reticulo-endothelial system of the ocular globe and its appendages in the rabbit, making use of primary colors.—R. Calabresi (Rome).

4634. Allen, F. The principles of induction in color vision. Amer. J. Ophth., 1932, 15, 789-800.— Using the rate at which fusion of flicker occurs as an index of color brightness, the author studies the effects of prior chromatic adaptation. Resulting marked changes in the rate of fusion at certain points in the spectrum are offered as evidence for Young's trichromatic theory. Various phenomena often considered inconsistent with Young's theory are interpreted according to an hypothesis of inductive facilitation and inhibition. The author would reconcile Hering's

theory by interpreting it in terms of neural rather than of chemical mechanisms.—C. W. Darrow (Behavior Research Fund, Chicago).

4635. Ames, A., Jr., Gliddon, G. H., & Ogle, K. N. Size and shape of ocular images. I. Methods of determination and physiologic significance. Arch. Ophth., 1932, 7, 576-597.—Factors which determine differences in the size and shape of ocular images are enumerated and a clinical instrument is described by the use of which measurements necessary for the determination of these differences may be made. These differences are significant in that, when there is an abnormal difference between the images from the two eyes, there is a derangement of the space world as known from binocular vision.—E. H. Kemp (Clark).

4636. Ames, A., Jr., & Ogle, K. N. Size and shape of ocular images. III. Visual sensitivity to differences in the relative size of the ocular images of the two eyes. Arch. Ophth., 1932, 7, 904-924.—
The peripheral resolving power for difference in the size of the ocular images is less than 0.25%, according to the authors. In this paper the effect of Panum's areas in nullifying these differences is discussed. However, it is concluded that even smaller differences than these least perceptible ones may have an influence on perception.—E. H. Kemp (Clark).

4637. Arndt, G. Über die Abhängigkeit des Stereoeffektes von der Geschwindigkeit der bewegten Marke. (The dependence of the stereo-effect on the speed of a moved mark.) Zsch. f. Biol., 1930, 90, 574-588.—(Biol. Abst. VI: 15944).

4638. Ask-Upmark, E. On the cortical projection of the temporal half-moon of the visual field. Acta Ophth., 1932, 10, 271-290.—Earlier investigations are critically surveyed. A case is communicated where the temporal crescent of the visual field was deficient, due to a tuberculous focus of the cortex of the cuneus. The author states that the cortical projection of the nasal periphery of the retina, which corresponds to the temporal half-moon, is the anterior part of the calcarine region, probably the environs of the confluence between the calcarine fissure and the parieto-occipital fissure. The upper half of the nasal periphery of the retina is represented in the superior lip of the calcarine fissure, the lower half in the inferior lip, contrary to what has been heretofore believed.—E. H. Kemp (Clark).

4639. Ballezio, A. Fotosensibilizzazione e fotodinamismo. (Photosensitivity and photodynamism.) Actinoterap., 1931, 61-70.—R. Calabresi (Rome).

4640. Behr, C. Der Anteil der beiden Antagonisten an der Pupillenbewegung bei den verschiedenen Reaktionen. (The action of the two antagonistic muscles in pupillary movements in different reactions.) Arch. f. Ophth., 1930, 125, 147-155.—Behr describes a contusion case in which the sphincter muscle was detached from the dilator for one-tenth of its circumference. He observed the reactions of the two membranes, which moved freely, the one on the other. He found that a pupillary contraction, caused by light or the convergence of the eyes, was due, not only to a stimulation of the sphinc-

ter, but also to a simultaneous relaxation of the dilator. Mental activity stimulated the dilator through the sympathetic system, to which activity was added a relaxation of the sphincter if the mental effort was sufficiently intense. Scopolamine and atropine not only paralyzed the sphincter but also stimulated the dilator after a little delay, a condition which supports Poos' experiments in vitro and is opposed to Munch's theory which denies the activity of the sphincter. Cocaine stimulated the dilator without visible effect on the sphincter. Pilocarpine simultaneously contracted the two membranes, while the addition of eserine caused a strong contraction of the sphineter, bringing about a painful myosis due to the stretching of the dilator. The experiments on the living iris do not verify in any way Poos' idea of the specialized rôle of the sphincter (cf. Poos' article on this same subject), the tonus of which was found to be linked simply with that of the parasympathetic system.-A. B. Hunter (Clark).

4641. Berens, C., & Stark, E. K. Studies in ocular fatigue. III. Fatigue of accommodation: history, apparatus, and methods of graphic study. Amer. J. Ophth., 1932, 15, 216-223.—Two ergographic methods of testing accommodation, the sustained effort test and the repeated effort test, are employed with control of rest periods, rate of approach or recession of test object, and illumination.—C. W. Darrow (Behavior Research Fund, Chicago).

4642. Berens, C., & Stark, E. K. Studies in ocular fatigue. IV. Fatigue of accommodation, experimental and clinical observations. Amer. J. Ophth., 1932, 15, 527-542.—An ergographic study of the fatigue of accommodation under lowered oxygen tension was made on 165 qualified and 14 disqualified aviators, and on 195 (mostly asthenopic) patients. A high positive correlation was noted between objective and subjective evidence of accommodation fatigue. Recession of the near point of accommodation under reduced oxygen was found in 45% of the physically qualified and in 64% of the disqualified aviators.—C. W. Darrow (Behavior Research Fund, Chicago).

4643. Blakeslee, A. F., & Fox, A. L. Our different taste worlds. J. Hered., 1932, 23, 97-110.—Experiments undertaken with phenyl-thio-carbamide (P.T.C.) revealed that this compound is tasteless to 28% of the population, bitter to 65.5%, sour to 2.3%, and has some other taste to 4.2%. Genetic charts show "non-tasting" to be inherited as a Mendelian recessive. Taste acuteness forms a bimodal curve, even "non-tasters" being stimulated by a sufficiently concentrated solution. Several other compounds have also been found to distinguish between tasters and non-tasters. A leaflet has been prepared for distribution by the American Genetics Association containing a P.T.C. sample and genetic chart.—B. S. Burks (Stanford).

4644. Bonaventura, E. La parallasse binoculare e il suo significato nella percezione dello spazio. (Binocular parallax and its significance in space perception.) Florence: Stab. Tip. Bandetini, 1931. Pp. 23.—Having defined the concept of parallax and em-

phasized the importance which ought to be attached to binocular parallax (as differentiated from monocular parallax) for space perception, the author reports on the studies of Helmholtz and Bourdon on stereoscopic acuity (which, according to the authors, give results corresponding to monocular visual acuity), and the querdisparation theory of Hering; and says that the observations (and even more the calculations of Bourdon) and theories relative to binocular parallax in the perception of distances overlook the qualitative differences which appear in viewing objects with displacement, and come to a standstill at a consideration of the quantitative side of the facts. With a purview which permits isolating the factor of angular difference and leaving out modifications of form, size, luminosity, etc. (conditions not observed in the studies of the authors cited), it is found that stereoscopic acuity is completely annulled. Differences of 30 cm. (from 1 m. to 1.30 m.; from 1.50 m. to 1.80 m.) were not perceived. It must be concluded that there is no threshold of stereoscopic acuity under these conditions; and that binocular parallax, conceived as a purely quantitative factor, gives no perception of distance. This fact has been established with surfaces of different colors; but when there is added to the surfaces a point, a line or a symbol, one has the perception of difference in distances. Pseudoscopic experiments, which show that the reversal of the relief is verified only if there is the logical possibility of seeing the reversed image, confirms the importance of qualitative considerations in stereoscopic perception. In his conclusions the author advances the opinion that the perception of distance has its basis in experience and in the simultaneous action of several factors such as binocular parallax, convergence, accommodation, linear or aerial perspective, etc.; but that it cannot be attributed to any of these factors separately, and that the genetic point of view is the only one which can lead to the understanding of the facts of spatial perception .- R. Calabresi (Rome).

4645. Bromberg, W., & Schilder, P. On tactile imagination and tactile after-effects. J. Nerv. d Ment. Dis., 1932, 76, 133-155.—The remainder of the cases are cited (see VI: 3857). In summarizing; tactual images, though having both objective and subjective parts, may be without the subjective part, particularly if the objective images are strong. The optic picture of the touched area is often vague and rather symbolic. Imagined sensations are partly on the skin and under it. Turning makes more apparent the dissociation between the optic and tactual imagination. Tactual subjective imagination tends strongly to irradiate to remote parts of the body. These general rules are valid for any area of skin on the body. In tactual imagination there is a quality of movement, Vestibular irritation often of rhythmic character. increases tendency of movement. Several simultaneous imaginations of touches form a unit. In the imagination of lines and geometric figures parts of lines disappear. There is a distinct tendency towards curving of lines. Spontaneous multiplication of tactual images occurs less frequently than in optic

images. Slight touches have a distinct after-effect lasting roughly up to three minutes, independent of the optic images; the foreground is more sharply produced, and the effects on vestibular irritation are increased.—C. R. Atwell (Boston Psychopathic Hospital).

4646. Carleton, E. H., & Madigan, L. F. Size and shape of ocular images. II. Clinical significance. Arch. Ophth., 1932, 7, 720-738.—In a clinical application of the findings of Ames and Ogle, which have already appeared in Part I of this series, the present authors found that (1) differences in the size of ocular images of the two eyes may exist without causing discomfort, when differences are slight; (2) differences in size of ocular images with discomfort are found in persons of all ages with emmetropia, all types of refractive errors, orthophoria, and all types of heterophoria; (3) symptoms are of two types: those of a general type, such as headache and stomach disorder, and those of a localized ocular type, such as tiring, burning, tension, etc.; (4) correction of size differences apparently brought complete relief in 20% of such cases, partial relief in 60%, and no relief in 20%.—E. H. Kemp (Clark).

4647. Chance, B. Monochromatic vision. Amer. J. Ophth., 1931, 14, 415-425.—The literature is reviewed. It is suggested that achromatopsia should not be regarded as a division of color blindness. In the reported cases of achromatopsia it seems not unlikely that the chromosomes of both parents have been affected. The patient is sometimes rendered more comfortable by wearing dark glasses.—C. W. Darrow (Behavior Research Fund, Chicago).

4648. Cochran, M. Kinesthesis and the piano. Austral. J. Psychol., 1930, 8, 205-209.—The senses most concerned in the study of piano are the following: kinesthesis, the sense of time, the sense of rhythm, sight, and hearing. Although normally endowed subjects seem to make use principally of the last two senses, the example of the deaf mutes Helen Keller and Helen Martin, who have achieved remarkable results, gives an indication of the importance of kinesthesis. Experiments performed on very young children have shown that kinesthesis is the most precocious sense and the most educable. The author thinks that much can be done in this line to facilitate the study of piano in very young children.—A. B. Hunter (Clark).

4649. Creed, R. S. The after-image of black. J. Physiol., 1931, 73, 247-266.—The white after-image of a black hole on a white background was found to develop in some 12 seconds after 2-3 seconds of exposure. It is proved mathematically that no substances set free photochemically can have produced the after-image by diffusion, due to complete incompatibilities of the orders of magnitude of the necessary rate of diffusion and the experimental data. Under certain conditions the after-image of a small black hole is greenish in color. It is suggested that blood pigment may be responsible for this complementary color. A review of the possible causes of after-images is presented, and it is concluded that either the absence of luminous flux may in some circumstances

have a direct excitatory effect on the retina, or that interaction between illuminated and unilluminated areas (or between afferent paths connected with them) may account for the phenomenon.—H. Hoagland (Clark).

4650. Danielson, R. W. Some theoretical and practical points regarding unilateral voluntary winking. Amer. J. Ophth., 1932, 15, 611-617.—A difference in facility of voluntarily winking the respective eyes is often noted. The eye with the poorer vision generally shows the better voluntary control.—C. W. Darrow (Behavior Research Fund, Chicago).

4651. Day, P. L., Langston, W. C., & O'Brien, C. S. Cataract and other ocular changes in vitamin G deficiency. Amer. J. Ophth., 1931, 14, 1005-1009.—Bilateral cataracts developed within 60 to 87 days in all but 3 of 37 surviving rats on a vitamin G-deficient diet.—C. W. Darrow (Behavior Research Fund, Chicago).

4652. Delaney, J. H. The light sense tested by the photometric glasses of Tscherning. Amer. J. Ophth., 1930, 13, 1058-1063.—Tscherning's lightight spectacle frame with graded filters was used to study variations in the "light minimum." Observations are made on pathological conditions.—C. W. Darrow (Behavior Research Fund, Chicago).

4653. Di Giorgio, A. M. Ricerche intorno alla influenza di eccitamenti nervosi propriocettivi sulle localizzazioni spaziali visive. (Studies on the influence of the proprioceptive stimuli on visual localizations.) Boll. della Soc. ital. di biol. sper., 1931, 6, 551-556.—According to the author one obtains the correct interpretation of the image when the inclination of the visual plane to the horizontal plane is equal to the inclination of the photographic objective. This interpretation is in relation to the stimuli, which are confined to the positions determined by the ocular bulb in relation to the orbit.—R. Calabresi (Rome).

4654. El-Tarouti, M. Untersuchungen über das Zustandekommen der räumlichen Wahrnehmungen. (Studies on the establishment of spatial perceptions.) Zsch. f. Sinnesphysiol., 1930, 61, 194-207.—The report deals with two short studies carried out in Asher's Berne laboratory. In the first study, the subject had to adjust in the same plane five threads viewed through a black tube at a distance of 1.30 meters. He then had to perform the same task while looking at the threads through a tube which magnified them three times. The angular values remained the same, a condition which caused the author to conclude that the spatial value of retinal points remains stable. In the second study the subject had to arrange two lines in relation to a central line in the left monocular field in such a way that the three would appear in the same plane as three other similar lines which were in the right monocular field. When the lines were shown against a geometric figure seen in relief, the accuracy of adjustment was decidedly greater than when they were placed against a plane surface. Therefore, the author concludes that the field exercises an influence on spatial perception .-A. B. Hunter (Clark).

4655. Fedorow, N. T., & Fedorowa, V. J. Beitrag zur Kinetik der künstlichen Protanopie. (Contribution to the kinetics of artificial protanopia.) Zsch. f. Physik, 1930, 62, 834-841.—After intense fatigue to red, the eye presents certain protanopic characteristics from the point of view of the distribution of spectral light. During this temporary protanopia, which lasts about one minute, Rayleigh's equations show an annulment of the red light, yellow at 589 being judged the same as green at 550. The gradual return of Rayleigh's normal equation permits a quantitative interpretation in terms of variations in the ionic concentration according to Lasarev's general schema. During the course of 40 experiments carried out on each other, the authors found that the form of the recuperation curve for sensitivity to red after fatigue was somewhat different when the experiment was begun again after an hour's interval of rest. Although the total duration of recuperation was not modified, the return was decidedly slowed up in the beginning and then accelerated later to the point where it had previously died out in the initial experiment, a condition which is attributed to the persistence of decomposition products of the substance sensitive to red. The experimental results expressed by the two curves are compared with Lasarev's formulae, one of which is based on the hypothesis of monomolecular action and the other on bimolecular action. appropriate constants being used. Both formulae are shown to be equally satisfactory for the second experiment curve and nearly as satisfactory for the first (the bimolecular formula being adjusted somewhat by the use of five constants instead of three). Between the two chemical theories no preference can be made from the results of the authors' experiments. -A. B. Hunter (Clark).

4656. Feigenbaum, A. Reflex transmission of stimuli from one eye to the other. The "dark-light test" following neurectomy. Arch. Ophth., 1931, 5, 261-268.—(Biol. Abst. VI: 15945).

4657. Felderman, L., & Dyson, J. M. Tinnitus aurium: amelioration by intraspinal injections of glucose. Eye, Ear, Nose & Throat Mo., 1929, 8, 439–442.—(Biol. Abst. VI: 15946).

4658. Ferree, C. E., & Rand, G. The effect of relation to background on the size and shape of the form field for stimuli of different sizes. Amer. J. Ophth., 1931, 14, 1018–1029.—A further study of the factors that affect the size and shape of the form field is here reported. In this case two variables only were permitted, namely, size of stimulus and relation of stimulus to background in regard to brightness. It is shown that variation in brightness difference affects the size of the field more with small stimuli than with large. Some of the causes of error due to improper methods in taking fields are discussed.—C. W. Darrow (Behavior Research Fund, Chicago).

4659. Ferree, C. E., Rand, G., & Hardy, C. Refractive asymmetry in the temporal and nasal halves of the visual field. Amer. J. Ophth., 1932, 15, 513–526.—This paper is a further study of the refraction in the peripheral field of vision. Objective methods

by means of a Zeiss refractionometer were employed. Three types of eyes in regard to peripheral refraction were noted. The present report concerns type C, in which a considerable difference was found between the nasal and temporal halves of the field.—C. W. Darrow (Behavior Research Fund, Chicago).

4660. Ferree, C. E., Rand, G., & Wentworth, H. The influence of brightness of surrounding field or background on the size and shape of the blind spot for color. Amer. J. Ophth., 1930, 13, 690-698. The distance of the center of the blind spot from the center of the field of vision for the achromatic and chromatic stimuli averaged 16.5 degrees and ranged from 14.5 to 17.5 degrees. The blind spot was larger for a black test object on a white field than for a white test object on a black field. The blind spots for chromatic stimuli were all much larger than for achromatic stimuli. Other findings relate to variations in size of the blind spot for different colors as seen upon backgrounds of varying brightness. As to satisfactory technique, gray of the brightness of the color as background gave the best and white the worst results.—C. W. Darrow (Behavior Research Fund, Chicago).

4661. Ferree, C. E., Rand, G., & Monroe, M. M. Studies in perimetry. 4. Preliminary work on a diagnostic scale for the form field with a 0.17 degree Amer. J. Ophth., 1930, 13, 859-867. stimulus. Using a stimulus subtending a visual angle of 0.17 degree, the reduction in the field as compared with that obtained for a one-degree stimulus was greater for the presbyopic group of subjects and less (in the order named) for the myopic, hyperopic, and emmetropic groups. The shape of the field obtained for the 0.17-degree stimulus differed from that obtained with the larger stimulus, the reduction being greater on the temporal side. A greater range of scatter was obtained in the results with the 0.17-degree stimulus, and this fact may render of little or no value the use of the smaller stimulus for refinement of diagnosis based on size of field .- C. W. Darrow (Behavior Research Fund, Chicago).

4662. Fischer, E. P., & Hofe, K. v. Ueber die elektrische Erregbarkeit des menschlichen Auges während der Helladaptation. (On the electrical excitability of the human eye during light adaptation.) Arch. f. Augenhk., 1932, 105, 443-452.-In 1929 Achelis and Merkulow found that the electrical threshold rose during dark adaptation; instrumental limitations prevented their performing the indicated parallel experiment under light adaptation. This was the point of departure of the present investigators. They made chronaxie determinations with a rheobase at the just perceptible phosphene, using the technique of Achelis and Merkulow. The subjects adapted under illumination intensities ranging from 100 to 3000 lux, using the sphere-adaptometer invented by Hertel several years before. This experiment under light adaptation, using two subjects, showed a rise of the electrical threshold. Thus, while light thresholds rose and fell with light or dark adaptation respectively, electrical thresholds rose anyway. Perhaps the electrical threshold is independent of

some retinal process, like regeneration of the retinal purple, which does affect sensitivity to light stimulation.—S. M. Newhall (Yale).

4663. Freeman, B., & Hamilton, W. F. The blue excitation curve of dichromats. Amer. J. Physiol., 1932, 101, 686-689.—" Considerations of color mixture and of wave length discrimination in two types of dichromats indicate, as do the data for the normal eye, that the blue excitation curve should not extend above the region of 517 $\mu\mu$."—C. Landis (New York Psychiatric Institute).

4664. Fry, W. E. Congenital total color blindness. Amer. J. Ophth., 1930, 13, 1064-1065.—This is the eighth case reported in this country, the total number in the literature being about 125. Photophobia or dazzling is frequently the chief complaint. In the present case the main difficulty was day blindness without pain or ocular discomfort.—C. W. Darrow (Behavior Research Fund, Chicago).

4665. Galli, A. Sopra la percezione di movimenti apparenti prodotti con stimoli sensoriali diversi. (Concerning the perception of apparent movements produced with different sensory stimuli.) Atti Soc. ital. prog. sci., XX riunione, 1932, 2, 417-418.—See VI: 4666.—R. Calabresi (Rome).

4666. Galli, A. Ueber mittelst verschiedener Sinnesreize erweckte Wahrnehmung von Scheinbewegungen. (On apparent movement produced by various sensory stimuli.) Arch. f. d. ges. Psychol. 1932, 85, 137-180.—The investigator determined with two visual and two tactile stimuli the optimum temporal and spatial conditions for evoking the illusion of movement. Visual, tactile and auditory stimuli were then presented in various combinations to ten subjects. The results are as follows: (1) Identical or different sensory stimuli are perceived as separated when the time intervals between them are too long, or the distance from the subject is too great to permit a relationship to be established between them. (2) When the stimuli are presented in rapid sequence they appear simultaneous. (3) At an optimum point in temporal, as also in spatial relations, apparent movement is produced. The stages in this apparent movement are outlined. (4) One stimulus of a sequence appears to act as carrier of the movement. In sequences of various sensory stimuli, the visual stimulus assumes this rôle-in the absence of the visual, the tactile stimulus. Although the stimuli sequences under optimum conditions are perceived as a unified whole, the author does not lean toward a Gestalt interpretation. J. L. Jervis (Yale).

4667. Holzlohner, E., & Stein, W. H. Ueber den gesteigerten farbigen Simultankontrast der anomalen Trichromaten. (On the increase in simultaneous color contrast in cases of abnormal trichromatism.) Zsch. f. Sinnesphysiol., 1930, 61, 209-224.— The authors determined the amount of normal contrast in the following manner: a yellow region lighted by spectral light, which gave the impression of pure yellow (585.5 or $581\,\mu\mu$ for two normal subjects), was placed next to a red or a green region (670 or $525\,\mu\mu$), the yellow being thus modified by

contrast. It was found necessary to change the yellow wave length in the direction of orange in the first case and toward the green in the second in order to restore pure yellow for the observer (the normal shift being on the average about $3 \mu\mu$). Then a study was made of seven deuteranopes and two protanopes. For the first group, five showed an increase in the contrasting influence of red, while two showed no increase of this nature. No systematic differences could be found. Apparently a central action takes place under these conditions, for the contrasting ac-tion was exhibited binocularly, the yellow field being seen with one eye and the red or green with the other. Only one of the protanopes showed an increased contrast with the use of green, though both of them gave a paradoxical reaction for red. Also one of them gave this same paradoxical variation for green. The data are not homogeneous, and no definite conclusions can be drawn .- A. B. Hunter (Clark).

4668. Hosoya, Y. Fluoreszenz der einzelnen Augenmedien und Sichtbarkeit des ultravioletten Gebietes des Spektrums. (Fluorescence of the separate ocular media and visibility of the ultraviolet region of the spectrum.) Tohoku J. Exper. Med., 1929, 13, 524-538.—(Biol. Abst. VI: 13132).

4669. Iwatake, H. On the variation of the sense threshold caused by a change in the surrounding temperature. J. Oriental Med., 1931, 14, 49.—(Biol. Abst. VI: 15950).

4670. Jaensch, E., & Wiegand, F. Die Beziehung von Kontrast und Transformation. (The relationship between contrast and transformation.) Arch. f. d. ges. Psychol., 1932, 85, 95-136.—The authors present an experimental and critical investigation, with particular reference to the theories and objections of other investigators. An experimental method was devised presenting the phenomenon of transformation-brightening; complete absence of transformation effect; and transformation-darkening. The results are discussed in detail from the point of view mentioned above.—J. L. Jervis (Yale).

4671. Jennings, J. E. Evaluation of pseudo-iso-chromatic tests for the detection of color blindness. Amer. J. Ophth., 1931, 14, 952-958.—The Nagel, Edridge-Green, Stilling, and Ishihara color-blindness tests are compared in a study of 20 color-blind cases, with tabular presentation of results. The Nagel test is objectionable because it requires the use of color names. The Edridge-Green test is satisfactory for the detection of red-green blindness, although the letters are found more difficult to read than numbers. The Ishihara test may be committed to memory. Stilling's test is preferred for the detection of red-green blindness. Since lower grades of color blindness may be overlooked, it is recommended that at least three tests be used in all cases.—C. W. Darrow (Behavior Research Fund, Chicago).

4672. Kiesow, F. Ueber die Entstehung der Braunempfindung. (On the nature of the sensation of brown.) Neue psychol. Stud., 1930, 6, 119–130.—Kiesow discusses the origin of Oesterreich's "secondary green" which appears in brown when

yellow is darkened. This brown cannot be duplicated in the yellow-black line on the color cones. The green, which Kiesow calls a product of mental synthesis, is due to the green components in the yellow pigments. When it is neutralized in the yellow by the addition of red in the color dises (a condition which is equivalent to the use of yellow-orange), very pure browns are obtainable upon darkening the discs. But the brown itself is a product of a mental synthesis, since it does not appear in the spectral colors. The difficulties encountered are especially apparent for conditions involving reflective chroma, that is, for conditions involving perceptive qualities obtained from surfaces of objects and not elementary chromatic qualities.—A. B. Hunter (Clark).

4673. Kravitz, D. The value of quadrant field defects in the localization of temporal lobe tumors. Amer. J. Ophth., 1931, 14, 781-785.—Discussion of the literature and of a case.—C. W. Darrow (Behavior Research Fund, Chicago).

4674. Kunze, J. Perkussionsleistungen Gehörloger. (Percussion performances of the deaf.) Zsch. f. Psychol., 1932, 125, 289-293.—The results obtained from an experiment carried out with deafmute pupils, based on a purely vibratory percussion, prove further that percussion can be perceived by the sense of vibration alone.—E. Johns (New York City).

4675. Lancaster, W. B. Ocular symptoms of faulty illumination. Amer. J. Ophth., 1932, 15, 783-788.—Considers insufficient light, exposed light sources, reflection, and excessive concentration of illumination as causes of eye strain. Excessive effort to gain greater precision in fixation and focusing are causes of "strain" under faulty illumination.—C. W. Darrow (Behavior Research Fund, Chicago).

4676. Levinsohn, G. Zum experimentellen Nachweis der Myopiegenese. (Experimental data concerning the genesis of myopia.) Arch. f. Augenhk., 1932, 105, 552-567.—The author criticizes the findings and negative interpretations of O. Marchesani with respect to the gravity theory of myopia. (The theory is that gravitational pull may elongate the eyeball gradually and so develop myopia.) Levinsohn presents summarized data, including his own. The following article contains Marchesani's rejoinder.—S. M. Newhall (Yale).

4677. Lewis, W. W. Presbyopia, the bugbear. Amer. J. Ophth., 1930, 13, 806-808.—The writer holds that the early wearing of full hyperopic correction favors the early onset of presbyopia.—C. W. Darrow (Behavior Research Fund, Chicago).

4678. Lillie, W. J. Homonymous hemianopia primary sign of tumors involving lateral part of transverse fissure. Amer. J. Ophth., 1930, 13, 13-20.—Out of 13 cases of tumor of the basal ganglia 2 showed as early symptoms clear-cut homonymous hemianopia for color and form. At necropsy these cases revealed involvement of the optic tract in the lateral part of the roof of the transverse fissure. 7 figures, 8 references.—C. W. Darrow (Behavior Research Fund, Chicago).

4679. Luckiesh, M., & Moss, F. K. Researches in seeing. Amer. J. Ophth., 1932, 15, 801-815.—Some of the high lights of extensive researches at the Nela Park laboratories of the General Electric Company, showing that artificial illumination is usually inadequate and should be increased, and that daylight should be approximated as nearly as possible.—C. W. Darrow (Behavior Research Fund, Chicago).

4680. Matsuda, A. Untersuchungen zur optischen Raumwahrnehmung. (Studies on the optical perception of space.) Zsch. f. Sinnesphysiol., 1930, 61, 225-246.—Under the direction of Trendelenburg, the author performed certain experiments for conditions of darkness which had previously been performed for diurnal vision. Using feeble illuminations which were below the foveal threshold, he verified the finding that the processes of spatial perception are identical in rod and in cone vision. A second study dealt with the relations of the image of a point to its actual spatial position (distance from the eye) in stereoscopic vision. For a distance corresponding to a convenient distance for binocular vision, approximately 30 cm., the two points coincided. Below and beyond this distance, the point corresponding to the spatial impression was much nearer than the real point, the distances in respect to the eye being over- or underestimated .- A. B. Hunter (Clark).

4681. Miles, W. R., & Beaumont, H. Monocular testing of the color blind. Amer. J. Ophth., 1931, 14, 636-639.—Unilateral color blindness, or a distinct difference as to color vision between the two eyes, is rather infrequently mentioned in the literature, and apparently it is the general custom to test both eyes together for color vision. One case of monocular color blindness was discovered by the authors in the testing of 23 persons. The Ishihara plates for testing color vision are particularly valuable, and give lower ratings than the Stilling plates, because the former contain hidden numbers.—C. W. Darrow (Behavior Research Fund, Chicago).

4682. Monjé, M. Die gegenseitige Beeinflussung der durch zwei kurzdauernde Lichtreize hervorgerufenen Empfindungen. (The reciprocal influence of sensations caused by two brief light stimulations.) Zsch. f. Biol., 1930, 90, 557-573.—By a comparison of sensations produced independently and following each other at varying intervals, the author determined the modifications due to this juxtaposition through the use of Fröhlich's movable slits. The duration of the first sensation was only slightly modified, and its latency was not changed, but the latency of the second was clearly shortened for weak stimulations and increased for intense ones. Therefore, there are certain secondary actions of the first stimulation which can either aid the second through the process of summation or weaken it through the process of adaptation, which diminishes the sensitivity.—A. B. Hunter (Clark).

4683. Morton, H. M. Hypothesis regarding socalled amblyopia ex anopsia. Amer. J. Ophth., 1931, 14, 239-244.—The author takes the view that the term "amblyopia ex anopsia" is a misnomer, that the eyes to which it is applied are congenitally amblyopic through defects related to structural and functional neurology, with imperfect macular or sometimes paramacular vision, so that the amblyopia is really the cause of disuse and not its consequence.—
C. W. Darrow (Behavior Research Fund, Chicago).

4684. Nyssen, R. L'influence de la douleur sur la pression artérielle chez l'homme. The influence of pain on arterial pressure in man.) J. de neur. et de psychiat., 1931, 31, 205-280.—Prefacing his article with a survey of the work of other investigators in regard to the subject under discussion, the author presents in detail the results of experiments made to test arterial pressure in artificially produced pain, and compares these results with the action of pain due to pathological processes. In contrast to other writers, the author states that the sex of the test person did not seem to affect the results. Any kind of physical pain may considerably increase the arterial pressure. This increase of pressure is not a local but a generalized reaction. The increase of the diastolic pressure is of the same importance as that of the systolic pressure, except in arterial sclerosis, where the increase of the systolic is more significant than that of the diastolic pressure. Even though painless sensory excitations may produce an increase of blood pressure, experiments have shown that pain has an independent influence, reenforcing the sympathicotonic action which is caused by the pain sensation. The problem of the exact relation between the intensity of the painful excitation and that of the arterio-tensional reaction is very complex; the facts known at present tend to show that the rise of arterial pressure corresponds in general to the intensity of the algogenous excitation. Pain stimuli on regions which are analgetic due to an interruption of afferent peripheral and medullary pathways are not followed by an increased blood pressure. In cat and dog the arterio-tensional reaction to painful stimuli takes place in spite of general anesthesia or decerebration. In human beings the rise in blood pressure due to pain may occur without the participation of the nervous centers that mediate conscious sensation, though the conscious perception of the pain tends to reenforce the infra-thalamic tensional reflex through the hypertensional influence of emotional excitation. Undoubtedly we have to deal with an infracortical and possibly infra-thalamic reflex. A psychic pain, whether imagined or hallucinated, may raise the arterial pressure although probably not to the same degree as real pain. A bibliography of 208 titles is given .- H. Syz (New York City).

4685. O'Brien, C. S., & Salit, P. W. The chemical constituents of the aqueous, vitreous, and lens. A comparative study on animal eyes. Amer. J. Ophth., 1931, 14, 582-589.—C. W. Darrow (Behavior Research Fund, Chicago).

4686. Ovio, G. Influenza del nero sulla visione. (The influence of black on vision.) Ann. di Ottal., 1929, 57, 1-11.—Absolute black does not exist for Ovio; the color so-called differs from relative black by about one-sixtieth (a condition which approximates the limit of the differential threshold). There is a practical identification of the two, however, rela-

tive black playing the rôle of absolute black in the matter of acuity of vision. The lowering of visual acuity caused by a diminishing of illumination may be explained by modifications in the relations of black, which is not noticeably changed, and of white, which is greatly affected.—A. B. Hunter (Clark).

4687. Perkins. F. T. Symmetry in visual recall. Amer. J. Psychol., 1932, 44, 473-490.-Simple, nonsymmetrical geometric figures were used to investigate progressive changes in visual recall. Reproductions of the stimuli were obtained from 150 observers at intervals up to 19 days after presentation. Changes in figures by the observers were classified into the following types: equalization, orientation, standard figures, simplification, complication, completion, proportional relations, bilateral symmetry, and whole symmetry. All types of change tended toward balance or symmetry of some kind. The greatest percentage of change occurred on the first reproduction. Specific changes appearing early were continued progressively throughout the series. Results are graphically presented. In conclusion, the importance for memory theory of the dynamics of mental continuity is emphasized.-M. N. Crook (University of California at Los Angeles).

4688. Poos, F. Der Anteil der beiden Antago-nisten an der Pupillenbewegung bei den verschiedenen Reaktionen. (The action of the two antagonistic muscles in pupillary movements in different reactions.) Arch. f. Ophth., 1930, 125, 308-312.-Poos concludes from his experiments in vitro (cf. Behr's criticisms in the same journal) that there is no pupillary dilation without relaxation of the sphincter and that pure contraction of the sphincter takes place when the iris narrows. He thus supposes a twofold innervation of this muscle, which is excited by the parasympathetic and inhibited by the sympathetic. Behr states that the experiments made on the living iris do not verify in any way this specialized rôle of the sphincter. Poos, while admitting Behr's criticisms in general, denies that there is any value to be gained from the latter's experiments on his pathological case where the condition of the membranes, claimed to be independent of each other, is so poorly described .- A. B. Hunter (Clark).

4689. Rowe, A. W., & Drury, D. W. Vital function studies. IX. Failure of hearing in the young: a study of a rural community. J. Amer. Med. Asso., 1932, 98, 1539-1542.-A study was made of the auditory acuity of 2,078 pupils selected from 18 schools. The initial examination was made with the aid of a 4-A audiometer. On this initial test 590 gave evidence of some impairment of hearing power. next phase of the study consisted in a careful ear, nose, and throat examination for each of the 590 children. A more elaborate instrumentation, a 2-A audiometer, was used and the threshold of hearing accurately determined for each frequency. This examination showed 276 (13.3%) to have hearing defeet of a magnitude to warrant report. 230 of these children were given mental tests and 50 of this group gave evidence of a lowered mental acuity. Only 50% of the group of 276 had reported trouble with the

ears as the chief complaint. Since this study was made of a large representative grouping of school children the prevalence of hearing defects indicated is of considerable social and educational significance. -D. J. Ingle (Minnesota).

4690. Rowland, W. D., & Rowe, A. W. Concentric contraction of the visual fields. Amer. J. Ophth., 1930, 13, 413-422.—An analysis of the pathological conditions in 100 cases .- C. W. Darrow (Behavior

Research Fund, Chicago).

Abdominal discomfort. 4691. Russell, A. E. Lancet, 1931, 221, 1391-1394.—Recent experimental findings are pointing back to the old view that visceral pain does exist and is not merely referred pain. Experimental studies on the sensibility of the alimentary canal are described. The nature and causes of abdominal pain are discussed from the standpoint of the clinician .- D. J. Ingle (Minnesota).

4692. Samanta, M. Visual perception of areas. Indian J. Psychol., 1932, 7, 67-74.—The limens, both upper and lower, of perceptual difference in the comparison of a circle and a square of constant area with other squares of varying areas were found by one of the psychophysical methods (gradation) and by the full series method of Kirschmann. obtained by the two methods showed little difference, and although few subjects were used, the author concludes that the full series method may be used with profit instead of the more tedious and inconvenient gradation method .- E. H. Kemp (Clark).

4693. Scarlett, H. W. Senile macular changes of the retina associated with focal infection. Amer. J. Ophth., 1931, 14, 932-935.—A review of literature and study of four cases .- C. W. Darrow (Behavior Research Fund, Chicago).

4694. Shannon, C. E. G., & Edgerton, A. E. case of hemiachromatopsia. Amer. J. Ophth., 1931, 14, 41-43.—A slight homonymous hemianopsia for green, red, and blue, with normal form field, is studied in a case of severe arteriosclerosis with kidney involvement.-C. W. Darrow (Behavior Research Fund, Chicago).

4695. Steinhaus, H. Untersuchungen über den Zusammenhang von Presbyopie und Lebensdauer, unter Berücksichtigung der Todesursachen. (Study of the relationship between presbyopia and length of life, taking into consideration the causes of death.) Arch. f. Augenhk., 1932, 105, 731-760.—This study, based on over 2200 cases, evidences a close relation between degree of presbyopia and life-expectation. The hardening of the lens proves to be a good measure of the degree of senility of the vital organs and therefore of the life-span remaining. As one might expect, the relation is closest in cases where death is "natural" rather than accidental. Women average about the same as men in presbyopia; therefore their greater life-expectancy is probably not due to lower senility but rather to more favorable living conditions. -S. M. Newhall (Yale).

4696. Symonds, C. P. The physiology of painful sensation, in relation to some clinical problems in neurology. Lancet, 1931, 221, 723-726.—Pathological lesions occurring at any level of the afferent pathway may give rise to pain sensations. The author discusses as examples the syndromes caused by lesions in the peripheral nerves, the posterior root, the cord, the brain stem, and the thalamus. The experiments and theories of Head and Rivers, and of Trotter and Davies are described. The author agrees with Trotter and Davies that the epicritic-protopathic theory of Head and Rivers is untenable. The hypothesis suggested by Trotter and Davies that the changes in sensation observed after the nerve is cut are due to pathological conditions in the nerve-fibers themselves is supported by clinical observations and by Adrian's study on action currents in afferent nerves after section .- D. J. Ingle (Minnesota).

4697. Wentworth, H. A. Variations of the normal blind spot with special reference to the formation of a diagnostic scale. I. The form blind spot. Amer. J. Ophth., 1931, 14, 889-904.—A study of the blind spots of 200 normal persons is made under conditions standardized as to illumination, size of test object, light adaptation and method of mapping. Results are recorded and tabulated according to area and position. The areas varied from 6.8 sq. cm. to 17.5 sq. cm., the average being 11.4 sq. cm. at 33 cm. from the eye, using a one-degree test object. The average size was found to increase somewhat with The distribution curve rather than the average size is regarded as of most significance as a standard for diagnostic comparisons. The author feels that the series is too small for generalization.-C. W. Darrow (Behavior Research Fund, Chicago).

4698. Wentworth, H. A. Variations in the normal blind spot with special reference to the formation of a diagnostic scale. II. The color blind spot. Amer. J. Ophth., 1931, 14, 1118-1131.—The author gives the results of a series of careful measurements of the area of the blind spot, using blue, red, and green stimuli. The same subjects were used as in the previously reported measurements using form stimuli. The results show an increase in the average area of the blind spot for colored stimuli, in the order named, of 33%, 58%, and 98% over the average size for form stimuli .- C. W. Darrow (Behavior Research Fund, Chicago).

4699. Werner, H. Untersuchung über Empfindung und Empfinden. 4. Das optische Verschmelzen in seiner Abhängigkeit von heteromodaler Reizung. (Research in the field of sensation. 4. Optic fusion as dependent on heteromodal stimulation.) Zsch. f. Psychol., 1932, 125, 249-289.—This work was carried out by Paul von Schiller and edited by Heinz Wer-The assertion that phenomena in one sensory field are influenced by stimuli of another field has been considered by only a small group. The experiment with a constantly rotating Talbot disk has shown that the impression of fusion changes, if during the observation acoustic, tactile, or vibratory stimuli are present. If the fusion is intense, the disk stands still, and a harsh sound is heard; then the disk shimmers and appears to tremble. This shimmering, however, stops as soon as harmonious sound or a smooth tactile stimulus is perceived by the person

under experiment. These phenomena take place only when the non-optic stimulus produces a "perception" intensely sensed by the individual. It is assumed that this effect, produced by such a stimulus as used in this experiment, manifests itself electro-chemically indirectly in other unrelated parts of the central nervous system also.—E. Johns (New York City).

4700. Wolfe, O. Notes on muscle and fusion training and orthoptic treatment of anomalies. Amer. J. Ophth., 1932, 15, 618-626.—Benefit is claimed in a wide range of ocular anomalies.—C. W. Darrow (Behavior Research Fund, Chicago).

[See also abstracts 4704, 4724, 4733, 4755, 4759, 4776, 4788, 4964.]

FEELING AND EMOTION [See abstracts 4737, 4973.]

ATTENTION, MEMORY AND THOUGHT

4701. Barr, A. S. A Study of the amount of agreement found in the results of four experimenters employing the same experimental technique in a study of the effects of visual and auditory stimulation in learning. J. Educ. Res., 1932, 26, 35-45.—Four experimenters each worked with 16 subjects from the freshman class of the University of Wisconsin, the University of Wisconsin High School, or two nearby rural high schools. Two lists of 10 nonsense syllables each were used as learning material, as well as two lists of 15 pairs of words to be used by the method of paired associates. The results indicate that all four experimenters working under similar conditions secured similar results.—S. W. Fernberger (Pennsylvania).

4702. Bonaventura, E. La fatica nel lavoro mentale. (Fatigue in mental work.) Atti Soc. ital. prog. sci., XX riunione, 1932, 2, 378-383.—The author mentions the inadequacies of the studies which have been done in this field. He notes that the tests of Kraepelin, even as modified, represent a very simple form of mental work, incomparable with ergographic work, which is more fatiguing than all habitual muscular work; and that automatism and exercise annul the action of fatigue in the tests used. He states that in order to study the mental work curve it is necessary to choose a task which is difficult enough to produce fatigue in a relatively short time but which is adapted to the average culture; which presents different problems all the time (in order to avoid automatism) but always problems of uniform difficulty to make it possible to evaluate the results of each work period). He believes it to be impossible to remove completely from mental work every muscular factor, and every effort of attention, voluntary effort, etc., from physical work, but he believes it possible to find tasks which are equivalent from the point of view of physical fatigue but which nevertheless exhibit very different intellectual difficulties; for example, oral reading in the native language and in a foreign language.-R. Calabresi (Rome).

4703. Crile, G. W. An electro-chemical interpretation of memory. Proc. Amer. Phil. Soc., 1930, 69, 359-369.—(Biol. Abst. VI: 10045).

4704. Kratina, F. Die eidetische Anlage bei Jugendlichen: eine psychologische Studie. (The eidetic characteristics of adolescents; a psychological study.) Prague: Orbis-Verlag, 1930. Pp. 166. Kč. 25.—These studies were made on pupils in the Czech Realgymnasium at Olmütz, using chiefly the familiar Munich collection of pictures. These were shown for 18-20 seconds, intermittently, to prevent the pupils fixating on them. The scholars then closed their eyes and reported what came before their minds. Afterward, they looked at a gray paper in order to determine the presence of images with open eyes. Voluntarily produced and spontaneously appearing images were studied. In regard to the latter, it was difficult to get complete and satisfactory information. After-images were studied independently. sults showed 54% of eidetics, with the peak at the fifteenth year, i.e., around puberty. Taking these results in connection with those of Rössler, which showed a maximum at 6 years among children in the folk schools, the curve would have two peaks. According to richness of content, Kratina distinguishes three grades of eidetic Anlagen: complicated images with all details; single parts; and finally, outlines, patches of color, or an isolated, interesting detail. With declining eidetic power, the ability to recall color decreased, while the proportion of gray increased. Kratina concludes that gray coloration is a sign of a low degree of eidetic ability. In contradistinction to P. Busse's formulation Kratina succeeded in two cases in transforming the original coloration into gray. In the content of the image also, he observed interesting deviations from the original, as well as spontaneous displacements and transformations. In some subjects, the image with all its details appeared immediately; in others it developed gradually. In connection with his own researches, Kratina gives a critical discussion of the Jaensch theory. He considers that there is no reason to assume a continuous series of memory images, since after-images are not memory phenomena, but originate in a continuation of retinal stimulation. Similarly, he disagrees with the theory of the unity phase, because the general expansion of the eidetic Anlage in childhood is insufficiently supported by the exceptions to Emmert's law. Furthermore, reports in the literature concerning optimal conditions for the appearance of the Anschauungsbilder (length of exposure, fixation or intermittent views) are contradictory. The existence of two different kinds of Anschauungsbilder (representative and after-images) as well as their relationship to certain somatic types is also still questioned. Eidetic imagery is of great importance for poetic and artistic creation, but it is widely separated from the sphere of abstract ideas which dominates the mental life after puberty. Hence no radical change in pedagogy is to be expected from these researches. Nevertheless, studies in eidetic imagery are of the greatest value for teachers because they show that the mind of the child

differs from that of the adult not only quantitatively, but also qualitatively .- M. E. Morse (Catonsville, Md.).

4705. Marzi, A. Contributo allo studio dell'attenzione in rapporto con l'età. (Contribution to the study of attention in relation to age.) Atti Soc. ital. prog. sci., XX riunione, 1932, 2, 388-391.—The author gave the attention test of Toulouse and Piéron to 600 students in the industrial school of Florence, divided about equally among the ages from 11 to 20 inclusive. He found that the error curve was practically constant for these ages, although the speed curve (using the time of finishing the test, rather than the work done in a given time) showed a constant and very remarkable increase from 11 to 18 years (the time being reduced by half); after 18 years the values were constant. It is concluded that the progression with age so demonstrated, in so far as it concerns attention, is due to an increase in reactive capacity.-R. Calabresi (Rome).

4706. McGeoch, G. O. A revaluation of the wholepart problem in learning. J. Educ. Res., 1932, 26, 1-5.—Analyses of a number of experimental studies with the relative efficiency of the whole and part methods of learning give divergent results, all of which are statistically reliable. The author believes that these variable results are due to a number of factors in the experimental situations, such as the forms of the part method used; the methods of measuring learning efficiency; the age, ability, intelligence, and practice of the subjects used; the nature, length and difficulty of the learning material; and the like.

-S. W. Fernberger (Pennsylvania).

4707. Pauli, R. Zur Methodik der Gedächtnispsychologie. (A contribution to the methodology of memory psychology.) Arch. f. d. ges. Psychol., 1932, 85, 41-94.—The different techniques applied to the study of memory are closely related and form a unity, a system. This system requires further development, particularly in the field of recognition and of retention. A new method for investigating the latter is presented. It is called the "trace method, because it attempts to analyze the memory traces in the subject's mind. The writer finds that the prerequisite for all memory methods, a uniform, standardized material for learning, is only partly fulfilled by nonsense syllables, and considers twoplace numbers chosen according to definite rules and arranged in series better adapted to memory investigation. Consonant pairs may also be used effectively. Nonsense material is supplemented by monosyllabic nouns. An apparatus for universal use in memory experiments is described .- J. L. Jervis

4708. Stern, W. Personalistik der Erinnerung. (The personalistic aspect of memory.) Zsch. f. Psychol., 1930, 118, 350-381.—Stern has completely revised the fourth edition of his book on the development of memory in early infancy. This article serves as the new introduction. The term *Personalistik* signifies the scientific study of all the physical, psychological, and cultural facts which, in the individual, are connected with his personal life considered as a

whole. The study of memory from this point of view raises such questions as the following: What tendencies inherent in a person are memory factors? What personal ends does memory serve? What does it do in the realization of these ends? How is this personal function of memory reflected in the conscious life of the individual? What part does this personal function play in the progressive development of per-sonality? What is its relation to the other spheres of personality? In what way does it participate in the construction of his personal world, that is, in the construction of that reality of which the individual considers himself the center? The author discusses these problems and treats old ones in a new manner. He shows us how, without abandoning any of the exact methods of scientific psychology, we can give correct emphasis to the reasonable demands of verstehende Psychologie."-A. B. Hunter (Clark).

4709. Vertes, J. O. Assoziation und Intelligenz. (Association and intelligence.) Arch. f. d. ges. Psychol., 1932, 85, 219-228.—The investigator used the Ranschburg paired-word method to determine the laws of word-memory. Intelligent children were compared with those of less intelligence. 100 school children ranging in age from 6 to 18 years were subjects. The writer was particularly interested in the false reproductions, which the following results concern. Pupils of the Realschule had on the first day of testing more preferred, i.e., identical reactions than the pupils of the Volksschule. The associations of the Volksschüler differ somewhat from those of the Mittelschüler. Older, more intelligent pupils show always (on the first, second and eighth days of the experiment) more preferred associations than less intelligent younger children. Younger children require longer preferred association times than the older children. The preferred associations of the more intelligent older children show much greater constancy than those of the less intelligent younger pupils. The younger the pupil, the smaller the number of false associations. Those of poorest mental ability show the least number of false reproductions. J. L. Jervis (Yale).

4710. Wenzl, A. Empirische und theoretische Beiträge zur Erinnerungsarbeit bei erschwerter Wortfindung. (Empirical and theoretical contributions to the process involved in the difficult recall of words.) Arch. f. d. ges. Psychol., 1932, 85, 181-218.—The general conception that the conscious effort to recall a word actually hinders the process is in the main false, though pursuing a path which is wrong from the beginning naturally leads farther astray. best method is to proceed slowly and return to the point of departure frequently. In the majority of cases the recall of the word has its point of departure in auditory imagery. An awareness of the form, number of syllables and word rhythm enters into the process; one is conscious of parts of the word, usually of the beginning, or of the chief vowel or consonant combinations; or if the sound-picture is vague and exceedingly general, one may recognize what the writer calls its general "physiognomy." The recall of the word results often from the significance and

meaning of its content and its relationship to other word contents. Protocols are appended, giving point of departure for the word sought, path followed in the recall process, and an explanation of the association involved.—J. L. Jervis (Yale).

4711. Wintsch, J. Esquisse physiologique de l'attention. (A physiological outline of attention.) Arch. suisses de neur. et de psychiat., 1930, 26, 209-226.—The author discusses the results of a group of experiments with attention tests, special emphasis being given to the reaction time method. Lausanne school children were used as subjects. He compares the attention found in good and poor students, discussing the degree and stability. Referring to Pavlov, he relates attention to a conditioned reflex condition and finds that his pedagogical observations are in accord with the laws established by the work of the Russian school.—A. B. Hunter (Clark).

[See also abstracts 4757, 4761, 4955.]

NERVOUS SYSTEM

4712. Adrian, E. D. Potential changes in the isolated nervous system of Dytiscus marginalis. J. Physiol., 1931, 72, 132-151.—The nerve ganglia of insects shows considerable spontaneous activity when isolated from the body. Discharges in individual nerve fibers were detected by amplifying the potential changes. In the thoracic and abdominal ganglion chain of the beetle Dytiscus periodic outbursts occur with a frequency characteristic of respiratory movements. At the time of these outbursts the ganglia slowly develop negative potentials, with respect to the nerve, which last throughout the period of dis-They are absent in records made with both electrodes on the nerve. The slow potential changes begin before the corresponding nerve discharge, but the frequency is usually at its maximum when the potential change is greatest. The waves are believed to be due to a progressive depolarization and recovery in the dendritic region of the ganglia, the nerve discharge varying with the depolarization. the same explanation as suggested by Adrian and Buytendijk to account for the slow potential changes in the brain stem of the gold fish. A battery-coupled amplifier for use with the oscillograph is described; this enables slow as well as rapid potential changes to be recorded without distortion .- H. Hoagland (Clark).

4713. Adrian, E. D., & Buytendijk, F. J. J. Potential changes in the isolated brain stem of the goldfish. J. Physiol., 1931, 71, 121-135.—Rhythmic potential waves (up to ½ sec. duration) recurring at intervals of from 1 to 3 seconds were recorded from the brain stem of the goldfish. These waves were found to correspond in frequency to normal opercular breathing rhythms. The waves are caused by negative variations occurring in the vagal lobes with respect to other parts of the brain stem. A variety of complex potential waves were also recorded from the midbrain. It is suggested that the slow waves are produced by slow potential changes in the nerve cells or dendrites rather than by the summation of nerve

fiber discharges. It is noteworthy that rhythmic activity of the respiratory center in the goldfish can occur in the absence of sensory impulses.—H. Hoagland (Clark).

4714. Adrian, E. D., Cattell, McK., & Hoagland. H. Sensory discharges in single cutaneous nerve fibers. J. Physiol., 1931, 72, 377-391.—The impulse discharges in single nerve fibers connected with tactile endings in the skin of the frog were recorded from dorsal cutaneous nerves. Many of the nerves contain a single fiber which has divided near the cord and sent branches into two nerve trunks. On stimnlation of the receptive area of one branch, antidromie impulses pass down the other branch and can be re-The skin area supplied by a single fiber varies from 4 to 100 sq. mm., and this area remains constant in a given preparation despite various physiological changes induced in the frog. There is considerable overlapping of areas supplied by different fibers, but no evidence of a peripheral network common to several fibers. Adaptation of the tactile endings is very rapid; impulses are set up only in response to movement of the skin, and very slow movement may fail to excite. The endings when stimulated by an intermittent air blast give discharges of long duration at high frequencies. The maximum frequency may be as high as 200-300 per second. This approaches the maximum frequency which the fiber can carry. The view previously advanced that the sensory endings have a longer refractory period than the nerve fibers is incorrect. High frequency air jet stimulation does not give rise to pain reactions in an intact frog in spite of the maximal discharge set up in the sensory fibers. Thus the endings responding to this form of stimulation do not produce pain when the discharge frequency is very high. The endings in question are situated in the epidermis, for the discharge can no longer be obtained after this is scraped away. This treatment sets up a continued discharge of slow impulses indistinguishable from those produced by acid on the skin.-H. Hoagland (Clark).

4715. Arslan, K. Sugli effetti della labirintectomia bilaterale nell'animale senza cervelletto. (The effects of labyrinthectomy in animals lacking a cerebellum.) Minerva med., atti della Soc. med.-chir. di Padova, 1931, 42, 6.—The author reports on the phenomena which appear when the cerebellum is lacking; and on the changes which this condition produces in the syndrome of right and left labyrinthectomy.—R. Calabresi (Rome).

4716. Arslan, K. Sugli effetti delle lesioni unilaterali del cervelletto in animali precedentemente slabirintati dal lato opposto. (The effects of unilateral cerebellar lesions in animals previously deprived of the contralateral labyrinth.) Minerva med., atti della Soc. med.-chir. di Padova, 1931, 42, 6.—The author reports on the changes in the syndrome of hemicerebellar lesion that these animals present in comparison with intact animals, both having had the same surgical operations on the cerebellum.—R. Calabresi (Rome).

4717. Bellavitis, C. Alterazioni della microglia e del tessuto nervoso in generale nell'avvelenamento sperimentale con vapori di carbone (CO₂). Changes of the microglia and the nervous tissue in general by the experimental action of CO₂.) Rass. stud. psichiat., 1932, 21, No. 2.—After the intoxication of rabbits by CO₂, the author noted lesions scattered in the part of the nervous system which is concerned with the vascular system (hemorrhages and capillary disturbances), and microglia of the degenerative and progressive type. The oligodendroglia appeared least injured. The author thinks there was a direct action of the CO₂ on the microglia; but he admits also that the lesions which were apparent might be phenomena of reaction to vascular and necrotic alterations.—G. C. Ferrari (Bologna).

4718. Bellucci, L. Sull'ontogenesi del centro corticale-laringeo nel cane e suoi rapporti con altri centri motori. (On the ontogenesis of the corticolaryngeal center in the dog and its relations to other motor centers.) Biol. Soc. ital. biol. sper., 1931, 7, 656-659.—The cortico-laryngeal center, which is located in the dog in the second circumvolution, develops slowly, after the other motor centers are already relatively active. The two motor reactions of the larynx, adduction and abduction, are developed at different times: first is the reaction of abduction, which appears on the 30th day, in dependence on the laryngeal activity; the reaction of adduction of the vocal cords is manifested at about the 40th day, in association with the activity of phonation.—R. Calabresi (Rome).

4719. Benciolini, F. Ricerche sperimentali sulla fisiologia del simpatico laringeo. (Experimental studies on the physiology of the laryngeal part of the sympathetic system.) Valsalva, 1931, 10, 746-764.——R. Calabresi (Rome).

4720. Bishop, G. H. Action of nerve depressants on potential. J. Cell. & Comp. Physiol., 1932, 1, 177-193.—The depressants of the action and demarcation potential of nerves (green frog) fall into two classes: (1) those which decrease the amplitude of the action current before block and give a negative potential of rest, such as KCl and poisons like aconitine; and (2) those which block the impulse with no significant previous decreases in amplitude and with an increase of the rest potential at the affected point, as cocaine and the aliphatic narcotics. The depression of the action potential is not proportional to the change of the potential of rest; and the rise of threshold and increase of refractory period suggests that these are the factors which cause block. Block by depressants cannot be assigned to the depolarization of the nerve. The results of depression by chemicals are compared to the effects of electrical currents. -O. W. Richards (Yale).

4721. Bratianu, S., & Guerriero, C. Nouvelles recherches expérimentales sur les cellules à fonction colloïdopexique de l'encéphale et sur la microglie de Del Rio Hortega. (New experimental researches on the colloidopexic brain cells and on the microglia of Del Rio Hortega.) Arch. anat. microscop., 1930, 26, 335-372.—(Biol. Abst. VI: 13143).

4722. Bruno, G. Sulla struttura e su alcune proprietà fisiche della fibra nervosa midollata. (Concerning the structure and some physical properties of the nervous meduliary fibers.) Arch. ital. di anat. e embriol. fasc., 1931, 1, 1-15.—The author's findings follow: (1) The neurilemma is a continuous sheath which adheres to the myelin throughout its entire length, and to the axis cylinder at the level of the node of Ranvier; it possesses the property of contracting under the action of hyper- or hypotonic solutions and coloring substances. (2) The myelin sheath is bi-refrangible, anisotropic, subject to (3) The sections of Schmidt-Lantermann are made up of the same substance as the neurilemma. (4) The axis cylinder takes up a third of the volume of the fiber, and shrinks to a third at the level of the node of Ranvier; its alteration induces the formation of a coagulum in the form of a filament, the diameter of which is equal to 11/2 times that of the normal axis cylinder. (5) In the fibers which do not show change there is no protoplasmic sheath between the axis cylinder and the myelin. (6) The axis cylinder or its coagulum adheres to the neurilemma at the level of the node of Ranvier. (7) The normal axis cylinder is made up of a homogeneous colloid; the change consists in the coagulation. (8) The axillary filament of the fiber of fixed and colored preparations corresponds to the coagulum of the axis cylinder.—R. Calabresi (Rome).

4723. Campion, G. G. The thalamo-cortical circulation of neural impulse and the psycho-neuroses. Brit. J. Med. Psychol., 1932, 12, 59-64.—The author speculates on the central place of the thalami in coordinating the neural processes conditioning mental states.—E. R. Hilgard (Yale).

4724. Cattell, McK., & Hoagland, H. Response of tactile receptors to intermittent stimulation. J. Physiol., 1931, 72, 292-404.—Observations were made of the action potentials in single sensory nerve fibers resulting from intermittent stimulation of the receptors in the skin of the frog by means of an interrupted air jet. The rate of adaptation (failure of response) was found to depend upon the relative durations of the stimulus (puff of air) and the intervening rest period. The greater the proportion of duration of stimulus to rest the more rapid the adaptation. When this ratio is small, responses may continue to follow a high stimulation rate for an hour or more. A continuous air blast applied to the receptors even when no response is elicited results in complete adaptation to an immediately following intermittent stimulus, i.e., adaptation may occur as the result of the stimulus without producing a single impulse. Impulses reaching the end-organ antidromically cause a decrease in its excitability to subsequent stimulation resembling that occurring when the stimulus is applied directly. The receptors may respond to closely spaced stimuli at a rate bringing successive impulses in the nerve fiber well within the relative refractory period. The action potential of the second impulse recorded from the single nerve fiber is then reduced in magnitude.—H. Hoagland (Clark).

4725. Coates, A. E., & Tiegs, O. W. Further observations on certain alleged effects of sympathetic nerves on skeletal muscle. Australian J. Exper. Biol. & Med. Sci., 1930, 71, 37-40.—(Biol. Abst. VI: 10042).

4726. Learmouth, J. R., Lillie, W. J., & Kernohan, J. W. Unusual surgical lesions affecting the optic nerves and chiasm. Amer. J. Ophth., 1931, 14, 738-749.—Reports of six cases.—C. W. Darrow (Behavior Research Fund, Chicago).

4727. Manson, J. S., & Ferguson, F. R. "Decerebrate rigidity" in man. Brit. Med. J., 1930, 2, 769-771.—(Biol. Abst. VI; 10084).

4728. Müller, L. R. Über die Gegensätzlichkeit in der Lebensinnervation. (Antagonism in innervation.) Dtsch. Zsch. f. Nervenhk., 1929, 111, 102-110. — (Biol. Abst. VI: 13161).

4729. Sheehan, D. Nerve endings in Pacinian bodies. J. Physiol., 1931, 73, 1 P.—H. Hoagland (Clark).

4730. Stavraky, G. The action of partly degenerated sympathetic nerve on the submaxillary gland in the dog. Trans. Roy. Soc. Canada, Section 5, Biol. Sci., 1930, 24, 193-195.—(Biol. Abst. VI: 10106).

4731. Tsai, C. Action of narcotics on the conduction of nerve impulses from a single end-organ. J. Physiol., 1931, 73, 382-404.-With cocainized nerve, impulses produced by a single end-organ preparation are conducted normally when the frequency is low. At higher frequencies the functions of the nerve are progressively impaired; the action potentials show a graded reduction followed by irregularities of frequency, and some fail to traverse the narcotized area. This phenomena may be due to the conduction of impulses in an incompletely recovered fiber as a consequence of prolongation of the refractory period caused by narcosis. When the frequency of discharge is sufficiently low the narcotized nerve recovers sufficiently to conduct impulses normally again. With ether and alcohol it was found that the size of the impulses in the narcotized region was reduced progressively during narcosis, but as a rule the frequency does not decline. On emergence from the affected area the potential recovers to its normal full magnitude.-H. Hoagland (Clark).

4732. Walker, C. B. Lesions of the chiasmal region. Amer. J. Ophth., 1930, 13, 198-208.—A discussion of pathological conditions including effects on the pituitary.—C. W. Darrow (Behavior Research Fund, Chicago).

4733. Walker, C. B. Analogies and differences of the second and eighth nerves and end-organs. Generalizing preliminary consideration. II. Anatomical. Amer. J. Ophth., 1932, 15, 329-345.—A comparative study of the eye and ear is made in regard to blood supply, bony canals, nerves, and drainage systems.—C. W. Darrow (Behavior Research Fund, Chicago).

4734. Wolf, H. J. Ein Fall von isolierter Glossopharyngenslähmung durch Blutung in der Medulla oblongata. (A case of isolated glossopharyngeal paralysis due to hemorrhage in the medulla oblongata). Dtsch. Zsch. f. Nervenhk., 1931, 120, 80-86. —(Biol. Abst. VI: 10111).

[See also abstracts 4673, 4693, 4696, 4759, 4792, 4835, 4905.]

MOTOR PHENOMENA AND ACTION

4735. Aducco, V. Le caractère individuel de la courbe ergographique par rapport à l'âge. (The individual character of the ergographic curve in relation to age.) Arch. ital. de biol., 1930, 82, 134-141. -An ergogram of the author was published in 1884 in a book on fatigue by Mosso, and since that time he had had a number of ergograms taken. In all of them the author noticed a similarity in form which has led him to believe that there may be an ergographic profile characteristic of each individual. He gives six ergograms, taken at the ages of 24, 28, 43, 55, and 69, one of which was recorded after a period of illness. The parabolic appearance of the general profile gives satisfactory calculations with the following constant values: $43.5-0.025 \,\mathrm{x}^2$; $38.0-0.015 \,\mathrm{x}^2$; $54.5 - 0.020 \,\mathrm{x}^2$; $60.0 - 0.030 \,\mathrm{x}^2$; $60.0 - 0.030 \,\mathrm{x}^2$. The data, of course, represent conditions for only one individual .- A. B. Hunter (Clark).

4736. Benedict, F. G., & Benedict, C. G. The energy requirements of intense mental effort. Proc. Nat. Acad. Sci., 1930, 16, 438-443.—The authors compared periods of complete repose and periods of intense mental work (multiplication) and studied the different phases of simple effort in attention; the final calculations are not yet complete. Five men and one woman were used as subjects. Due to the work performed, the cardiac frequency increased on an average from 60 to 65, respiration from 14 to 15, total air consumption from 5.4 to 6.2 liters per minute, emission of carbon dioxide from 169 to 183 c.c. per minute, and the absorption of oxygen from 208 to 216. The comparatively smaller increase in the last may be explained by a slight elevation in the respiratory quotient. The effect on general metabolism was minimal, not surpassing a 3 to 4% increase in heat production as a result of the increased consumption of oxygen.—A. B. Hunter (Clark).

4737. Bier, W. Beitrag zur Beeinflussung des Kreislaufes durch psychische Vorgänge. (Contribution to the influence of psychic processes on the circulation.) Zsch. f. klin. Med., 1930, 113, 762.—In 14 subjects at rest the blood pressure, pulse, electrocardiogram, and respiration were recorded. The persons were then put into deep hypnosis, and the suggestions of rest, happiness, and excitement were given them. The pulse showed with "rest" a definite de-crease in frequency, with "happiness" and "excitement" an increase. Hypnosis as such had very variable effects, especially on the blood pressure, which throughout the experiments showed no consistent behavior. Awakening usually caused a decrease in the pulse rate. Respiration either decreased at the beginning of hypnosis or remained unchanged. When the suggestions were given, it varied with the pulse rate. The suggestions caused throughout a rise in the

peaks of P and R, especially "happy excitement." By repetition or increase of this suggestion, the peaks became lower. The hypnotic state alone has no influence on the electrocardiogram. In several subjects, it showed no noteworthy change during the experiments. The findings lead to the conclusion that the changes in the electrocardiogram cannot be ascribed solely to variations of resistance in the body. It must be assumed that the psychic processes can cause transient functional changes in heart action, which may continue longer than the affect. The author suggests the possibility of research into affective types, as shown by differences in the behavior of the electrocardiogram. He also wishes that we might do away with the practice of speaking of a "contribution to the influence, etc.," because in reality our research is concerned not with "influence," but with our knowledge of it.—M. E. Morse (Catonsville, Md.).

4738. Blair, H. A. On the intensity-time relations for stimulation by electric currents. I and II. J. Gen. Physiol., 1932, 15, 709-754.—Various solutions of the differential equation

$$\frac{dp}{dt} = KV - kp$$

are shown to be adequately in agreement with the facts of intensity-time relations for stimulation by electric currents. New experimental work is in accord with the formulation. (In the equation p is assumed to represent the local excitatory process, V is the voltage of the stimulus and K and k are constants.)—C. H. Graham (Clark).

4739. Borghesan, E. Apparecchio per l'esame dei movimenti respiratori di diversi punti del torace—toracografo. (An apparatus for studying respiratory movements of different points of the thorax—the thoracograph.) Valsalva, 1932, 7, 544-569.—Description of a new type of apparatus, for registering separately the respiratory movements of different points of the thorax. With this apparatus it becomes possible to take observations of the patient while lying down. Complete immobility is not necessary, because the thoracograph, unlike apparatus used before, is completely attached to the body of the patient.—R. Calabresi (Rome).

4740. Colombi, C., & Sacchi, U. La secrezione psichica dello stomaco studiata in un uomo portatore di fistola gastrica. (Psychic secretion of the stomach studied in a man with a gastric fistula.) Arch. dell'Ist. biochem. ital., 1931, 3, 263-282.—The authors made several studies of the psychic secretion in an individual with gastric fistula. They confirm the existence of a psychic secretion at the prospect of foods and mastication (without the introduction of food into the stomach). They comment on the importance of inhibitory psychic influences on the quantity of this secretion.—R. Calabresi (Rome).

4741. Fetter, D., & Carlson, A. J. I. The effects of experimental hyperthyroidism on gastro-intestinal motility. Amer. J. Physiol., 1932, 101, 598-604.—Hyperthyroidism is clinically known to be frequently accompanied by gastro-intestinal symptoms, the most common of which are increased desire for

food and diarrhea. A hyperthyroidized patient may require a body diet containing as many as 5,000 calories, in order to maintain his body weight. menting upon dogs, it has been shown that the daily feeding of 0.4 gram per kilo body weight of thyroid increases the activity of the empty stomach of dogs as shown by the type and height of the contractions of the empty stomach. After the thyroid feeding is discontinued there is a lowering of gastric activity, although in two months a return to the normal level was not observed in two of the six dogs. Explanation of the increased intestinal activity may lie in the change in gastric secretion. Since gastric acidity is lessened in hyperthyroidism protein food is probably not as well digested and may act as a stimulus to peristaltic activity in the smaller intestine.—C. Landis (New York Psychiatric Institute).

4742. Fetter, D., Barron, L., & Carlson, A. J. II. The effect of induced hyperthyroidism on the gastro-intestinal motility of vagotomized dogs. Amer. J. Physiol., 1932, 101, 605-611.—"Upon the administration of thyroid substance, vagotomized dogs show: (1) an increase in hunger contractions; (2) an increase in the speed with which a barium meal passes through the digestive tract, particularly the stomach and the small intestines."—C. Landis (New York Psychiatric Institute).

4743. Flaschbart-Kraft, F. Messung von Hemmungszeiten. (Measurement of inhibition time.) Zsch. f. Psychol., 1930, 117, 73-145.—If the signal for stopping a prepared action is perceived very late, the action cannot be inhibited. For measuring the time necessary for inhibiting an imminent movement, the following device was used. The subject looked through a telescope, the field of which was divided by two threads, one stretched behind the other. He was to react so that his movement coincided with the appearance of a cross on a tambour, seen objectively in the prolongation path of the two threads. His reaction would take place, therefore, a little in advance of the coincidence point, according to his personal equation. He determined this point by trial during the preliminary tests, discovering the division point on a graduated scale shown on the tambour, which was to be his individual signal for reaction. In the main tests, however, certain trials were injected into the series in which the movement of the tambour was stopped before the point of objective coincidence was reached. It was found that, in order to give the subject the time necessary for inhibiting the prepared reaction, the stopping point of the tambour must precede the objective coincidence point by 120 to 184 g .- A. B. Hunter (Clark).

4744. Fletcher, J. M. Dunlap's theory of habit control. J. Abn. & Soc. Psychol., 1932, 26, 395-401.

—The usually accepted theory of habit formation is repetition, whereas Dunlap holds that the way to get rid of an objectionable habit is to repeat it. He believes that the knowledge of the wrong or error of any action is often the force which impels its fulfillment. When the clinician requests his subject to give expression to a habit ordinarily regarded as objectionable, the social disapproval gives way to social

assent. The subject is now requested to do the very thing which he has been trying to keep from doing. If he is successful in the performance of the requested reactions, obsessional helplessness disappears and volitional control takes its place.—C. H. Johnson (Boston Psychopathic Hospital).

4745. Pletcher, J. M. The verdict of psychologists on war instincts. Scient. Mo., 1932, 35, 142–145.—Members of the American Psychological Association were asked: Do you hold that there are ineradicable, instinctive factors that make war between nations inevitable? 70% responded as follows: no, 346; yes, 10; unclassified, 22.—J. F. Dashiell (North Carolina).

4746. Foà, C. La regolazione neuro-umorale della circolazione del sangue. (The neuro-humoral regulation of the circulation of the blood.) Scientia, 1932, 52, 17-38.—Circulatory phenomena are not simple reflexes, but reflexes which are only accomplished by humoral mechanisms. There is described experimental evidence, of numerous workers, of a secretion of the node of Keith and Hack, which affects the vagus, of adrenalin, which affects the sympathetics, and of pressure variations, which affect the carotid sinus. Six diagrams of experimental procedure for the carotid pressure work.—R. G. Sherwood (Redmond, Washington).

4747. Garretti, S. L'influenza della flessione ed estensione del capo sui reflessi di posizione degli arti inferiori. (Influence of the flexion and extension of the head on the reflexes of position of the lower limbs.) Riv. pat. nerv. e ment., 1932, 39, No. 1.— From a study of 12 cases comes the conclusion that the extension or flexion of the head reinforces the reflexes of position of the lower limbs if the reflexes exist, but cannot produce the tonus of position when it is not present.—G. C. Ferrari (Bologna).

4748. Gelfan, S., & Bishop, G. H. Action potentials from single muscle fibers. Amer. J. Physiol., 1932, 101, 678-685.—"A method is described that permits cathode ray oscillograph measurements of action potentials from single muscle fibers, when the latter are activated by microelectrodes, to give conducted responses. In a single muscle fiber of the retrolingual membrane, no action potential could be detected during submaximal contraction."—C. Landis (New York Psychiatric Institute).

4749. Goldschmidt, R. Intersexualität und menschliches Zwittertum. (Intersexuality and human hermaphroditism.) Dtsch. med. Woch., 1931, No. 30, 1288-1292.—Goldschmidt demonstrates that human hermaphroditism is entirely comparable to that in other mammals, not at all of unregulated occurrence but "related to a simple phenomenon of which we have exact knowledge." He emphasizes, however, the necessity of distinguishing from it a series of different phenomena which, with the exception of true intersexuality, have been included with it. Formerly Goldschmidt himself believed that homosexuality might be regarded as a stage in intersexuality. "This view, however, cannot be maintained, since nowhere in the series of intersexuality is there a

place for homosexuality." He cannot decide whether it is a purely hormonal phenomenon or something quite different. Furthermore, according to his opinion, gynecomastia, hypospadias, and suprarenal or tumoral virilism do not belong in the field of intersexuality.—M. E. Morse (Catonsville, Md.).

4750. Gozzano, M. Osservazioni sul tono d'appoggio, sulle reazioni di appoggio negli animali e sulle loro modificazioni sotto l'azione della bulbocapnina. (Observations on the tonus of support, on the reactions of support in animals and their modifications under bulbocapnine action.) Boll. Soc. ital. biol. sper., 1931, 7, 705-708.—The author repeated the experiments of Rademaker relative to the conditions which permit the establishment and maintenance of body equilibrium, particularly in reference to the tonus of support; and studied the modifications which occur under bulbocapnine action, which provokes states of catalepsy. In these experiments the author noted a phenomenon which he placed in relation with the reactions of position, and which consists in movements of flexion and extension of the legs, movements provoked by the raising and lowering of the posterior part of the body.—R. Calabresi (Rome).

4751. Henderson, Y., & Radloff, E. M. The chemical control of breathing as shown in the acid-base balance of the blood, under progressive decrease of oxygen. Amer. J. Physiol., 1932, 101, 647-661.—When the oxygen content of inspired air is gradually reduced without accumulation of carbon dioxide, the effects develop in two distinct periods. One of these periods is that while the percentage of oxygen in the inspired air is above 8%, the other occurs after the oxygen has fallen below 8%. The first period involves merely a tolerable degree of anoxemia. The second period is that of asphyxia and ends in death. The increase of breathing during the first period is clearly not due to formation of lactic acid and increase in the hydrogen ion concentration of the blood, nor is there any valid evidence for an acidosis localized in the respiratory center. A conception of the chemical control of breathing is presented as follows: The specific stimulus to the respiratory center is not carbon dioxide but the hydrogen ion concentration of the blood plasma. The concentration of the hydrogen ions is not an independent factor, but is the resultant of two factors, each of which controls a particular feature of respiration. The blood alkali determines the dilution ratio of breathing: that is, the volume of air breathed per unit mass of carbon dioxide exhaled. The carbon dioxide production of the body determines the volume of air breathed at the dilution ratio set by the alkali in use. But these controls operate to afford a basal pH only so long as the oxygen supply is ample and no other absorbing influences occur to alter the sensitivity of the respiratory center from the value that it has under basal conditions. The sensitivity sets the pH to which the respiratory center will respond and which it will therefore maintain.-C. Landis (New York Psychiatric Institute).

4752. Koch, E. Elektrographische Untersuchungen über das Verhalten des Patellar-reflexes bei

Langstreckenläufern. (Electrographic investigations on the behavior of the patellar reflex in distance runners.) Arbeitsphysiol., 1930, 2, 409-416.—(Biol. Abst. VI: 15974).

4753. Kosnick, H. Muskel und Geist. Lehrbuch für Künstler und Jedermann. (Muscle and mind. Textbook for artists and laymen.) Munich: Gmelin, 1931. Pp. 81. M. 2.80.—The intimate connection between mind and body is emphasized and a series of practical exercises is suggested to develop a better coordination between the two. These are purely exercises of the imagination, such as thinking of parts of the body in their relation to one another and imagining movements of the body and pressures in the body. The book is entirely psychological, not physiological. For example, the underlying thought is that the function of muscle is either to produce movement or to work against resistance. The aims of the exercises are to minimize the laboriousness of the latter and make it a joy like the former.—W. O. Fenn.

4754. Kreipe, K. Ueber die Mehrfachhandlung und über das Gesetz der speziellen Determi-(On multiple action and on the law of special determination.) Zsch. f. Psychol., 1930, 117, 146-229.—The reaction to multiple forms can be defined only by a complex formula and depends on several possibilities. According to the position occupied by a black quadrant in a circle, the subject had to react by pressing on a key with his hand or on a pedal with his foot, either on the right or the left side of his body. Several black quadrants could be shown simultaneously, and thus several combinations of reactions could be called for. They might be symmetrical, that is, reactions of both hands, both feet, or a hand and a foot on the same side of the body, or they might be crossed, that is, reactions of the right hand and the left foot, for example. The motor determination in the symmetrical responses was always the same mental act, even when the simultaneity of execution was not perfect, while in the crossed responses there were always two successive motor determinations, even when the two movements were nearly simultaneous. Symbolic representations could be interposed between the perception of the signals and the motor determination. In a second series the apparatus was arranged so as to present groups of letters, either black or red. In one test the subject had to name the second of these letters, while in a second test he had, in addition, to raise his right hand which was resting on a key (two reactions). In the second case it was found impossible, in spite of acceleration produced by repeated training, to make the mental command of these two heterogeneous acts simultaneous. Simultaneous movements of the four limbs corresponding to four-letter combinations were as simple, from the psychological point of view, as the movements of two symmetrical limbs, while the movement of three limbs always demanded a double psychological command. Their latency time was 438 σ, while for two symmetrical movements it was only 278 σ. The action can be prescribed in two separate periods, the second instruction

worded so as to limit the indefiniteness of the first instruction. For example, the experimenter announces a movement for one pair of limbs, and then later announces whether this movement is to be up or down. The reaction times obtained for this kind of command are shorter than when the instructions are given all at once. There is, therefore, a general latent determination which prepares the motor determination from the psychological point of view. Abbreviations in reaction time depend, not on the perception of the signal itself, but on the constitution of this general latent determination.—A. B. Hunter (Clark).

4755. Levine, M. Psychogalvanic reaction in painful stimuli in hypnotic and hysterical anesthesia. Bull. Johns Hopkins Hosp., 1930, 46, 331-339.—(Biol. Abst. VI: 15975).

4756. MacDonald, J. S., & MacDonald, M. S. "Habit" in walking and its cost. J. Physiol., 1931, 72, 18P-20P.—The walking of seven subjects of diverse physique was tested on numerous occasions and empirical formulae were derived relating energy utilization (determined by gas analysis), length of step and speed. It was found in the case of the principal subject tested that with wide variations of speed the energy per step remains constant. The "cost" is evidently the "habit" and might be claimed a place in "memory."—H. Hoagland (Clark).

4757. Maiti, H. P., & Jalota, S. S. The suitability of the six-point star figure mirror drawing as a test of motor learning. Indian J. Psychol., 1932, 7, 87-93.—The six-point star figure mirror tracing is unsuitable as a test of motor learning, for the difficulties of tracing the different sides are practically unknown, and their combination is haphazard. Its validity as a test of learning ranges between .084 and .22.—E. H. Kemp (Clark).

4758. Matthes, K., & Ruch, T. C. Reflex and motor contraction in chronic spinal animals. J. Physiol., 1931, 72, 29P-31P.—H. Hoagland (Clark).

4759. Matthews, B. H. C. The response of a single end-organ. J. Physiol., 1931, 71, 64-110.— Electrical responses to stretch of a single muscle spindle located in a small toe muscle of the frog were extensively studied under a variety of conditions. The frequency of impulse discharge was found to be roughly proportional to the logarithm of the stimulus. With rapid loading, impulses are set up initially at a frequency so great as to force the nerve to its utmost carrying capacity-impulses being forced to travel in the relative refractory period produced by the preceding impulse. The intervals between the impulses at these high frequencies vary with temperature in much the same way as the absolute refractory period of a nerve trunk. The effects on the activity of the end-organ of ionic concentrations of the bathing Ringer solution, the effects of HCN, and of galvanic currents passed through the preparation were examined, and are discussed in connection with a theoretical consideration of the nature of the excitatory state of the end-organ. Adaptation, the dropping out of impulses in response to a constant

stretch on the muscle, was investigated in connection with the above variables. A hypothesis is suggested to account for the behavior of the end-organs.—H. Hoagland (Clark).

4760. Matthews, B. H. C. The response of a muscle spindle during active contraction of a muscle. J. Physiol., 1931, 72, 153-174.—Observations were made of the action currents from single muscle spindles during the contraction of the muscles. With the muscle under slight initial tension both isometric and isotonic twitches are found to produce little response of the spindle during the rising phase of the contraction, but with relaxation there is a considerable discharge of impulses. Control experiments show that the spindle is not stimulated by the action current of the muscles; it seems to be connected only with the mechanical events in the muscle. During tetanization sensory responses are in abeyance, but restart often at an increased frequency when the muscle relaxes. A theoretical discussion of the mechanism of the muscle spindle is presented in the light of the experiment along with suggestions concerning the nature of the "silent period," a characteristic of mammalian reflexes .- H. Hoagland (Clark).

4761. Max, L. W. Myoesthesis and "imageless thought." Science, 1932, 76, 235-236.—Upon minimal electric stimulation of muscles, the subjects reported a sensation of shock but no perception of movement. It is suggested that the imageless thought of the Würzburg school may have appeared in consciousness as such owing simply to this introspective incapacity to perceive small movements. There is as yet no evidence bearing on other modalities than kinesthesis.—R. R. Willoughby (Clark).

4762. Munro, L. An unusual condition of left-handedness and stammer. Lancet, 1932, 222, 84-85. —During the pre-school age a right-handed boy was trained by his left-handed sister to write with his left hand. Subsequent training at school forced the boy to use his right hand for writing. At the end of a year of school he had developed a severe stammer.—D. J. Ingle (Minnesota).

4763. Needham, D. M. The biochemistry of muscle. New York: Dutton, 1932. Pp. 174. \$1.25.—R. R. Willoughby (Clark).

4764. Nemoto, M. Sur la relation du temps écoulé entre les premières mises en action des excitants conditionnels et non-conditionnels combinés pour dévellopper le réflexe conditionnel. (The relation of elapsed time between the first applications of the conditioned and the combined unconditioned stimuli to the development of the conditioned reflex.) Tohoku J. Exper. Med., 1930, 14, 466-486.—(Biol. Abst. VI: 10093).

4765. Ottonello, P. Sulla innervazione motoria delle fibre muscolari striate nell'uomo. Nota I. I vari tipi di terminazioni nervose nei muscoli dell'eminenza tenare e nei muscoli oculo-estrinseci. (On the motor innervation of the striate muscular fibers in man. Note I. The different types of nervous endings in the muscles of the thenar prominence and the oculo-extrinsic muscles.) Boll. della Soc.

med.-chir. di Pavia, 1931, 5, 475-497.—With Bielschowski's method and the dilaceration process the author has proved the existence of several varieties of motor endings in the thenar and ocular-extrinsic muscles. There is a description of the endings of medulla fibers, the endings which arise from myelin fibers, and, in the ocular muscles, the ball-shaped endings and those which arise from independent non-myelinated fibers. In the thenar are also found naked axis cylinders which end in different forms (for example, a knot).—R. Calabresi (Rome).

4766. Perez-Cirera, R. Untersuchungen über die Aktionsströme der Augenmuskeln mit Hilfe von Verstärkern. (Studies of the action currents of the eye-muscles with the aid of amplification.) Arch. f. Augenhk., 1932, 105, 453-459.—Advantages of using an electrical amplifier with the string galvanometer, particularly in connection with the study of nystagmus.—S. M. Newhall (Yale).

4767. Pfaender, A. Phänomenologie des Wollens: eine psychologische Analyse. Motive und Motivation. (The phenomenology of volition: a psychological study. Motives and motivation.) (2nd ed.) Leipzig: Barth, 1930. Pp. 165. 8 RM.—The volume is a reprint of two earlier studies: one which was awarded a prize by the University of Munich in 1899 and one which was written in 1911 for publication in a volume in honor of the 60th anniversary of T. Lipps. In the phenomenological study of volition, the author deals particularly with the feeling of effort. In the second study he is concerned chiefly with the initiation point of the voluntary act, volition being considered as a result of the combined play of motives and character.—A. B. Hunter (Clark).

4768. Pieraccini, G. Di alcuni atteggiamenti del corpo umano in lavori associati alla locomozione. Posizione di lavoro muscolare con forte flessione del tronco. (Concerning some positions of the human body in the exertion which accompanies locomotion. Position of muscular work with a strong flexion of the trunk.) Scritti biol., 1931, 7, 41.—The position studied by the author is that of the travail on marche, such as is found especially in the work of peasantspicking apples, olives, etc. This position of the body, considered statically, involves changes in the direction of the vertebral column and in the position of the pelvis; when accompanied by locomotion it requires the use of several muscles (agonists and antagonists), joints, and ligaments, for the human structure being adapted to locomotion in the vertical position, the equilibrium is very much disturbed. Working in a erouching position or on the knees is still more difficult; locomotion in these positions is almost impossible, and the return from them to the normal position requires a large dispersion of energy. The author examines all the changes in the form and size of the abdominal cavity and in the visceral topography for the position assumed by gleaners, called the Millet position from the famous picture. These changes explain the inconvenience of this position after a meal, and for people with diminished respiratory capacity; in the static position of Millet (without any movement) the respiratory frequency increases, inspiration and expiration decrease, and the vertical movements of the diaphragm diminish. Work in this position is particularly injurious to women, especially to those who have borne many children, since it is obvious what changes pregnancies and confinements bring to the pelvis, and what are the anatomical differences between individuals of the two sexes. As it affects the constitution, work in the position of Millet is more injurious for pyknics than for asthenics. Finally, the author examines the pathological changes (articular, circulatory, etc.) which are common to individuals obliged to work for a long time in this position.—R. Calabresi (Rome).

4769. Ritchie, A. D. The mechanics of Pecten muscle. J. Physiol., 1931, 73, 4P.—Anomalous behavior of the "eatch" muscle is accounted for in terms of viscosity alterations of thixotropic gels.—H.

Hoagland (Clark).

4770. Rudnik, A. [A test for examining the capacity to break down an automatism.] Psikhotekn. i psikhofiziol. truda, 1930, 3, 9-20.—The majority of tests proposed for the study of mental fatigue are of little value because learning and training usually completely mask the fatigue affects. The test proposed by Rudnik is of interest in that he interferes with learning or, more exactly stated, he measures the facility with which the subject succeeds in resisting a strongly automatized habit. The subject is given a series of columns of figures and is asked to mark with a plus sign all numbers greater, and with a minus sign all those less than a given number during a one minute period. At the end of a minute he passes to a new column where he must reverse the marks. The relation of the work done during the first minute to that done in the second measures the effects of the break in the automatism. A group of clerical, library, and laboratory workers underwent mental tests for several days (from 6 to 16). Their results were worse at the end of the day's work for Rudnik's test, while in the memory and cancellation tests there was an improvement in the evening.—A. B. Hunter (Clark).

4771. Rushton, W. A. H. The normal presence of α and γ excitabilities in the nerve-muscle complex. J. Physiol., 1931, 72, 265-287.—This investigation confirms previous work showing the existence of distinct excitabilities called α and γ in some dozen muscles of the frog. These excitabilities appear to correspond to distinct substances in the nerve-muscle complex and are not artifacts of experimentation.—H. Hoagland (Clark).

4772. Salmon, A. Educhiamo la nostra volontà, il nostro carattere. Norme pratiche per la loro educazione. (Education of the will and of the character. Practical norms for their training.) Bologna: Cappelli, 1932. Pp. 80.—The first part gives a short review of the physiopathology of will. The distinction is made between anomalous forms of will (such as the attitude of subduing suggestions, negativism, etc.) and the pathological forms. This part is followed by the practical part. The psychology of the will shows us the importance of feelings on the will; from this is derived the principle that the education

of will is based upon the education of the emotions. But emotions themselves are based upon ideas from which they derive their objectives; a strong affectivity without ideas leads to impulsive acts, not to voluntary actions. The first condition of the education of the will is a certain intellectual culture. Another essential condition is physical and nervous health. The education of the will as the term is correctly used is accomplished by the efforts of inhibition, continual exercise, a method of living, a firm discipline. The third part is dedicated to the education of the will in the infant.—R. Calabresi (Rome).

4773. Shrapovitskaya, M. L. [On the relation between motor and mental aptitudes.] Psikhotekn. i psikhofiziol. truda, 1930, 3, 21-25.—Brace's motor aptitude tests were given to 60 students who were specializing in physical culture training. No correlation was found between the results obtained and the results from a group of intelligence tests (completion tests, definitions, abstraction tests, etc.). It is true, however, that more than half of the subjects, a group of young monitors, seem to have stopped school from a lack of taste or aptitude for the school subjects or because of a taste for sports.—A. B. Hunter (Clark).

4774. Soloviev, V. K. [A study of fatigue in pharmacy assistants.] Psikhotekn. i psikhofiziol. truda, 1930, 111, 205-224.-For the purpose of studying professional fatigue, the author obtained test results for 20 pharmacy assistants over a period of 12 days, the following measurements being taken: results from the Bourdon cancellation tests, muscular force of the thorax and of the hand, measurements of the curve of the arch, and cephalographic measurements. In common with the majority of writers who have dealt with this difficult subject, Soloviev did not obtain any clearly defined decrease in performance of the tests at the end of the day's work. The Bourdon test even showed a marked improvement. The arch measurements seemed to be slightly weaker, but this result was not entirely constant. For workers on the afternoon shift in the heat of summer there was a definite lowering in the performance on the tests, but elsewhere the figures obtained were variable and difficult to interpret.—A. B. Hunter (Clark).

4775. Spielrein, J. [The method of artificial disautomatization in psychological research.] Psikhotekn. i psikhofiziol. truda, 1930, 3, 105-128.-Automatization, which presumes a "degree of habit formation of such a nature that the activity is not slowed up or hindered during choice reactions," is a condition indispensable for satisfactory professional work. Walking is one of the most striking examples of automatized activities. Fatigue or certain pathological processes present in the subject, as well as modifications in external conditions, may cause a break in an automatized activity. For experimental study such a break may be caused artificially for the purpose of analyzing the phenomenon. The methods of experimental psychophysiology (the study of conditional reflexes, the destruction of certain brain areas, or the creation of obstacles in the normal reactions of animals) are examples of artificial disautomatization. Automatized reactions should be guarded against in the use of intelligence tests. In psychotechnics the use of the "active method" as advocated by the author, which consists in having the psychotechnician undergo apprenticeship in a trade, makes it possible for the psychological structure of a trade to be understood before the reactions characterizing the activity become automatized.—A. B. Hunter (Clark).

4776. Stewart, G. N. Measurement of the temperature of the skin. Arch. int. de pharmacodynamie, 1930, 38, 444-455.—The author describes his electric resistance thermometers (used with a Wheatstone bridge for balance) which are applied to the skin. Weak currents are used, and determinations to a hundredth of a degree are possible. Under the same external conditions and for the same subjects for a given cutaneous region, he has found that long interval values are constant.—A. B. Hunter (Clark).

4777. Wegner, W., & Roese, H. F. Eine Methode zum Studium des überlebenden Auges-Versuche am Herz-Lungen-Kopfpräparat. (A method of studying the still animate eye: experiments with the heartlung-head preparation.) Arch. f. Augenhk., 1932, 105, 639-663.—A description of an elaborate technique for studying the dog's eye in situ in the animate head, but isolated from the rest of the soma. The authors add the head to the Starling heart-lung preparation. Three dogs are required, one each for the head, the heart and lungs, and the blood. Respiration and blood pressure are artificially variable and graphic records of blood pressure and intra-ocular pressure are secured. There is little possibility of varying endocrine secretion in the blood stream, which is favorable to the study of drug effects. With circulation established, various reflexes of the head segment such as the pupillary, corneal, nostril quiver, and tongue retraction, are elicitable. There are seven figures, including apparatus and records .- S. M. Newhall (Yale).

[See also abstracts 4614, 4640, 4651, 4684, 4688, 4702, 4725, 4730, 4780, 4813, 4838, 4915, 4990, 4996, 5012, 5074.]

PLANT AND ANIMAL BEHAVIOR

4778. Allison, J. B. Stimulation by hydrochloric acid and by the normal aliphatic acids in the sunfish Eupomotis. J. Gen. Physiol., 1932, 15, 621-628. -In the sunfish, the stimulating efficiency of hydrochloric acid may best be related to the concentrations of hydrogen ions produced by that acid. The stimulating efficiency of the N aliphatic acids may best be correlated with the non-polar nature of a portion of the molecule, but it is necessary to consider the higher potential of the polar group of formic acid to account satisfactorily for its position in the series. Formic acid is more effective at lower concentrations than at higher. Per cent variation in response appears to be independent of the chemical environment to which the animal responded .- C. H. Graham (Clark).

4779. Andrejewa, E. W. Die elektrische Ladung und die Bewegungsgeschwindigkeit der Infusorien Paramaecium caudatum. (The electric charge and the rapidity of movement of the infusorian Paramecium candatum.) Kolloid Zsch., 1930, 51, 348-356.—(Biol. Abst. VI: 10002).

4780. Battle, H. I. A note on lethal temperature in connection with skate reflexes. Contrib. Canadian Biol. & Fish., 1929, 4, 495-500.—(Biol. Abst. VI: 13139).

4781. Bellisai, I. Variazioni nella fototassi di Artemia salina. (Variations in phototaxis of Artemia salina.) Pubbl. instit. biol. marina Tirreno, 1929, 16, 227-230; also Monitore zool. ital., 1929, 40, 227-230.—(Biol. Abst. VI: 10003).

4782. Bierens de Haan, J. A. Über das sogenannte "Waschen" des Waschbären (Procyon lotor). nebst einigen Bemerkungen über die Formen und die Bedeutung der tierischen Spiele. (Concerning the so-called "washing" of the raccoon (Procyon lotor), with some remarks on the forms and significance of animal play.) Biol. Zentbl., 1932, 52, 329-343.-Food-washing by the raccoon is not a necessary preliminary to eating, as Whitney has pointed out. Careful observation of the washing behavior of the raccoon reveals that washing is a kind of play, and objects such as a ball may be washed over and over. What may be for the male a biting object may be for the female a washing object. Some of this play may serve to exercise the sensory apparatus of the animal, but the author believes that there must be recognized a category for play without any special utility.-E. R. Hilgard (Yale).

4783. Bingham, H. C. Gorillas in a native habitat. Washington: Carnegie Institution, 1932. Pp. 66.—The author and his wife were respectively observer and assistant on the joint expedition of 1929-30 of Yale University and the Carnegie Institution of Washington to Parc National Albert, in the Belgian Congo, for psychobiological study of the mountain gorilla. The party was in the field about two months, and established contacts with several bands of gorillas, which were studied by examining the spoor and by direct observation when possible. Descriptions were recorded of environment, migratory behavior, feeding and nesting habits, social behavior, insight, and receptivity. One large male was killed while charging the native guide, and full record was made of his physical characteristics.-R. R. Willoughby (Clark).

4784. Buytendijk, F. J. J., & Fischel, W. Versuch über die Steuerung der Bewegungen. (Investigation of the direction of movement.) Arch. néerl. de physiol., 1932, 17, 63-96.—The experimenters seek to discover whether rats can find a special, arbitrarily determined runway without the aid of sensory guides and with the necessity of varying the number of steps or leaps. First, using a straight, blind-ending running track with side roads leading off from it, it was found that the rat quickly learned to take the one leading to the nest. This accomplishment was found to be independent of the number of side roads and was apparently not determined by olfactory stimuli. The experiment was next repeated with a circular running track from which side roads radi-

The circular track could be set in motion. thereby varying the number of steps to the correct side road and making more difficult the use of environmental cues. Results essentially similar to those from the stationary course were found, and by special variations of the environmental settings it was discovered that use of the surrounding walls was made by the rat in determining the correct side road. When this was taken away by revolution of the experimental setting, errors appeared in the rat's choices and strong evidence of the influence of olfactory cues was adduced. Further experiments in which distances between beginning and end point were varied now regularly and now irregularly showed that the animals are capable of forming habits of choosing the correct side road without the customary exteroceptive and proprioceptive stimuli serving as guiding factors.—C. P. Stone (Stanford).

4785. Carpenter, C. R. Relation of the male avian gonad to responses pertinent to reproductive phenomena. Psychol. Bull., 1932, 29, 509-527.—72 titles, historical as well as recent, are reviewed critically. It appears certain that some hormone produced by the testis is fundamental to normal motivation of sexual activity; but most of the observations reported lack conclusiveness, and the special need is for improved technique of operations.—J. F. Dashiell (North Carolina).

4786. Cole, W. H. Stimulation by the salts of the normal aliphatic acids in the rock barnacle Balanus balanoides. J. Gen. Physiol., 1932, 15, 611-620.—Stimulation of the rock barnacle by the sodium salts of the first seven normal aliphatic acids has been studied at several different concentrations of each salt. Criterion of response was the per cent closure of valves at successive 2 minute intervals. In general, the stimulating efficiency increases with concentration. Heptylate is most effective for 40-50% closure. Stimulating efficiency is correlated with the potential of the anion of the acid and with the concentration of that ion near or at the receptor surface as determined by the length of the carbon chain.—C. H. Graham (Clark).

4787. Commins, W. D., & Stone, C. P. Effects of castration on the behavior of mammals. Psychol. Bull., 1932, 29, 493-508.—The effects are reviewed under the headings: basal metabolism; nervous system; reflex action; voluntary activity; sex behavior in male and in female; sex reversal; and learning. A bibliography of 75 titles is covered.—J. F. Dashiell (North Carolina).

4788. Del Duca, M. L'epitelio della cornea nei vertebrati. (The epithelium of the cornea in vertebrates.) Boll. d'ocul., 1931, 10, 1091-1141.—From a histological study of the epithelium of the cornea of 70 animals of 5 classes of vertebrates, it was found that there were considerable differences in the thickness of the entire epithelium, in the number of cell layers, and in the form and disposition of the cells. The author discusses the results comparatively, and tries to explain the causes of the differences in terms of conditions of life and environment.—R. Calabresi (Rome).

4789. Fitzpatrick, F. L., & Stolba, S. L. Segmentation in earthworms, resulting from inability to regenerate a portion of the ventral nerve cord. *Proc. Iowa Acad. Sci.*, 1929, 36, 361-363.—(*Biol. Abst.* VI: 10008).

4790. Freudenstein, K. Das "Hobeln" der Bienen. (The "planing" of bees.) Biol. Zentbl., 1932, 52, 343-349.—The question is raised whether the "planing" of bees is evidence of a play instinct. The examination of other evidence, such as the flight of young bees, leads the author to the conclusion that none of the facts of bee life point clearly to a play instinct.—E. R. Hilgard (Yale).

4791. Galtsoff, P. S. The rôle of chemical stimulation in the spawning reactions of Ostrea virginica and Ostrea gigas. Proc. Nat. Acad. Sci., 1930, 16, 555-559.—(Biol. Abst. VI: 10010).

4792. Gemelli, A., & Pastori, G. Ricerche sulla rieducabilità di animali scerebrati. (Experiments on the reeducability of decerebrated animals.) Atti Soc. ital. prog. sci., XIX riunione, 1931, 2, 365.—The experiments of the author show that a very small residue of the cortex is enough for chickens and pigeons to retain the power to recognize colors and to be susceptible to relearning.—R. Calabresi (Rome).

4793. Heron, W. T. Habit formation and higher mental processes in the rat. Psychol. Bull., 1932, 29, 461-492.—A review of 188 titles covering the years 1928 to 1931, under the following heads: technique and apparatus, including studies of reliability of mazes; discriminating ability, for different senses; cues used in learning, a problem lately to the forefront; miscellaneous factors related to learning efficiency, as age and sex, drugs, length and type of maze, motivation, operations on the nervous system; higher mental processes; studies on the fundamental nature of learning.—J. F. Dashiell (North Carolina).

4794. Kuo, Z. Y. Ontogeny of embryonic behavior in Aves. II. The mechanical factors in the various stages leading to hatching. J. Exper. Zool., 1932, 62, 453-487.—A study of causal factors related to hatching from the beginning of incubation to the escape from the shell. The author notes as significant the following critical stages: (1) orientation of the embryo; (2) torsion and flexion; (3) lying of the embryo at the large end; (4) the stage of fixation of body position; i.e., embryo lies with its back on the yolk sac, its body axis is at a right angle to the long axis of the egg, the head being directed to the left of the observer; (5) changes in the positional relation between the embryo and the yolk sac, i.e., the yolk sac comes over to cover the ventral side of the embryo; (6) turning of the body so as to lie lengthwise of the egg (in turning of the body, the neck is not involved, and the head position results in a double bending); (7) protrusion of the neck into the air chamber under the membranes. The behavior characteristic of the developing chick is described particularly with reference to the initial turning of the body in the shell and the activity diantecedent to hatching .- L. Carmichael rectly (Brown).

4795. Luna, E. L'architettura degli organismi animali. (The architecture of animal organisms.) Scientia, 1931, 50, 157-164.—The author brings forth general considerations, supported by examples, in favor of theories which see in animal organization the tendency to segmentary disposition, either by metameric or by cyclomeric segmentation.—R. Calabresi (Rome).

4796. Molitor, A. Neue Beobachtungen und Experimente mit Grabwespen. II. (New observations and experiments with sand-wasps. II.) Biol. Zentbl., 1932, 52, 449–468.—Observations particularly in reference to the supply of caterpillars for the young larvae to feed on.—E. R. Hilgard (Yale).

4797. Mowrer, O. H. A note on the effect of repeated hypnotic stimulation. J. Abn. & Soc. Psychol., 1932, 27, 60-62.—A rooster, susceptible to hypnosis, was hypnotized three times daily from May 9 to 28 (one day, May 18, omitted). The duration of the trance dropped very markedly, in the end virtually to zero.—C. H. Johnson (Boston Psychopathic Hospital).

4798. Nakazima, S. Notes on the response of the silkworm (Bombyx mori L.) to odors. III. On the olfactory sense of the adult moth. Bull. Miyazaki Coll. Agric. & Forestry, 1931, 3, 129-141.—(Biol. Abst. VI: 15953).

4799. Parr, A. E. Sex dimorphism and schooling behavior among fishes. Amer. Nat., 1931, 65, 173-180.—The writer has previously attempted to show that the behavior of individual fishes in schools may be explained as a simple set of automatic reactions. In the present paper he argues on theoretical and experimental grounds that the schooling instinct is inhibited to the greatest extent by the sex instinct in those species which show the greatest change in the color of the male during mating season.—D. J. Ingle (Minnesota).

4800. Reisinger, L. Hypnose der Vögel. (Hypnosis of birds.) Biol. Zentbl., 1932, 52, 402-429.—Experiments in hypnotizing numerous birds, including cross-bill, rice-bird, siskin, and others, showed the domestic hen to be the most satisfactory to use for the experiments, while a small parrot was the hardest to hypnotize. In one set of experiments the birds were hooded, in order to demonstrate that sight was not necessary for the production of the hypnotic trance. Hypnosis in birds is compared with the corresponding state in man. There are 18 references.—E. R. Hilgard (Yale).

4801. Segaar, J. Zentrale Innervation bei normalen und "manege"—Krebsen. (Central innervation in normal and rotating crustaceans.) Tijdsch. Nederland. Dierkund. Vereen, 1929, 1, 113-117.—(Biol. Abst. VI: 13168).

4802. Skinner, J. T., Van Donk, E., & Steenbock, H. Manganese as a factor in reproduction. Amer. J. Physiol., 1932, 101, 591-597.—Female rats reared on whole milk fortified with copper and iron did not attain sexual maturity as early as those receiving the same ration supplemented with manganese. Those receiving a manganese supplement did not exhibit

normal oestrous cycles.—C. Landis (New York Psychiatric Institute).

4803. Tang, P. S. The effects of CO and light on the oxygen consumption and on the production of CO₂ by germinating seeds of Lupinus albus. J. Gen. Physiol., 1932, 15, 655-665.—Seeds of Lupinus albus are inhibited in their oxygen consumption to a degree of 36% when a mixture of 24% oxygen and 76% CO is applied in darkness. This inhibition is removed when the seeds are illuminated. If, after this period, the seeds are returned to air, oxygen consumption is accelerated. The production of CO₂ is not inhibited by CO.—C. H. Graham (Clark).

[See also abstracts 4633, 4651, 4685, 4712, 4713, 4715, 4716, 4718, 4730, 4741, 4742, 4750, 4769, 4777, 4905, 5025.]

EVOLUTION AND HEREDITY

4804. Marchiafava, E. L'eredità nella patologia. (Heredity in pathology.) Turin: Unione Tipografica, 1930. Pp. 17.—This study is the 13th chapter of the general part of a work on pathological anatomy edited by P. Foà. The first part is given over to the general theories of heredity: the theory of germ plasm, Mendel's experimental study, the application of Mendel's doctrine, the heredity of normal qualities of man, the problem of the heredity of acquired characteristics. The second part contains a general part in which are explained and discussed the theories of pathological heredity, the origin of the factors of hereditary diseases, direct, indirect, familial, atavistic heredity, etc., the hereditary nature of deformity and disease; and a special part in which are reported the known data on the heredity of different diseases.—R. Calabresi (Rome).

4805. Morgan, T. H. The scientific basis of evolution. New York: Norton, 1932. Pp. 286. \$3.50.—R. R. Willoughby (Clark).

4806. Sanders, M. Similarities in triplets. J. Hered., 1932, 23, 225-234.—Intensive data are presented for two sets of monozygotic triplet girls, one set being 4½ years of age, the other set 7½. Anthropometric measurements, birth membrane data, finger and palm print data, and Binet IQ's are reported. Although the first set were born with two choria, they resemble each other a little more closely in mentality and physique, particularly in finger patterns, than do the second set, who were born with one chorion. IQ's of the first set were 95, 93, and 90; of the second set, 88, 88, and 80.—B. S. Burks (Stanford).

4807. Swab, C. M. Albinism in the progeny of negro and white parents. Amer. J. Ophth., 1932, 15, 306-309.—A case history and clinical examination.—C. W. Darrow (Behavior Research Fund, Chicago).

[See also abstract 4643.]

SPECIAL MENTAL CONDITIONS

4808. Adler, A. Die Systematik der Individualpsychologie. (The system of individual-psychology.) Int. Zsch. f. Indiv.-psychol., 1932, 10, 241-244. —Adler sharply criticizes several of his followers

(unnamed) who have "weakly conceded" that individual-psychology is permeated with philosophic conceptions and that it lacks an innerly consistent and complete systematization. "Individual-psychology is philosophy," Adler agrees with William Stern. Fundamental conceptions are presented. The soul (Seele) is a part of life, which must carry all movable constructions of life within itself. The self (das Ich) is a self-created composite which makes use of all possibilities, of the evaluations and impressions of its own shortcomings, of the validity of organs, etc. The beginnings of any reaction must be found within the self, endogenous factors, in the form of social traits developed through experiences mostly of early childhood. Exogenous factors, such as the social environment, etc., must be also considered. personality is always recognized in reactions which are really a form of answers to life problems. interpretation of a personality's reactions must therefore of necessity be teleological, and the end toward which the reactions of the self were directed is the all important fact .- O. N. de Weerdt (Beloit).

4809. Allendy, R. Various instincts and their development. Psychoanal. Rev., 1932, 19, 310-318.— The instincts mentioned are the nutritive, sexual, egoistic, social, death, etc. The thesis seems to be that these appear successively rather than simultaneously, but that each new instinct operates in combination with the patterns set up by those which have previously been functioning. According to the way in which instincts are satisfied or not satisfied many different patterns of adaptation develop in individuals. Freudian theories are partly, but not wholly, accepted in this discussion of instincts.—P. Blanchard (Philadelphia Child Guidance Clinic).

4810. Banerji, M. Psychology of secrets. Indian J. Psychol., 1932, 7, 41-57.—The author describes the evolution of consciousness and genesis of mind and sketches briefly his own system of psychology and theory of perception before proceeding to the problem of unfolding the "secret of secrets." tells us that some of the interests, thoughts, and acts of the child come into conflict with those of others. "The growing personality therefore learns to hide his thoughts and control his speech and actions. The things which he dares not communicate to others and tries to keep to himself become his secrets." conscience develops as a censor. Self-criticism leads to the formation of the unconscious. Sexuality plays a major part in the psychology of secrecy. Inhibition leads to emotion and repression to amnesia.-E. H. Kemp (Clark).

4811. Barton, J. W., & Ingle, D. J. Determining mental instability. J. Abn. d Soc. Psychol., 1932, 27, 52-59.—Questionnaires including described situations of adjustment and of awareness were submitted to 332 students at the University of Idaho. Of the 150 questions used, 95 pertained to the present life of the examinee, 51 referred to his childhood, and the balance concerned matters of opinion. If fewer than 25% of the students answered in the affirmative for the questions in the first two groups, the question was adjudged to have deficiency significance. A value of

one was assigned to each question answered unfavorably, and anyone making a score of 20 or more was classified as neurotic. There was no reliable difference between the four college classes, the average score ranging from 14.48 for sophomores to 15.26 for juniors.—C. H. Johnson (Boston Psychopathic Hospital).

4812. Bien, E. The downward bent. Psychoanal. Rev., 1932, 19, 270-296.—Three cases of compulsive neurosis are reported in which, in addition to all the compulsive symptoms, there was the desire of the patient to leave the social class into which he had been born and of which he was a member by virtue of education and profession, in order to descend into the slums and live a life of degradation. This desire to descend in the social scale is called "the downward bent." In all three cases, there was some degree of impotency with the wife, homosexual tendencies (mostly repressed), and ability to attain full potency only with harlots, servant girls, or dirty or degraded women. The patients led a sort of double life, living according to their profession and social profession in the eyes of the world, but in reality or phantasy also having a secret life in which they escaped to consort with degraded and filthy persons and in degraded and filthy surroundings. sire for degraded women arose from different psychosexual complexes in the three cases. In one patient it represented a wish to degrade a hated mother and get revenge on her; in another case the patient felt his mother had been degraded by his father and the association with degraded women expressed the incest wishes to the mother, these women being mother substitutes; in a third case, impotency with the wife was due to identification of wife and sister, the patient having repressed incest desires to his own sister and being able to feel sexual desire only for degraded women who were not identified with the sister .- P. Blanchard (Philadelphia Child Guidance Clinic).

4813. Biermann, B. Der Hypnotismus im Lichte der Lehre von den bedingten Reflexen. (Hypnotism in the light of the conditioned reflex theory.) J. f. Psychol. u. Neur., 1929, 38, 265-281.—Three questions are concerned in the problem of hypnotism: the physiological nature of the hypnotic state, the mechanism of the hypnogenic factors, and the relation between hypnosis in man and the pretended hypnotic state in animals. The author discusses all three from the point of view of conditioned reflexes. Sleep corresponds to a diffusion of inhibition throughout the cortex and the lower regions. Hypnosis is distinguished from sleep by the maintenance of a waking point which insures a special rapport (for example, a special susceptibility towards the hypnotist). The various forms and degrees of hypnosis in man and in the higher animals are dependent upon the diffusion and localization of the inhibiting processes. In slight hypnosis, the inhibition is localized in the motor zone, whence we get the closing of the eyes, catalepsy, and automatisms, while consciousness and memory are retained. Hypnosis can be caused by monotonous stimuli, which fatigue the neurones affected by the inhibition, as easily as by strong stimuli. Indeed,

the second method is rarely used for human beings, for they are especially sensitive to conditioned, inhibiting stimuli, such as the suggestion of sleep through manipulations or words. Biermann defines human hypnosis as "a partial, conditioned reflex sleep." Every stimulus which is followed several times by an inhibition acquires an inhibiting power (becomes a negative conditioned reflex), and the ease of producing hypnosis depends upon the number of times such a condition is caused. Biermann considers that the pretended hypnotic state in the lower animals is due to an innate reflex which is given in response to certain strong stimuli for the purpose of protection through inertia or sleep (Pavlov). Hypnosis in dogs is a transitional stage between that of man and the pretended hypnosis in animals. In slight hypnosis the salivary response is still possible, but there is no movement. The author describes some experiments in which dogs were put to sleep when certain sounds were heard (the reaction being the result of methodical training), and then were awakened when the tone ut was sounded, which had been established as a conditioned reflex connected with nutrition. Other sounds, though much louder, would not awaken the dogs. If the ut tone was given with the inhibiting sounds, the dogs remained awake.-A. B. Hunter (Clark).

4814. Blankfort, M. Why we don't know much about hypnosis. J. Abn. & Soc. Psychol., 1932, 26, 390-394.—Because of certain ideas associated with hypnosis, modern laboratories have looked with disfavor on attempts to experiment along these lines. The very induction of an hypnotic state makes it difficult for the "tough-minded psychologist" to dissociate the black history of hypnotism from its potentialities as an experimental subject. The uses of passes of the hand and stroking suggest the vaudeville performer. The experimentalist finds it difficult to get enough subjects because the ancient abracadabra is still potent enough to frighten. There are other more important factors which reside in the peculiar quality of the phenomenon itself, and which practically force the psychologist to disregard hypnosis. There is no objective yardstick by which the different stages of the trance can be measured. It is still a matter of conjecture whether the trance is induced by the operator or by the subject. The operator is never sure whether his subject is going to allow him to suggest what he ordinarily would .- C. H. Johnson (Boston Psychopathic Hospital).

4815. Broggi, E. Contributo allo studio degli ipnotici. Ricerche farmacologiche e cliniche su due derivati dell'acido barbiturico. (Contribution to the study of hypnoties. Pharmacological and clinical studies of two derivatives of barbituric acid.) Rass. stud. psichiat., 1932, 21, No. 2.—Study of two derivatives of butioric acid and whether or not they are associated with the bromide radicals known by the name of Neodown.—G. C. Ferrari (Bologna).

4816. Buchanan, S. Freudian dynamics. Psyche, 1932, No. 48, 13-29.—Regardless of the fact that psychoanalysis is naïve and confused, it is the only psychology which takes symbols as its subject-mat-

ter. Thus it recovers a loss suffered with the degradation of the medieval seven liberal arts. Psychoanalytic theory retains much of the original poetic quality of genuine science, regardless of its naïveté. However, it has the marks of a young art in that symbols are taken for things, and discussion of them is couched in mysterious dynamic terms. But, if psychoanalysis is to become more capable in the discovery of symptoms and successful in diagnosis, it must give closer attention to the sciences of symbolism once found in the seven liberal arts. The symbolic side of biopsychological analogy, now rather confused, could thus be clarified so as to dispense with the confusion now found in the use of dynamic terms.—T. R. Garth (Denver).

4817. Dynes, J. B. An experimental study in hypnotic anaesthesia. J. Abn. & Soc. Psychol., 1932, 27, 79-88.—This study shows quite clearly that those bodily mechanisms represented by respiratory and cardiac activity show little or no disturbance in their normal rate and rhythm following sensory stimuli in the hypnotic trance. In the normal waking state these same indicators invariably showed a disturbance in both rate and rhythm. The verbal report of the subjects as to the sensations perceived was substantiated by the objective record in both the waking and trance states.—C. H. Johnson (Boston Psychopathic Hospital).

4818. Eder, M. D. The myth of progress. Brit. J. Med. Psychol., 1932, 12, 1-14.—Mankind looked for progress through science during the nineteenth century, but now looks toward a humanism guiding science. Psychoanalysis suggests the discipline of self-knowledge needed to see through our myths.— E. R. Hilgard (Yale).

4819. Fernberger, S. W. Further observations on peyote intoxication. J. Abn. & Soc. Psychol., 1932, 26, 367-378.—In order to ascertain the validity of reports on peyote as observed by Vincent M. Petrullo in his study of the Delaware Indians, nine mature members of the faculty of the University of Pennsylvania submitted together to extreme peyote intoxication. Confirmation was made of the ability to control the visual manifestations of peyote intoxication as reported by the Indians. It was demonstrated that the drug is a strong anti-aphrodisiac, which would account for the totally non-sexual character of the peyote ceremonies. A hint is made of a possible explanation of the belief in the approach to the God-head described by the Indians, in terms of the apparent split personality between rational conscious processes and the sensory conscious processes.-C. H. Johnson (Boston Psychopathic Hospital).

4820. Freud, S. Libidinal types. Int. J. Psychoanal., 1932, 13, 277-280.—We can distinguish three main libidinal types: the erotic, the obsessional and the narcissistic. There are also mixed types: eroticobsessional, narcissistic-obsessional, erotic-narcissistic. The characteristics of these types are described. The different types are developed in so far as one or two of the three main ways of expending libido have been favored at the expense of the others.-P. Blanchard (Philadelphia Child Guidance Clinic).

4821. Freud, S. Female sexuality. Int. J. Psychoanal., 1932, 13, 281-297.—The boy, in his psychosexual development, does not have to change from the genital zone of the penis nor from the mother as the chief love object. The girl's first genital zone is the clitoris, which must be changed to the vagina as the chief genital zone for normal development; her first love-object is the mother and again she must change to the father as love-object for normal development. Freud finds in his analyses of women that the persistence of the clitoris as the genital zone and of the mother as love-object often extends into later years of childhood than was previously supposed, also that difficulty in making these changes is at the root of hysteria and paranoia in women. At this point in the development of female sexuality, three courses are open to the girl: she may acknowledge her castration and, rebelling against it, turn her back on sexuality; she may cling to her desire for masculinity, cherishing the phantasy of being a man, and either choose a homosexual love-object or live as if she were a man; she can achieve normality only by giving up her masculinity strivings, taking the father as love-object and accepting her femininity. The influences of the pre-Oedipal and Oedipus stages upon the adult adjustments of women in marriage are discussed in some detail, as well as the differences between male and female development in young children, and the influences in the family relationships which affect the girl's development. There is a critical commentary on the previously published psychoanalytic literature on female sexuality .- P. Blanchard (Philadelphia Child Guidance Clinic).

4822. Frohman, B. S. Occlusal neuroses. Psychoanal. Rev., 1932, 19, 297-309.—Pyorrhea in many cases is not due to such physical causes as bacterial action, gastrointestinal disturbances, etc. The occlusal neurosis, habitual grinding of the teeth, may be the chief cause. Both dental and surgical treatment and a short, superficial analysis are necessary in the occlusal neuroses. Illustrative cases treated by these methods are cited. One case is of particular interest, in reporting the grinding together and setting of the teeth as a symbolic expression of the patient's setting herself resolutely to control her sexual desires and keep them inhibited .- P. Blanchard (Philadelphia Child Guidance Clinic).

4823. Getson, P. Dental irritation as defense phenomena. J. Nerv. & Ment. Dis., 1932, 76, 105-109.

—Two cases are cited with comments.—C. R. Atwell

(Boston Psychopathic Hospital).

4824. Glover, E. On the actiology of drug-addiction. Int. J. Psychoanal., 1932, 13, 298-328.—The first part of the paper gives an historical review of the psychoanalytic literature on this subject, showing how concepts of etiology have changed as psychoanalytic theories have been changed, modified and elaborated. The second part presents material from Glover's own recent cases of drug-addiction. The third part formulates his present conclusions as to etiology, an important one being that drug-addiction is not so much a regression as a defense against regression and psychotic reactions. In this connection, benign aspects of drug-addiction are discussed.-P. Blanchard (Philadelphia Child Guidance Clinic).

4825. Grewal, K. S. The effect of mitragynine on man. Brit. J. Med. Psychol., 1932, 12, 41-58.—Symptoms are described which result from taking mitragynine acetate and the powdered leaves of Mitragyne speciosa. Experiments on choice reaction time, heat tolerance, ergographic record, steadiness test, dotting test, and electrical resistance of the skin were conducted before and after taking the drug. There were no control tests. There is a suggestion that mitragynine increases the speed of visuo-motor reaction, although the leaves seemed to have the opposite effect. The only significant result of taking the powdered leaves was the increased work shown by the ergographic records.—E. R. Hilgard (Yale).

4826. Horney, K. The dread of woman. Int. J. Psychoanal., 1932, 13, 348-360.-Men relieve their dread of contact with women by glorifying women or disparaging them. Male homosexuality has as one of its bases the desire to escape from or deny existence of the female genital. This same dread of the vagina appears in the dreams of heterosexual as well as homosexual males, in analysis. The mother is the person who frustrates the pregenital desires of the boy, through weaning and toilet training, thus rousing hostility against her as a frustrating person, together with an anxiety due to frustration. In the boy's genital and Oedipus phase, he desires to penetrate the mother's vagina, but besides the anxiety roused by fear of the father in connection with these wishes toward the mother is the fear that his penis would not be large enough to satisfy the mother. Thus a feeling of inadequacy and impotency is associated with the idea of the penetration of the female vagina. Thus the dread of being rejected and derided by women develops in all men, persisting in different degrees of intensity and reacted to in different ways.

—P. Blanchard (Philadelphia Child Guidance Clinic).

4827. Jones, V. Syllabus in the psychology of character. Worcester: Author, 1932. Pp. 78.—The syllabus is divided into 23 topics, each suitable for a single lesson. Each topic includes 3 to 9 questions intended to stimulate discussion, and about the same number of references from which material for these discussions may be gathered .- R. Willoughby

(Clark).

4828. Kattentidt, I. Die Mode als eine Angelegenheit in psychischen Hygiene. (The mental-hygiene aspects of style in dress.) Zsch. f. psych. Hygiene, 1932, 5, 7 .- The gist of the article is that style is one of the expressions of the common will or mind from which no one can withdraw permanently without injury to his life-energy. By means of his style in clothes, especially on festive occasions, everyone announces what he has and what he can do, and "the individual note" distinguishes his personality from the crowd. The external clothing is "nearer" to the personality than the "inner layers." Unfashionable clothes shut one out from the company. In spite of all courage, retreat is inevitable, and this exhausts mental energy and joy in work and life. The less the understanding of the psychological factors involved, the greater is their effect. Paradoxically, the more closely we follow fashion, the freer we are.—M. E. Morse (Catonsville, Md.).

4829. Korczynska, Z. O wplywie sugestyjnym sytuacji poprzedniej na nastepna. (The suggestive influence of preceding situation on the following situation.) Polskie Arch. Psychol., 1930, 3, 76-90.— Starting with a definition of suggestion as the influence exercised by a certain psychological state on the following state in such a manner as to place the latter out of harmony with the actual situation in which the subject finds himself, Korezynska set out to find an experimental procedure which might determine suggestivity in a subject and its degree. She carried out three series of experiments on 28 subjects. In the first series, the only one for which the results are given in this article, she used three charts: on the first one (A) ten words were given which were correctly spelled; on the second (B) ten words were incorrectly spelled; and on the third (C) seven words were spelled with mistakes and three without. The reading of chart A, by creating in the subject a certain attitude in relation to the text read, might so influence the following reading that the subject would read the words as though they were written correctly. However, for chart C, suggestion was excluded, in that the subject was warned that there were certain incorrectly spelled words. The errors committed in this third chart should indicate, according to the author, the normal tendency to read words correctly in spite of their faulty orthography. Assuming that the number of words incorrectly read in the second chart expressed the suggestibility of the subject plus this normal tendency, Korczynska obtained the co-

efficient of suggestibility, S, as equal to $\frac{b}{10} - \frac{c}{7}$ (b and c indicating the number of words incorrectly read on charts B and C). Classification of the 28 subjects according to their coefficients of suggestibility varied from 0.70 to -0.31, three main groups being distinguishable: strongly suggestible persons (subjects 1 through 10, having S = 0.70 to 0.27); slightly suggestible persons (subjects 11 through 21, having S=0.19 to 0.02); and persons resisting suggestion (subjects 22 through 28, having S=-0.11 to -0.31). The negative coefficients were practically identical with zero. In the two other series, the words were replaced sometimes by colors and sometimes by geometrical designs, but these experiments did not give as clear-cut results as were found for the first series. The only conclusion drawn was that the number of errors committed with colors was nearly double that found for designs. Taking into account the theoretical objections that may be raised, the author emphasizes, nevertheless, the practical importance of her results .- A. B. Hunter (Clark).

4830. Kronfeld, A., & Voigt, G. Der V. Internationale Kongress für Individualpsychologie. (The fifth international congress for individual-psychology.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 537-551.

-The article is a summarizing report on the congress meeting in Schomberg near Berlin in September, 1930. Alfred Adler gave the opening address on The meaning of life—"only that which is socially useful has permanent value." General topic for the first day: Individual-psychology and medical practice. Discussions: Adler, Nature and treatment of compulsion neuroses; Kronfeld and Neuer, Selection of neuroses; L. Seif, The problem of psycho- and somatotherapy in neuroses. Other papers presented discussions on endocrine disturbances, internal medieine and individual psychology, frigidity, phobias, conflict neuroses, mental and narcotic excitement (Rausch). Second day, forenoon: Sereen presentations from the practice of individual psychology; crippled children; a mongoloid case; care of children in a training home (Erziehungsheim). Afternoon: individual psychology and the school; a discussion by Adler of the overindulged child, followed by papers on theory and practice. The closing day: individual psychology and social psychology .- O. N. de Weerdt

4831. Künkel, F. Grundzüge der politischen Charakterkunde. (Foundations of a political science of character.) Berlin: Junker & Dünnhaupt, 1931.—Künkel brings to a climax in this book a growing tendency to break away from Adler. In the main, Künkel places the individual-psychology of Adler in opposition to the social psychologies of Le Bon, Stoltenberg, Stiellers, et al. He then presents his own science of personality as taking a middle ground between these two fields. "We have now an individual-psychology which, while also taking account of the relationships of the individual to society, at the time remains fundamentally a psychology of the individual."—O. N. de Weerdt (Beloit).

4832. Künkel, F. Sex and society. J. Abn. & Soc. Psychol., 1932, 27, 1-28.—Difficulties of the sexual function are symptoms of generalized disorders and disorientations in the social and human sense, but they are necessary symptoms in so far as disorders of the social sense cannot exist without concomitant disturbances in the sexual life. Four seemingly contrary examples are given to illustrate how they are consistent with the tenets of individual psychology.—C. H. Johnson (Boston Psychopathic Hospital).

4833. Lawton, G. Psychical researchers as spiritual theologians. Psyche, 1932, No. 48, 43–66.—Only in a few exceptional cases have psychical research societies failed eventually to become a high type of spiritualistic organization. The psychical researcher usually rationalizes spiritualism. The more philosophical individuals serve as theologians of the spiritual religion. Physicists have been more easily converted to spiritualism than psychologists or biologists, so it is found. Present-day researchers usually have a bias in the direction of spiritualism.—T. R. Garth (Denver).

4834. Lazarsfeld, B. Zur individualpsychologischen Traumlehre. (Consideration of the individual-psychological conception of dreams.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 587.—Primitive man would

not automatically avoid an object or situation which had frequently harmed him. The avoiding reaction is based upon an abstractly conceived function of fear. Conscious perception of dangers is a rationalization of the spirit. When an individual is afraid of an anticipated event, the dream consciousness which is a primitive function of the organism can only grasp the primitive fear reactions, but not the biologically higher level processes of clear thinking. The thoughts loosely associated with the fear are then brought together by the primitive dream consciousness which utilizes them in preparing itself for the anticipated ordeal by constructing trial situations.—
O. N. de Weerdt (Beloit).

4835. Lindberg, A. Über die Wirkung von Lecithin auf die Grosshirnrinde. I. Einfluss chronischer subkutaner Einverleibungen von Lecithin auf die höchste Nerventätigkeit. (The action of lecithin on the cortex. I. Influence of chronic sub-cutaneous assimilation of lecithin on the highest nerve activity.) J. f. Psychol. u. Neur., 1931, 42, 465–476.—(Biol. Abst. VI: 10079).

4836. Maspes, E., & Canziani, G. Un perfezionamento della prova farmaco dinamica dell'atropina. (Perfection of pharmaco-dynamic test of atropine.) Riv. pat. nerv. e ment., 1932, 39, No. 1.—Description of an attempt to simplify the well-known method of Danielopulos.—G. C. Ferrari (Bologna).

4837. McConnell, U. H. Symbolism as a mental process. Psyche, 1931, No. 46, 37-51.—This is an attempt to dissociate the problem of symbolism from its anthropological and psychological issues. Freud's attempt to derive anthropological facts from data obtained in an entirely different field is unsound scientific procedure. He operates in a vicious circle. There is no proof that "repression" is a factor in the symbolic processes of primitive custom. Symbolism occurs where logically organized thought is lacking, and is rather a difference in degree of organization of thought and behavior, than in kind. It is valuable in depicting mental attitudes at certain stages of man's adaptation to environment.—T. R. Garth (Denver).

4838. Moxon, C. A new theory and therapy of the will. J. Abn. d Soc. Psychol., 1932, 27, 48-51.—An exposition of the writings of Otto Rank in which the aspect of restoring the mental balance of people made ineffectual by conflict, doubt and despair is particularly stressed.—C. H. Johnson (Boston Psychopathic Hospital).

4839. Müller, J. A contribution to the problem of libidinal development of the genital phase of girls. Int. J. Psychoanal., 1932, 13, 361-368.—The belief is expressed that the change from clitoris to vagina as chief genital zone occurs earlier in girls than is usually supposed, and that this is true even of women who later are frigid, with the clitoris emphasized, with strong castration complex and masculine character traits. Material from observation of children and cases analyzed is offered in evidence. The thesis is that the clitoris is set up as the chief vaginal zone when little girls struggle to repress vagi-

nal strivings. This makes vaginal strivings the chief ones before those of the clitoris, a reverse of the usual statement that clitoris strivings appear first and vaginal strivings later.—P. Blanchard (Philadelphia Child Guidance Clinic).

4840. Murray, J. M. Anthropological significance of the Oedipus complex. Psychoanal. Rev., 1932, 19, 327-330.—In the change from animal to human life and to culture, the animal rutting season was replaced by capability of sexual activities at all times. With the prolongation of family life in humans, the early sexuality of the young, carried over from animal to human species, became a part of the family emotions. Tabus against incest and adultery developed, along with the Oedipus complex and castration fear. The Oedipus conflict and castration fear arose from the conflict over the early sexual activity and the need to inhibit sexual desires due to dependency upon parents.—P. Blanchard (Philadelphia Child Guidance Clinie).

4841. Oberndorf, C. P. Analysis of disturbances in speech. Int. J. Psychoanal., 1932, 13, 369-374.— Report of the significance of specific speech disturbances that appeared during analysis of certain patients, as revealed by the associations of the patients with the stammer, the coining of a new word, or other slips of speech.—P. Blanchard (Philadelphia Child Guidance Clinic).

4842. Rühle-Gerstel, A. Die entthronte Libido. (The dethroned libido.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 558-566.—A review of Freud's Das Unbehagen in der Kultur (Discomfort in Culture), with a comparison of the Freudian and Adlerian conceptions. Freud posits a new non-erotic drive to aggression and destruction, a disruptive force in society. Society and culture arise out of the necessity for working and living together. The libido serves as a cementing force in opposition to the destructive force of the death-dealing aggressive drive. Thus there are two main drives, with the libido assigned the less important rôle. When in conflict the libido drive and passion set aside the aggressiveness, happiness and satisfaction are not aroused but according to general experience a bad conscience. This conscience is not to be confused with the conception of popular religious usage. It is in reality "social fear" born of the repression of the Oedipus complex. Uneasiness and discomfort are therefore man's lot when he actively participates in social movements. These constructions of man's nature are contrasted with the Adlerian concepts of social sense (Gemeinschaftsgefühl), drive for recognition (Geltungsstreben) and sense of inadequacy .- O. N. de Weerdt (Beloit).

4843. Schlesinger, H. Kaffeesucht. (Coffee addiction.) Wien. klin. Woch., 1931, No. 30, 970.—A 49-year-old man had as a child been provided daily by his mother during her absence with 1.5 litres of café-au-lait. Later, as he became independent, he raised the daily amount to 2, 3, 8, and finally to 10 and 12 litres (3-4 litres milk, ½ kg. coffee beans, and ¾ kg. malt coffee); no diabetes insipidus resulted. The fluid intake was immediately reduced to 2-2.5 litres without discomfort. The stomach and intes

tines were normal on X-ray examination, in spite of the great consumption of liquid. The father had been a heavy drinker, and consequently the patient, both as child and adult, detested alcohol. Schlesinger assumes an inherited tendency to drinking, which in consequence of this hatred of alcohol, satisfied itself with coffee, and when this was unobtainable during the war and post-war period, with substitute drinks.—M. E. Morse (Hyattsville, Md.).

4844. Schroeder, T. "Divinity" in semen. J. Nerv. & Ment. Dis., 1932, 76, 110-127.—An historical account of the theory of the semen as the repository for divine principle.—C. R. Atwell (Boston Psychopathic Hospital).

4845. Searl, M. N. A note on depersonalization. Int. J. Psychoanal., 1932, 13, 329-347.—A review of the psychoanalytic literature on depersonalization is given. Case material is presented from the writer's own patients, one being a five year old boy. Searl concludes that in addition to what has already been contributed in the literature on this subject there must be added these facts: the child's feeling of being turned into an inanimate thing by the commanding, aggressive look of the parent; introjection into the ego of some substitute for the surrendered part of the personality; depersonalization acts as a defense against paranoid mechanisms; mild depersonalization alternates with "wild beast" identifications; sadistic identifications play a part in depersonalization.—P. Blanchard (Philadelphia Child Guidanee Clinic).

4846. Shellow, S. M. How to develop your personality. New York: Harper, 1932. Pp. xvi + 308. \$3.00.—Although intended for use essentially as a text for laymen, this is usable as a college text. It is based upon recent psychological publications, and follows a logical outline. Chapters are as follows: What is personality? How is personality judged? Building up a personality. Habit formation. What happens inside the nervous system? Breaking a habit. Appearance. Verbal expression-how we talk. Intelligence-what is it? Memory. Intelligence—ability to learn. Intelligence—improving our methods of thought. Education and intelligence. Intelligence tests. Emotions. Inner drives. Interests as a guide to vocations. Social adaptation. Much illustrative material sustains interest in the text; and every chapter is followed by a short list of suggested readings. The implicit aim of the book is to help the (lay) reader to reconstruct his own personality (by gradual stages) as a result of insight gained from the study of personality in himself as well as in others. The point of view of the author is expressed in her own words as follows: "Personality is the expression of our inner selves, the way in which we show ourselves to the world. Sometimes the personality which others see is vastly different from the one we may think we express. Between the individual self and the impression which the outside world gets of that self lies the whole technique of self-expression. It is this technique which we shall study in detail, and attempt to make more effective." -O. L. Harvey (Boston).

4847. Smith, M. A preliminary report on judgments of personality traits from observational records. J. Abn. & Soc. Psychol., 1932, 27, 35-39.—A record of the behavior of a boy of seven years as observed by three different persons was submitted to several selected groups. Sixty traits, each with four possible degrees, were listed on a category sheet which the judges checked after reading the record. The degrees, or values, accorded to each trait were correlated for each judge with the case as analyzed by the count of traits, the Pearson formula being used.—C. H. Johnson (Boston Psychopathic Hospital).

4848. Thompson, V. Toothache and masturbation. Int. J. Psychoanal., 1932, 13, 374.—In support of the observations in analytic literature that ideas of toothache and masturbation often have an unconscious association, it is reported that British soldiers have a current slang phrase "Irish toothache" to mean having an erection.—P. Blanchard (Philadelphia Child Guidance Clinic).

4849. Verhaeren, J. Der Eintritt ins Berufsleben. (The entrance upon a vocational eareer.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 576-581.—Points out personality problems found in connection with adjusting young people to meet industrial requirements. The author finds that lack of self-confidence, inability to accept responsibility, awkwardness, etc., are in the nature of defense, revenge, and similar reactions. In most cases the individual can be helped quite easily to understand himself and to correct his attitudes. Home training situations lie back of all maladjustments. The need for competent vocational counselors in industry is stressed.—O. N. de Weerdt (Beloit).

4850. Wilbur, G. B. Soul belief and psychology. Psychoanal. Rev., 1932, 19, 319-326.—A review of some of Rank's views as presented in his recent publications. The relationship between the patient and analyst, the conflict between the "creative will" and guilt in any individual, the escape of fear of death by belief in immortal soul, etc., are discussed from the Rankian viewpoint.—P. Blanchard (Philadelphia Child Guidance Clinic).

4851. Wittels, F. The Lilith neurosis. Psychoanal. Rev., 1932, 19, 241-256.—The term Lilith neurosis is applied by Wittels to those cases in which men project the feminine or homosexual component of their personalities onto some woman—either a girl mutually adored by two men who thus express their homosexual attachment to each other, never approaching the girl herself, or a wife who is accused of unfaithfulness or is valued because she is unfaithful. In the latter case, the husband's homosexual desires are vicariously satisfied through the imagined or real love affairs of the wife. Cases are cited in which these projections are apparent.—P. Blanchard (Philadelphia Child Guidance Clinic).

[See also abstracts 4744, 4750, 4755, 4772, 4915, 4920, 4953, 4984, 5016, 5027, 5073, 5084, 5087.]

NERVOUS AND MENTAL DISORDERS

4852. [Anon.] Abstracts of theses, Smith College School for Social Work, 1931. Smith Coll. Stud. Social Work, 1932, 2, 358-379.—The first group of abstracts has for its subject "factors associated with success in the treatment of clinic patients." Thirteen of these theses were part of a joint research performed at the Institute for Child Guidance, New York; fifteen studies were made in other child guidance clinics; two studies of the same general subject were performed with hospital patients. The second group contains cleven studies of particular types of patients; the third, five studies in psychological mechanisms; and the fourth, five miscellaneous studies.—H. Lange (New Hampshire State Hospital).

4853. [Anon.] Deutscher Verein für Erziehung, Unterricht, und Pflege Geistesschwächer. (German Association for the Education, Instruction and Care of Mental Defectives.) Zsch. f. psych. Hygiene, 1932, 5, 30.—Economical management of institutions is necessary at this time in order to keep going and to prevent the cultural value of care for defectives from collapsing into the general chaos. Better utilization of the care-taking and school personnel must be combined with improvement in their instruction, so as to apply most advantageously the newest methods of care and education. Especially important is the communication of scientific observations made in all institutions, thus producing a synthesis of individual experiences. The titles of the papers presented are given.—M. E. Morse (Catonsville, Md.).

4854. Azboukier, D. J. [The defectology movement and higher defectology instruction in the U.S.S.R. and in other countries.] Trudy II Univ. Moskva, 1, 107-113.-The author uses the term defectology to cover the general study of all kinds of deficiencies. He gives a very brief examination of the organization and regulation of schools, hospitals, special classes, colonies, etc., for defective children in the different foreign countries, as well as a description of training schools for instructors for such institutions. The defectology movement in the U.S.S.R. started in general after the October revolution. Azboukier admits that the existing institutions are quite inadequate for the care of all the children who should be admitted, though a great number of defectology institutes are already in operation: 25 institutes for the blind, 50 for deaf-mutes, and 50 day schools and 80 boarding schools for feebleminded children. In these institutions 1,500 instructors are employed. He expects the number of such institutions to be greatly increased in the near future. Specialized educators are being trained in the universities of Moscow and Leningrad, their subjects covering an extensive four-year course.—A. B. Hunter (Clark).

4855. Barinbaum, M. Zur "Inkontinenz" der weiblichen Harnblase. ("Incontinence" of the female urinary bladder.) Zentbl. f. Psychotherap., 1932, 5, 9.—Barinbaum emphasizes the point that a purely organic incontinence should be assumed only when, with Freud's method, a psychogenic cause can

be excluded. Gynecologists are apt, in a routine way, to refer all cases not of traumatic or spinal origin to prolapse. The author reports a case in which the incontinence, connected with sexual situations, represented a regression from adult sexuality to an infantile sexual level—specifically, to urethral erotic sensations which the patient experienced in early childhood when her father swung her. Psychoanalysis relieved the symptoms, although the patient had an actual prolapse. This case proves that prolapse in itself does not necessarily cause incontinence. Cases of incontinence in women should be studied more critically to determine what percentage are psychogenic or both organic and psychogenic. As about 10% of all gynecological patients have symptoms of incontinence, a study of this large material would give important results.—M. E. Morse (Hyattsville, Md.).

4856. Barinbaum, M. Eine kurze Mitteilung über zwei psychotherapeutisch beeinflusste Ekzeme. short report on two cases of eczema influenced by psychotherapy.) Zentbl. f. Psychotherap., 1932, Š, 106.—(1) A 20-year-old baker's apprentice, with eczema of the fingers which had not responded to medical treatment. Although the boy's ambition was to go to sea, the father insisted on his learning the baking business. Not being sufficiently independent to oppose the father openly, he expressed his feeling toward him by developing a lesion which incapacitated him for work. Subconsciously, he was thus the victor, without conscious aggression and the resultant anxiety and feeling of guilt. The author imparted this interpretation to the patient, and the eczema healed in a surprisingly short time. This meaning was of course only one of the determinants of the situation, but it sufficed for the therapy. (2) A man of 32 years, with eczema of the groin which had resisted the usual medication. It developed in the course of a sexual situation which had become disagreeable to the patient. A simple interpretation was given him. He decided to change his course of action, and the lesion disappeared. It represented a defense which eventually became unnecessary. In these cases, only a very slight amount of psychoanalytic procedure was used as a starting point and as an aid to medicinal treatment, in order to free the patients from an annoying symptom. Further analysis would not have been justified because the patients recognized no other psychoneurotic symptoms.-M. E. Morse (Catonsville, Md.).

4857. Becker, H. A practical mental health program, with especial reference to the mental hygiene of childhood and to the local community. Psyche, 1931, No. 46, 62–82.—While a mental health program has as its proximate goal freedom from mental illness, another greater aim is toward the development of the best possible type of personality. We have been considering the healthy mind from almost a negative view point, but mental hygiene looks toward a personal well-being in which the individual is not annoyed with unsatisfied tensions, does not exhibit objectionable social behavior, and maintains himself intellectually and emotionally in all situations which stay in

reasonable bounds as to intensity and frequency of crises. This is difficult to achieve if the social order is not conducive to mental health. The ultimate goal, then, of mental health programs is a social order in which mental and social harmony is possible to all human beings.—T. R. Garth (Denver).

4858. Berger, H. Neue Wege für die Erforschung und Bekämpfung des Kurpfuschertums. (New methods of investigating and fighting quackery.) Zsch. f. psych. Hygiene, 1932, 5, 3.—Up to the present time, the fight against quackery has achieved no positive success. In fact, the number of irregular practitioners has probably increased in all countries since the war. The psychology of quackery has never been studied scientifically, but it cannot be denied that a very large number of both the healers and their patients are mentally abnormal; also that many of the former are swindlers and criminals. Psychiatry could find in this field a wealth of material on mass suggestion and the influence of psychopaths on one another. Mental hygiene has the duty of taking up the psychological and psychiatric aspects of the problem of quackery. The lack of this help is one of the causes of the failure of previous efforts. The author urges cooperation between the German Society for Mental Hygiene and the Society for Com-batting Quackery. The chief aim of the latter organization is the passage of a law restricting lay healing, and it has exposed the methods and manoeuvres of quacks, their strong organizations, and their often very clever and deceptive publications. Berger doubts, however, whether an essential decline in irregular practitioners could be brought about by legal measures, because the longing for some kind of irrational help, not only in regard to healing, but everything else, is deeply rooted in the human soul. How far the psychological foundations of the demand for quackery must be considered normal and how far pathological, and in the latter case, whether definite causes can be discovered and combatted-is from the medical standpoint the more important and interesting side of the problem. The fight against quackery must take account of both the psychologically normal and abnormal adherents. The latter are the mal and abnormal adherents. particular concern of mental hygiene. In actual mental disease and complicated abnormal conditions, lay treatment may cause grave injury. This danger will be greatly increased by Freud's sanction-incomprehensible to the scientific mind-of lay analysts. The International Committee of Mental Hygiene could be made a very important agency in the fight against quackery. In 1930, the author advocated international cooperation in this problem, but received no encouragement. The movement must be broad-ened to include all mentally injurious influences, which are presumably the same in all countries and among all races. The fight against quackery is only one aspect of the problem of popular education in hygiene.-M. E. Morse (Catonsville, Md.).

4859. Bernardi, R. Febbre e treponema. (Fever and treponema.) Rass. stud. psichiat., 1932, 21, No. 2.—Bernardi attempted to study the action of hyperthermia in general paralytics in the following manner.

He observed the behavior of certain serous cells of the rabbit which were in contact with liquids heated to 44°. These cells grew larger at first and then became smaller, as if they had lost a part of their cellular content. Bernardi thinks that one can explain along parallel lines the favorable action of high temperatures in paralytics; it is possible that at least a part of the treponemas are eliminated from the nerve cells.—G. C. Ferrari (Bologna).

4860. Binswanger, H. Eine Psychose (paranoid) als Schicksalsablauf. (A paranoid psychosis considered as a psychic fate.) Zsch. f. d. ges. Neur. u. Psychiat., 1931, 133, 38.—An exhaustive account of the life history of a paranoid doctor of law, with special consideration of all the causal factors. The author's working hypothesis is that if any one of these conditions had been lacking, the psychosis would not have occurred. As a child spoiled by his mother, he had been enabled to expand his constitutionally strong demand for power. Later, he re-pressed this aggression through intensive cultivation of his intellect, and became a passive, accommodating worker in a bank. Since his intellectual life had developed only along abstract and theoretical lines, he failed to attain the business position for which he had striven most industriously. At 39 years, finding himself in a position in which his business and financial advancement was blocked and his relationships to persons, especially to women, markedly circumscribed, he fell increasingly into autistic absorption. Eventually, criminalistic impulses broke through, when he used the secrets of his firm as a foundation for his own business ventures. Feelings of heterosexual guilt, connected with his fantasies, appeared, as well as homosexual and criminal anxiety, obviously a murder impulse against the hospital superintendent. His life had now come to definite bankruptcy, and there remained only the choice between suicide and the delusional identification and confusion of persons and situations, which constituted the clinical picture of paranoia. The patient tried both; he no longer knew whether his murderous impulses were directed toward himself or whether other persons were planning to murder him. The content of the psychosis was made up of his previous experiences; in a mood of extreme anxiety his thoughts circled around the theme of death, and of being poisoned, drowned, or suffocated by delinquent youths. He represents the type of the inhibited individual and the hidden criminal, who has made his life-objectives too one-sided. He is finally confronted with the realization that his wishes cannot be fulfilled, and consequently in a catastrophic situation he seizes on criminal means as the last resort before the psychosis. His criminality is to be interpreted not so much as the expression of his psychosis as of his entire fate in life. It is assumed that if he had reached his business objective, or through happier circumstances had been able to marry, i.e., if his expansion in one of the important fields of life had been attained, the catastrophe would have been averted .- M. E. Morse (Catonsville, Md.).

4861. Blake Pritchard, E. A. Cerebral tumor as a cause of generalized epileptic attacks of long stand-

ing. Lancet, 1931, 221, 842-844.—The view has been advanced that mental symptoms cannot be considered to be caused by tumor when they have been present several years preceding a rise of intracranial pressure. The author presents a group of 5 case studies which indicate that this view would not be justified in case of epileptic convulsions. In these cases cerebral tumor had given rise to epilepsy many years before any other signs of cerebral lesion were present. The fits cannot, therefore, be regarded as resulting from a rise in intracranial pressure.—D. J. Ingle (Minnesota).

4862. Bosshard, H. M. Our attitude toward mental patients. Occup. Therap. & Rehab., 1932, 11, 241-252.—Takes a cue from horse training; when the subject is found doing something worth while, of his own accord, keep him at it. It is important to obtain the patient's confidence before applying corrective measures. Calling him by his first name is useless unless we actually feel friendly toward him.—H. E. Burtt (Ohio State).

4863. Bruce, L. C. A record of an attack of mania. Lancet, 1932, 222, 83-84.—A case of acute mania was observed from the onset of the attack to recovery. A complete blood chart was obtained for the period of attack. There was a fall of the polymorphonuclear leucocytes at the period of acute delirium and a rise on recovery. The eosinophil leucocytes disappeared from the blood during the period of delirium and reappeared when improvement began. An organism was isolated from the blood of this patient. A vaccine prepared from culture growths produced a slightly positive skin attack. Patients having other types of mental disorder gave negative reactions to the vaccine.—D. J. Ingle (Minnesota).

4864. Cabitto, L. Sulla psicosi allucinatoria cronica. (Concerning chronic hallucinatory psychosis.) Schizofrenie, 1932, 1, No. 1.—Report on three cases of De Clerambault's syndrome, which, according to the author, might be included in the schizophrenia group. However, they are in a sense a group apart on account of the toxic factor and the tendency to improve.—G. C. Ferrari (Bologna).

4865. Chambers, W. D., & Harrowes, W. McC. A case of hysterical fugue. Lancet, 1932, 222, 22-23.—A description of a fugue in a male of middle age. There was a gradual recovery under treatment. Some of the medico-legal difficulties of such cases are illustrated and discussed.—D. J. Ingle (Minnesota).

4866. Clark, L. P. The psychology of idiocy. Psychoanal. Rev., 1932, 19, 257-269.—The idiot remains in a stage of either primary or secondary narcissism with respect to emotional development. Two cases are cited in detail. The question is raised as to how much inability to learn on the part of the idiot is due to the amentia, and how much the narcissism, which prevents introjection of outer world objects and adaptations to reality, is a contributing factor.—P. Blanchard (Philadelphia Child Guidance Clinic).

4867. Culpin, M. Some cases of "traumatic neurasthenia." Lancet, 1931, 221, 233-237.—Legal judgments for compensation in cases of "traumatic neurons."

rasthenia" are based on the belief that the injury has caused a physical condition of the nervous system having characteristic signs but lacking morbid anatomy. It should be recognized that the majority of these neuroses are dependent not on a physical disturbance caused by trauma but upon a number of psychological factors. In some cases, however, an anxiety state may follow a physical shock in the absence of the compensation factor. The author maintains that no case of either hysteria or traumatic neurasthenia has ever been accurately described throughout its development, for the reason that anyone capable of recognizing and describing it would not allow it to develop. Both neuroses are easily preventable. Twelve case studies are presented and discussed.—D. J. Ingle (Minnesota).

4868. Davies, A. E. Social implications of psychiatry. Brit. J. Med. Psychol., 1932, 12, 15-40.—Three cases illustrate the more general discussion. Classifications necessary to bring the phenomena of the reported cases to a focus are: socio-economico-ethico-personal; socio-ethico-marito-sexual; socio-ethnologico-economico-financial. The end terms indicate the points at which the condition of the patients became acute.—E. R. Hilgard (Yale).

4869. De Greeff, E. La psychogénèse des délires. (The psychogenesis of delusions.) J. de neur, et de psychiat., 1931, 31, 361-421; 441-471.—The author believes that current psychiatry has neglected the study of intellectual functions. It is not the absolute level of intelligence but what the author calls a "state of relative dementia" (état de démence relative) that is of central importance in many psychotic processes. In the state of relative dementia the individual loses the intellectual capacities which he once possessed. The formation of chronic delusional states is based on this progressive destruction of the higher intellectual faculties, and the type of the delusional systematization depends upon how quickly the intellectual dis-integration takes place. This state of dementia is characterized by the inability of the patient to direct his intellectual activity toward creative processes requiring combination, synthesis and systematization; the regression of the intellect is towards an infantile type. At the same time there is an emotional alteration, a tendency to pass from a syntonic to a schizoid personality type. If the intellectual and emotional equilibrium becomes altered in a short period of time the vision of the outside world also changes, and as the patient is not aware of the alteration within himself, he believes that the outside world has changed. Consequently the delusion is an effort at adaptation to reality by an intelligence which is erroneous in its perceptions and judgments. The false conclusions, however, which a patient draws, closely resemble the reasoning and manifold false conclusions that are arrived at in every-day life by normal individuals. Even the delusions of persecution and grandeur we find represented in folklore and mythology. In discussing the predelusional stage the author states that this period may last up to 10 years. It is characterized by excessive rationalizing, interpreting, ruminating. The patient becomes egocentric and believes

himself misunderstood; abnormal jealousy and hypochondriasis may develop. The delusional idea is the result of intellectual reflection, while the hallucination takes place when the affects are allowed expression without having to pass the censoring action of reflective thought. The production of hallucinations takes place in conditions in which the normal processes of attention and inhibition are impaired. Hallucinations then seem to indicate a functional disorder which is superimposed on the developing dementia.—H. Sys (New York City).

4870. Dosužková, V. Poznámky o neurasthenii. (Remarks on neurasthenia.) Rev. v. neur. a psychiat., 1931, 28, 465-475.-Among 100 neurasthenics at the Prague Nervenklinik, there were twice as many men as women. Among the men, the maximal number fell between 21 and 30; among the women, between 31 and 40. Among the former, the single predominated; among the latter, the married. Not one was divorced or widowed. All complained of great fatiguability and irritability, decreased power to work, insomnia, and disturbance of memory. To these, a series of inconstant symptoms was added. Examination of the vegetative nervous system showed 42.7% vagotonic (positive oculocardiae and negative plantar reflex); 29.5% sympathicotonic (relation of the reflexes reversed); 10% amphotonic (both reflexes positive); 6.6% atonic (both reflexes negative); and in 5.2% a variable formula. According to the course of the disease, the author distinguishes two forms of neurasthenia; one beginning at a later age, of short duration, and intermittent; the second developing at puberty, and running a chronic and remittent course. A hereditary factor could be demonstrated in 89%. The constitutional type was in 80% athletic and asthenic; in 16% pyknic; and in 4% dysplastic.—M. E. Morse (Catonsville, Md.).

4871. East, W. N. Mental inefficiency and adolescent crime. Lancet, 1931, 221, 166-169; 221-224.

—The medico-legal problems involved in dealing with mental and moral defectives are discussed. The English statutory definitions of mental defectiveness were last revised in the Mental Deficiency Act of 1927.—

D. J. Ingle (Minnesota).

4872. Eliasberg, W. Ueber ätiologisch ungeklärte, zum Selbstmord führende Depressionen von characteristischem Verlauf. (Etiologically obscure depressions of characteristic course, leading to suicide.) Ärztl. sachv. Ztg., 1931, 37, 193-198.—Eliasberg contributes to the literature on a group of depressive states connected with a compensated injury. The common factor in these depressions, which occur at various ages, is that they develop after a trauma and end in suicide. The trauma, which is sometimes slight, is not necessarily the result of an accident, but may be a permanent injury, e.g., years of war service. It does not always strike the nervous system. Neither compensation nor environmental difficulties appear to play a part. The author's case was a 45-year-old man of asthenic type, but able to work previous to his illness. During his 2¾ years of military service, he often fainted on marches, but was never seriously disabled. In 1920 he was pensioned

because of an increase in "nervous weakness." At that time he appeared anxious and repressed. In 1921 he complained of general difficulty; in 1928, of inability to work. At this time he was brutal, irritable, and dangerous to himself and others. Physical examination showed nothing very striking: WR negative; arteries soft; BP 120; salivation; localized tremor; myosis; and very active tendon reflexes. In his fifty-fifth year he hanged himself. Eliasberg lays the responsibility for the outcome on the injury received in military service, and assumes that cerebral arteriosclerosis was the underlying factor. The fainting attacks were an early symptom of this, and the progress of the disease was hastened by the "consuming" influences of service at the front. The cerebral arteriosclerosis advanced, although with remissions, and with it a "peculiar hypochondriasis" developed "which one might find in any accident case."-M. E. Morse (Catonsville, Md.).

4873. Eliasberg, W. Beobachtungen zur psychischem Hygiene und zur Psychotechnik im neuen (Observations on mental hygiene and Russland. psychotechnics in the new Russia.) Zsch. f. psych. Hygiene, 1932, 5, 10.—In connection with the historical and scientific background of psychotechnics and the general concepts of mental hygiene, the author discusses the influence of collectivism on the mental hygiene of the Russian people, with special reference to the economic and industrial aspects. The Russians are trying with the greatest seriousness to extract from the total complex of mental hygiene whatever is immediately pertinent to collectivism. They entirely ignore individual differences, however, because they believe that under the social transformation such variations play no part. Socialized industry knows no predisposition to accidents—"a bourgeois invention" of capitalism. They have a special aversion to statistical methods, going so far as to deny the existence of mathematical constants, which are nothing more than postulates of "metaphysical idealism." This is an example of the materialism which permeates every branch of Russian science. The practical consequences of collectivism, with its slight interest in the individual, are of the greatest importance for the future of mental hygiene since, according to our concept, mental hygiene centers in the individual. In Russia, the claims of the individ-ual and all forms of individual life are denied. Any kind of differentiation or getting-away, even in an esthetic sense, is absolutely impossible. The consequence is continuous close physical contact under bad hygienic conditions. The mood of both normal and sick persons has changed. In all groups depression has been replaced by a tense elevated mood, which has reached a pathological degree and is maintained by intensive, carefully planned mass-influences. In evaluating the results of this social experiment, however, one must remember that the Russians are inclined toward a collective form of thought and life by tradition, and perhaps also by biological peculiarities. Satisfaction of individual tendencies is not the foundation of happiness for Russians. Collectivist tendencies are attested by their history, art,

philosophy, even by the large part played by impersonal constructions in their language. In thought and speech, "fate," in the sense of the collective will, rules. The fundamental social experiences are nevertheless, only apparently repressed by the new order. The individual is still concerned in industry as an individual and competes with his associates. The collectivist solution of the problem of precedence is to divide responsibility minutely. Each person then builds his self-esteem on the feeling that his will is supreme in regard to a certain little function. The spirit and rewards of competitive sport have been transferred to industry. Hygiene also has a collective trend. Physicians have no incentive to individual excellence. They do not, generally speaking, practise a free profession, but are merely medical officials. The Russian attitude toward natural selection is an optimistic fatalism. In popular hygiene they stress environment, especially the social factors, and deny biological limitations. They collectivize environment, and social environment in particular, to the limit, while they neglect all kinds of individual hygienic need, especially individualized psychotherapy. If the individual type is reconstructed with psychological insight, and approximations to it are actually frequent, the outlook for the greatest good to the greatest number is better in Russia than elsewhere. In regard to mental hy-giene, the value of the Russian experiment is that it demonstrates the importance of sociopsychological factors. The future will show whether these are as fundamental as the Russians believe .- M. E. Morse (Catonsville, Md.).

4874. Fairbairn, J. S. The medical and psychological aspects of gynaecology. Lancet, 1931, 221, 994-1004.—Disorders such as dysmenorrhoea, menorrhagia, amenorrhoea, dyspareunia, and vaginismus can result from psychological factors as well as from diseases of the reproductive tract. Vomiting of pregnancy may be evidence of hysteria, and probably arises from the suggestion to vomit. The development of the mental state favorable to natural delivery reduces not only mental and physical suffering, but maternal mortality as well. Disorders arising after childbirth may result from personal factors as well as physical.—D. J. Ingle (Minnesota).

4875. Fankhauser, E. Gefühl, Affekt und Stimmung; manisch-depressives Irresinn; Paranoia. (Emotion, affect and mood; music-depressive insanity; paranoia.) Zsch. f. d. ges. Neur. u. Psychiat., 1931, 132, 321.—Fankhauser continues here his studies on affectivity, particularly the last, Affectivity as a Factor in the Psychic Life (1926). He classifies the affects as: mood-affects and presentation-or idea-affects, according to whether a mood or a presentation (Vorstellung) predominates. Moods are distinguished as allotropic and egotropic. Presentation-affects are divided according to whether they relate to an expected presentation or to one which has already become an experience. These are separated further into the allogenic and egogenic, and there is a series of subordinate groups. In connection with the moods, special emphasis is laid on the difference

between allotropic gaiety and egotropic loftiness. While gaiety is connected only with positive affects (self-confidence, security, approbation, etc.), elevation may exist also with negative affects (discontent, disgust, etc.), even of the allogenic type. Similarly, a depressed mood is often connected with a positive presentation-affect. This is important for mania and melancholia, and explains, for example, the discontented, querulous, elevated mood at the height of the mania. Paranoia develops out of suspicion, a negative feeling of expectation, which gives the impression that something injurious has happened but has not been discovered. On the other hand, incapability and lack of energy are not characteristic of paranoia. All that is necessary is an aggressive stable affect on the foundations of a "process psychosis." A delusion then appears in the field of the presentationaffect. Paranoia should therefore be included in the group of the affective psychoses, along with mania and melancholia. The last two, however, originate in pathological changes in the mood-affect; paranoia, in the presentation affect. The author supposes that all these psychoses are connected with hypothetical deviations from normal in the brain tissue.—M. E. Morse (Catonsville, Md.).

4876. Feuchtwanger, E. Amusie. (Musical aphasia.) Fortsch. d. Neur., Psychiat. u. Grenzgeb., 1932, 4, 289-305.—A discussion of the various forms of musical aphasia; symptoms, functional analysis, cerebral localization.—E. R. Hilgard (Yale).

4877. Frus, J. O dvou případech neurasthenie, a co nám chybí. (Two cases of neurasthenia, and what we lack.) Rev. v neur. a psychiat., 1931, 28, 227-232.—Reports of two neurasthenic patients who voluntarily sought a mental hospital in the hope of cure. The first was a 14-year-old girl with a psychogenic depression. The second was a man of artistic endowment, whose talent could not develop because of material cares. Consequently the hospital recommended itself to him as a place of refuge. On the whole, mental hospitals are not adapted to the care of neurotics. Even the addition of open wards to a closed institution would not be a satisfactory solution, as the neurotics' fear of becoming insane would be increased, and the committed patients would demand the same privileges as the voluntary cases. The best solution would be the establishment of a tax-supported sanatorium for neurotics—a plan for which Haškovek has always worked with the greatest energy.—M. E. Morse (Catonsville, Md.).

4878. Grünthal, E. Über Ähnlichkeiten zwischen organischer und schizophrener Denkstörung. (On the similarities between organic and schizophrenic thought disturbances.) Zsch. f. d. ges. Neur. u. Psychiat., 1931, 135, 618-628.—It happens that from comparative analyses of an organic and a schizophrenic thought disturbance, in which, in the schizophrenic case, an episode was present which called forth a purely organic impression, an "organic radical" can be worked out for both thought disturbances. It can also be embedded in schizophrenia and is closely akin to the attribute which as "the defective span of the intentional arc" has been brought into

prominence by Beringer as being peculiar to schizophrenia.—S. Krauss (Frankfort a.M.).

4879. Grünthal, E. Die erworbenen Verblödungen. II. (The acquired dementias. II.) Fortsch. d. Neur., Psychiat. u. Grenzgeb., 1932, 4, 306-320.—A review of recent literature on Pick's disease, Alzheimer's disease, spastic pseudosclerosis, amaurotic idiocy, and senile dementia. Extensive bibliography.

-E. R. Hilgard (Yale).

4880. Harris, W., & Cairns, H. Diagnosis and treatment of pineal tumors. Lancet, 1932, 22, 3-9.

—Tumors of the pineal body rarely occur. Records of only 113 cases have been collected. Since the pineal lies immediately above the quadrigeminal plate and the aqueduct of Sylvius, tumors of the gland produce symptoms of obstructive hydrocephalus and of pressure on the superior corpora quadrigemina. There is persistent headache, giddiness, limitation of the upward movement of the eyes, and loss of pupillary reaction to light. If pressure on the inferior corpora quadrigemina occurs, disorders of hearing may result. The development of pineal tumor in dogs sometimes gives rise to sexual precocity. The authors describe in detail a case of pineal tumor which was successfully treated by them.—D. J. Ingle (Minnesota).

4881. Hartfall, S. J. Psychosis in osteitis deformans. Lancet, 1931, 221, 68-69.—In cases of osteitis deformans the skull bones are frequently involved. Extensive alterations are produced in the shape of the head and in the capacity and shape of the vault. Generally there is an increase in the breadth of the interior of the skull, while its anteroposterior diameter is lengthened. The depth of the skull cavity is diminished and its base becomes flattened and sometimes convex. In spite of such deformation marked mental symptoms and symptoms due to cranial nerve involvement are of infrequent occurrence. The writer has investigated 18 cases of this disease who had been patients at the Leeds General Infirmary and found that none showed evidence of psychosis and only one manifest neurological signs suggesting compression of a cranial nerve. writer reports a case of his experience who was suffering from osteitis deformans and who, at the same time, was emotionally depressed and subject to delusions. Other cases have been reported .- D. J. Ingle (Minnesota).

4882. Herzberg, A. Leistungstherapie bei Neurosen. (Therapy of neuroses through attainment.) Zentbl. f. Psychotherap., 1932, 5, 81.—The author discusses the conditions which keep up a neurosis, and explains the nature and technique of attainment therapy and its differences from other forms of psychotherapy. The factors which maintain a neurosis may be divided into the pathogenic and the pathoplastic. The former include pathological needs and predispositions; the latter give and fix the form. Pathogenetic needs are of many kinds—sex, aggressive tendencies, etc. Only unattainable or unsatisfied needs of sufficient intensity can keep up a neurosis, which is not a fixed, self-perpetuating formation, but a living phenomenon, continually

produced anew. Predispositions are permanent conditions, originating in the germ plasm or the environment, which increase the pathogenetic needs by intensifying their influence on physical or mental processes, e.g., supernormal intensity of the instincts; abnormally strong effect of emotions on physical or mental processes, and the consequent tendency to split states: over-sensitiveness to unpleasant impressions, with the resultant fear of exertion and failure, and the related tendency to instinctual fixation. Formative factors are physical or mental dispositions which determine the character of the symptoms, e.g., over-irritability of the vegetative nervous system or the eidetic or depressive type. Fixating factors are satisfactions of needs by neurotic symptoms. If we take away the pathogenic needs by satisfying them or reducing their intensity, or by the solution of fixations, the neurosis will be cured, if new pathogenetic needs do not arise. If we remove the functions of a symptom, it will disappear. There is one psychotherapeutic agent with which we can attack the various holds of a neurosis, viz., attainment therapy, which consists in tasks, planned activity, or deliberately created situations. These are devised to decrease, put aside, or satisfy the needs, or to remove hindrances. They are suited to the patient's personality and graduated according to his strength. needs are discovered especially with the help of free association and the interpretation of symbols and dreams. The patient must have sufficient insight to be convinced of the desirability of the attainment. The tasks are given not in the form of a command or prescription, but as a stimulus. Resistance is overcome partly by the patient's growing insight produced by the study of his dreams, partly by argument, and partly through other appropriate tasks. The advantages of attainment therapy are its brevity as compared with psychoanalysis, the usual duration being 20-40 sessions. The causes of this quick action are: first, the marked stimulating effect of productive activity, which eliminates the long period of resistance responsible for the length of psychoanalysis. Second, the practical demands prevent the patient from withdrawing from all activity and "making himself comfortable in the analysis." His independence is stimulated from the beginning, thus preventing excessive transference, which interferes painfully with the analysis and is so difficult to break off. At the conclusion, this treatment brings, in addition to the peaceful and encouraging effect of any form of psychotherapy, a peculiar benefit in the satisfaction or removal of pathological needs, produced especially by enrichment of experience and strengthening of self-confidence. Attainment therapy differs from psychoanalytic treatment in that the latter demands not external activity but production of associations and persistence until all internal resistance is overcome. In contrast to this uniform subjective work, the principle of attainment therapy is objective differentiated activity. Ferenczi has made a beginning in this direction (in the suppression of bladder and bowel evacuation, etc.), but his purpose is to mobilize repressed material, not to remove the conditions

keeping up the neurosis. Attainment therapy plays a greater part in Kronfeld's "psychagogy," but it is introduced at a later stage and occupies a less central position. In general, differentiated attainment is used in the various types of psychotherapy far less extensively than its powerful curative effect warrants. Herzberg analyzes a number of cases to illustrate the various applications of the treatment.—M. E. Morse (Catonsville, Md.).

4883. Hoffman, H. F. Neurosen und psychopathische Persönlichkeiten. (Neuroses and psychopathie personalities.) Fortsch. d. Neur., Psychiat. u. Grenzgeb., 1932, 4, 321-335.—A review of selected literature of 1931, with extensive bibliography.—E. R. Hilgard (Yale).

4884. Inmate-Ward 8. Behind the door of delusion. New York: Macmillan, 1932. Pp. xvi+ 325. \$2.00.-The author of this book is a newspaper man, voluntarily committed to a state hospital for the insane in the hope of curing dipsomania. His story contains his impressions of his fellow inmates, individually and collectively; of attendants and physicians; and of his own reactions. Most of the book is devoted to graphic pictures of individuals and of behavior situations. The pictures are restrained; there is nothing of the "madhouse." The point is emphasized that there is no sharp distinction between sanity and insanity, and that those "inside" differ but little from those "still outside." "In the minds of every one of the insane persons with whom I have come in contact there is one emotion which overshadows and outweighs all other activities of their minds. It is fear; . . . unreasoning fear, often vague and formless but hopelessly controlling and The patients are not treated with brutality, and are restrained only as necessary for their own protection. The greatest suffering arises in the constant contacts of shattered nerves and unbalanced minds. "The world has not reached the stage where peace of mind or freedom from nerve-wrecking contacts is considered as having a place in the treatment or alleviation of insanity."—M. P. Montgomery (Faribault, Minn.).

4885. Jacobi, E. Die Psychoneurosen im Klimakterium, und in der Involution, einschliesslich des Klimakterium virile. (The psychoneuroses of the climateric and of involution, including the male climacteric.) Zentbl. f. Psychotherap., 1932, 5, 32.-In contrast with the extensive literature on the climacteric and involutional psychoses, little has been written on the psychoneuroses of this period, perhaps because of their confused symptomatology, their similarity to processes at other ages, and the hazy borders of the general field. As there has been no review in recent years of the psychogenic disorders of later life, Jacobi gives a critical discussion of the German literature on the subject since the war. The distinction between the climacteric and involution is difficult. According to Bleuler, with whom Jacobi agrees, the climacteric is "a transition to another stage of life," while the senium is "a dying-out." The climacteric in women is in no way comparable to the senium in either sex. The tendency in the past has been to

charge every pathological manifestation at this period to the climacteric or involution, without proof or without even determining the type of reaction. extreme view on the opposite side is represented by Stelzner, who declares that the menopause as an etiological factor in disease is a "fairy tale," and that the symptoms are due to an "expectation neurosis." In the highly differentiated woman, the psychie climacteric sets in much later than the physical, and rises more slowly. Every woman in the climacteric is in a special psychic situation. Through endocrine changes and disturbances in the vasomotor and vegetative systems, an anxiety mechanism and hypochondriasis arise in a sensitive type of personality confronted with a difficult life-situation. The psychoneuroses of this period are apparently not a clearcut entity, but a complex which may be found also at other ages. Their symptomatology has been worked out as yet only along general lines. All the syndromes are characterized by depression, hypochondriasis, increased irritability and sensitiveness, and introspection. The psychoanalysts, who have done the most work on these disorders, believe that, in the face of a threatening situation, the libido regresses to the childhood or pubertal level. There is a strong internal conflict with over-compensation. The connection of the menopause with invalidism is attracting attention from various angles, whereas in earlier years there was no literature on the subject. Benefits are usually refused when psychogenic symptoms predominate. The prognosis of climaeteric psychoneuroses is usually favorable. Light psychotherapy often helps quickly. A psychological prophylaxis in earlier years might ward off the development of anxiety symptoms. The question as to the existence of a male climacteric is still undecided. Although the changes were first described early in the nineteenth century, and Freud noted anxiety neuroses with the decline of potency, yet the concept, the exact symptomatology, prognosis, and differential diagnosis were first worked out by K. Mendel in 1910. The literature on the subject is now extensive. Hoche, the author who has treated the subject most thoroughly in recent years, is one of the few modernists to take the negative side. He believes that the differences from the climacteric in women are greater than the similarities, and that the symptoms ascribed to it are in reality signs of aging. Testicular function does not stop at a definite period. Men who show symptoms at this age have been neurotic previously. Kraus has recently treated this problem under the title: "The man of 50 years, a disease of civilization." The patients, who are mostly from the upper classes, have worked intensely and have feelings of inferiority, for which they over-compensate. his own observations, Jacobi agrees essentially with The psychoneuroses form an important Hoche. group of these disturbances in men, but their connection with the reproductive glands is much less pronounced than in women. The symptoms may be a reaction to the aging process or to a particular lifesituation. A special type of personality may or may not be present. The whole problem of the male climacteric is still fluid. New viewpoints and explanations are to be expected from the somatic side, where much is still obscure. Jacobi's conclusion from his review of the literature on the climacteric in both sexes is that, although many articles have appeared, no essential advance has been made. Comprehensive works, systematic discussions, and critical reviews are still lacking, but the various smaller articles have illuminated many debated points in an interesting way.

—M. E. Morse (Catonsville, Md.).

4886. Janota, O. Pseudologia phantastica und manisch-depressives Irresein. (Pathological lying and manie-depressive insanity.) Praktický lékař 1931, No. 4, 104.-A 43-year-old patient, of marked pyknic type, had lied in a compulsive way for the past 3 years. In his youth he had indulged in fantastic tales, and at 21 and 27 years he had had depressions. Further examination showed a mild manic state, which was almost concealed by the pseudologia. The latter is considered not merely as a symptom of the manic condition, but rather as the hitherto latent disposition to lying which is brought out by the manic state. This case shows the combination of a manicdepressive process with a psychopathy of hereditary origin (an uncle was an eccentric swindler) .- M. E. Morse (Catonsville, Md.).

4887. Jelliffe. S. E. Psychopathology of forced movements in oculogyric crises. New York, Washington: Nervous & Mental Diseases Publ. Co., 1932. Pp. 219. \$4.00.—This publication is a monograph of eight chapters dealing with the psychopathology of forced movements and the oculogyric crises of lethargic encephalitis. In the first chapter an historical account is presented. In the second chapter a detailed digest is made of a total of over two hundred case records by more than one hundred authors, with particular reference to information dealing with associated affective states. In the third chapter the author cites four cases he studied in detail, with a citation of the psychic concomitance of the oculogyric movements. In the next four chapters, which deal with the symptomatology as expressed by eye move-ments, thought development, anxiety, and hypervigilance, he discusses types, frequency and associated affects of eye movements; suggests and elaborates the idea that changes in thought processes are attributable to affective states rather than somatic changes; lists the various affective states accompanying oculogyric crises, suggests that the affective disorder is the probable nucleus of the impulsive state, and attempts to trace the physiological basis of hypervigilance. The last chapter deals with the psychopathology of the disease, with an elaboration of the affective states, forced movements and psychic significance. He suggests that oculogyric crises and similar forced movements are allied to tics and conversion symptoms. He elaborates given affective states psychoanalytically, focussing attention on the thought processes, states of consciousness, and affective states accompanying the crises and forced movements. An extensive bibliography.—M. H. Erickson (Worcester State Hospital).

4888. Kisselow, M. W. Der Körperbau und die besonderen Arten des Schizophrenieverlaufes. (Physical types as related to characteristic variations

in the course of schizophrenia.) Zsch. f. d. ges. Neur. u. Psychiat., 1931, 132, 18 .- If the course of the various clinical forms of schizophrenia is studied in connection with the presence of pyknic traits and other peculiarities of the somatic constitution, it is found that the structure of every case is exceedingly com-plicated and varied. Not only is the course of schizophrenia influenced by cycloid components and pyknic features, but every psychosis reflects the total structure of the personality and each of its constitutional factors. The psychosis has a peculiar symptomatology and course corresponding to each physical type. We are thus justified in speaking of a "muscular," "asthenic," "pyknic," and "average" schizophrenia, and of mixed forms. The bodily structure gives the best characterization and proof of the total structure of the personality. The author used as material for this study 46 schizophrenics observed in the psychiatric clinic at Kazan between 1925 and 1929, on whom somatometric data were available. For determination of the physical type, Andreyev's somatometric profile (Zsch. Neur., 102) was used. This classification showed: muscular type, 8; asthenic, 14; pyknic, 8; average, 10; atypical, 6. The muscular type was associated with violent psychomotor excitement, rage, aggressiveness, visual hallucinations with clouded consciousness, attacks of dizziness, and various conclusive mechanisms, from slight contraction of the fingers to well-defined general epileptic seizures. Epileptoid traits were very frequent and occasionally gave rise to the suspicion of true epi-lepsy. The asthenic group was characterized by a gradual onset without secondary symptoms, a torpid course, slowly increasing apathy, a few vague ideas of external influence, fragmentary delusions of persecution, and mild auditory hallucinations. This is the commonest form of the disease, and is best characterized as "schizophrenia simplex." The pyknic schizophrenics showed cycloid peculiarities in the periodically remittent course of the psychosis, the swings of mood between gaiety and depression, the vivid affects, syntonia, and ability to make contacts. The middle forms showed a complicated picture of various components, although apparently not constituting an independent type. When the motor inferiority characteristic of their families became evident, they developed the catatonic form of schizophrenia. In the group of atypical bodily structure, the psychosis did not clearly bring out the above-mentioned characteristics.—M. E. Morse (Catonsville, Md.).

4889. Křivý, M. Prispěvek k otázce pedofilie. (Contribution to the problem of pedophilia.) Rev. v. neur. a psychiat., 1931, 28, 276-316.—Three case reports: (1) A 25-year-old single imbecile used children only because he was unacceptable to adults. This case might be considered one of pseudo-pedophilia. (2) A married school administrator of 56 years, with a complicated perversion, which in addition to a predominant homosexual but occasionally also heterosexual pedophilia, expressed itself also in narcissistic and exhibitionistic traits. Among the photographs which he collected with passionate zeal were those of

children with bobbed hair, which he himself had cut off. Křivý regards this act as metatropism transferred to the pedophilic field. Physically, the patient was of pyknic build; in temperament, he was of the depressed and sensitive type. (3) A 27-year-old married teacher, with a strongly developed inner religious life; heterosexual pedophilia. At first he was an excessive masturbator; later, exhibitionistic ten-dencies developed, and eventually, pedophilia. The first case was considered fully responsible; the last two, partially so. In the genesis of these perversities, an inherited disposition plays a considerable part, as is shown in the great number of psychopathic and intersexual traits in the ascendants. In addition, these patients are usually psychosexually infantile. Instinctual weakness and masturbation scarcely come into consideration as causes; accidental sexual ex-periences around puberty are only pathoplastic, not pathogenetic factors. The importance of partial instincts and the incest complex, emphasized by the psychoanalysts, is recognized, but the objection is raised that this hypothesis leaves out of consideration the hereditary and constitutional factors. greatest importance in pedophilia is the feeling of uncertainty in regard to themselves which torments these patients. The question of what to do with these individuals is very difficult. They should not be al-lowed complete freedom, but they do not belong in mental hospitals. Wherever they go, they have the opportunity to seduce unprotected or weak persons. As the best solution both for patient and society, Křivý recommends castration, with later implantation of a healthy testicle. Since, according to his view, pedophilia is not rooted in the constitution but is acquired, he believes in the possibility of prophylaxis through reform in sex education. It is necessary to guide adolescents in a friendly way and to call their attention to the dangers threatening them, rather than to hide them. In addition, every person who deviates in any respect from sexual normality should be restrained from a vocation which brings him into contact with children. Legal protection of young people should be extended from the thirteenth to the twenty-fourth year, and energetic measures should be taken against the propaganda carried on so zealously by the homosexuals.—M. E. Morse (Catonsville, Md.).

4890. Leroy, A. Obnubilation intellectuelle complète retardée et prolongée, suite de commotion. Fugue pathologique. (Complete retarded and prolonged intellectual insensibility following concussion. Pathological fugue.) J. de neur. et de psychiat., 1931, 31, 594-601.—On the basis of two case histories the author discusses mental disorders which may follow cerebral concussion. He mentions Barbé who distinguishes first those disorders which appear immediately, and which generally consist in simple mental confusion, hallucinations and intellectual torpor; secondly the delayed disorders which appear about a month or two after the concussion and which show amnesia, torpor and hallucinations; and thirdly the late conditions (one or two years after the concussion) which develop into a chronic state of mental im-

pairment and dementia. Many cases of concussion recover rapidly, some pass through various stages ending in dementia, and some rare cases immediately begin with dementia. The question of what may condition the dulling of intelligence has not been solved. The opinion of some writers that it is due to a vasomotor paralysis of the cerebral vessels is questioned by the author.—H. Syz (New York City).

4891. Ley, A. Migraine et hypothyroïdie. (Migraine and hypothyroïdism.) J. de neur. et de psychiat., 1931, 31, 494-496.—The author presents the case history of a female patient of 27, who suffered from migraine-like attacks which were unusual in that they lasted up to one month. Another physician ascribed a psychic origin to them, the first attack having occurred after an early homosexual experience. The author, however, made the diagnosis of hypothyroidism, which was borne out by the fact that thyroid therapy was of immediate and lasting effect.—H. Syz

(New York City).

4892. Lundholm, H. The riddle of functional amnesia. J. Abn. & Soc. Psychol., 1932, 26, 355-366. In functional amnesia, there is an inhibition by a subconscious mechanism, which attacks, not directly the function of thinking again the past experience, but the specific striving which was at work relative to the experience on its occurrence. Such inhibition modifies the meaning of the experience, so as to make it appear strange, foreign, and without feeling of personal reference. The subject suffering from amnesia is able to think the event; if it is related to him, he grasps cognitively the story told, but this story is not experienced as something that has happened to him in the past or as a personal experience of his own. If the story of the event is told to him he will not spontaneously and voluntarily think of it, for the reason that there is no incentive for so doing, the event, by the inhibition referred to, having become indifferent to him .- C. H. Johnson (Boston Psychopathic Hospital).

4893. Massaut, C. Psychose syphilitique et paralysie générale. (Syphilitic psychosis and general paralysis.) J. de neur. et de psychiat., 1931, 31, 575-580.—In view of the frequency of a positive Wasserman reaction in different mental disorders the question arises whether syphilis acts as a specific causative agent or whether it has merely the influence of a generally debilitating or toxic-infectious factor. Some of the literature on the subject is reviewed and the history of a paranoid patient is presented in whom, according to the author, there was a definite influence of the syphilis on the mental disorder. A bibliography of 15 titles is given.—H. Syz (New York City).

4894. Mathien, —. Un cas d'hémiplégie gauche avec troubles aphasiques et psychiques. (A case of left hemiplegia with aphasic and psychic disorders.) J. de neur. et de psychiat., 1931, 31, 608-612.—The case history of a left-handed woman suffering from a mitral stenosis, who at the age of 25 had a sudden attack with subcoma, left hemiplegia and aphasic disturbance. The aphasia disappeared rapidly, while the hemiplegia persisted. Three years later another attack occurred, followed again by aphasia and by a

state of marked excitement lasting for two days. The speech remained difficult and there was an intellectual impairment which became progressively worse. The patient showed also an emotional disorder with periods of irritability and of agitated confusion. The author ascribes the condition to two cerebral embolisms in the right cortico-capsular region.—H. Syz (New York City).

4895. McCowan, P. K., & Quastel, J. H. Bloodsugar studies in abnormal mental states. Lancet, 1931, 221, 731-736.—The sugar-tolerance curves of 85 psychotic subjects were studied. The findings were expressed in terms of a hyperglycemic index representing a quantitative measure of the departure of a sugar-tolerance curve from normal. In the manicdepressive group a close relationship was found between the amount of blood-sugar and the emotional tension of the patient. Those of the melancholia group who failed to show a raised blood-sugar level proved to have an hysteriform element in their psychosis. It is significant that patients manifesting hysteria have usually a normal blood-sugar level. In cases of mania the sugar tolerance was low except when the excitement was accompanied by an aggressive, paranoid mood. Cases of benign stupor show a low index, as do cases of arterio-sclerosis. In the schizophrenic group the index is low except when the psychosis is associated with toxemia, endocrine imbalance, or other physical disorder. Using the psychogalvanic reflex as a measure of degree of emotional tension, it was found that a close relationship exists between this measure and the hyperglycemic index. During menstruation the sugar-tolerance level becomes abnormal in both normal and psychotic cases. Failure to take the factor of menstruation or of abnormal physical conditions into account when studying the blood-sugar level of psychotics has led other investigators to erroneous conclusions .- D. J. Ingle (Minnesota).

4896. Meerloo, A. M. Die psychische Hygiene in Holland. (Mental hygiene in Holland.) Zsch. f. psych. Hygiene, 1932, 5, 25.—Short reports on some of the papers read at the 1931 winter meeting of the Dutch Society for Mental Hygiene. The following are mentioned: Herwerden, The Meaning of Eugenics for Mental Hygiene; Kohnstamm, The Responsibility of the School for Mental Hygiene; in Holland, the educational situation is complicated by the fact that each religious sect has its own schools, subsidized by the government; Van der Scheer, The Psychiatric Institution and Mental Hygiene: there are advocated occupational therapy, after-care, the breaking down of hospital isolation, and utilization of the institutions for teaching purposes; Rümke, Mental Hygiene in Private Psychiatric Practice: the mental hygiene movement in Holland is still in the stage of orientation.—M. E. Morse (Catonsville, Md.).

4897. Merzbach, T. Eine Zwangsbewegung. (A compulsive movement.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 588-589.—A boy thirteen and one-half years old reached to his ankles or feet whenever faced by elders. Analysis showed that this was a compulsive movement which served to direct attention away from

his head. Several years before he had lost some patches of hair through X-ray treatment for a skin eruption. These bald spots had become a source of keen embarrassment to him. The teacher's suspicion of sex practices proved unfounded. In the week following his first consultation with the counselor in a behavior clinic the boy gained control over the compulsion.—O. N. de Weerdt (Beloit).

4898. Mondio, E. Epilessia ed iperpnea ed epilessia riflessa nell'uomo. (Epilepsy due to hyperpnea and reflex epilepsy in man.) Riv. pat. nerv. e ment., 1932, 39, No. 1.—The author, after studying the forms of epilepsy provoked by excessive respiration (hyperpnea) and the phenomena provoked by the stimulation of zones corresponding to the zone in which the convulsive attack began, draws the conclusion that attacks due to hyperpnea may be of the same kind as reflex epilepsy.—G. C. Ferrari (Bologna).

4899. Mysliveček, Z. Prispěvek k verbalně akustikým halucinacím. (Contribution to verbal-auditory hallucinations.) Rev. v. neur. a psychiat., 1931, 28, 317-331.-Two individuals of 31 and 45 years, intelligent and otherwise normal mentally, have been hearing for a considerable time voices of such distinctness that only through experience and consideration of the accompanying circumstances can the subjects distinguish them from real voices. The hallucinations appear most commonly during a monotonous noise, and disappear immediately when the attention is concentrated. They correspond in content and affect to the personality (the first patient hears insults and threats in regard to his too liberal activity as a teacher). These phenomena were unumated drugs. The second patient had in addition the ability to form eidetic visual images voluntarily with closed eyes. These images, however, have no connection with the verbal pseudo-hallucinations, since the former increased during a fever, while the latter decreased. The patients did not believe in the reality of the voices and were fully conscious of their abnormal origin. This fact stamps the phenomena as verbal pseudo-hallucinations in Kandinsky's sense. The two cases give the rare opportunity to study hallucination as an isolated symptom, and they prove that genuine hallucination involves not only sensory irritability, but in addition the false judgment of reality which comes only from a pathologically changed personality. The active component, which depends on the personality of the patient, also plays a rôle in the newer theory of perception, and in the study of hallucination it, as well as the sensory side, must be taken into account .- M. E. Morse (Catonsville, Md.).

4900. Nitsche, —, IV. Aerztenkonferenz über Voraussetzungen und Gestaltung der Kinderfürsorge für seelisch und geistig abnorme Kinder. (Physicians' conference on the principles and forms of care for psychopathic and mentally defective children.) Zsch. f. psych. Hygiene, 1932, 5, 28.—A report on the fourth conference of this kind, which formed one section of the annual meeting of the German Association for the Protection of Infants and Young Children, held at Dresden in September, 1931. The discussion centered around three topics: (1) The

need of care for these children. Physicians know too little of the legal provisions which have been made for these groups. Only the specially trained physician is competent for the difficult task of recognizing and differentiating abnormal children, and yet treatment must begin with medical examination and diagnosis. There is urgent need to spread knowledge concerning psychically abnormal children among doctors, medical students, and organizations for the care of children. (2) Clinical study and possibilities of prophylaxis. (a). Interpretation of endogenous factors, in connection with which is urged examination by biological methods with the help of a simple uniform schema. (b). Exogenous factors (environment and education), with special reference to the psychopathic child. Although endogenous factors are undoubtedly of the greater importance, yet from the standpoint of practical care, injurious environmental influences take the first place. The first great period of differ-entiation of these children from their associates occurs in the second or third year. Plans for treatment should be based on the symptomatology at this Child welfare conferences are pre-eminently the place for these efforts; also day nurseries and kindergartens. Gradually, "open" care must be kindergartens. Gradually, "open" care must be supplemented by the institution. (3) Legal supervision and certification. The central points for these activities are institutions for small children and the medical organization of schools. The children must be put under supervision as early as possible. The first warnings of abnormality may appear in infancy. Pediatricians, health workers, teachers, and kinder-gartners still lack the necessary instruction in the normal and abnormal psychology of the child. We should work toward a union of pediatrics, child psychology, and child care into a single field of "pedology" or child science. Necessary also is the teaching of mothers in schools and continuation schools. Mentally sick and psychopathic children should remain in an institution for a long period or permanently. A sharp differentiation of these two groups is desirable, although not always practicable. The conference recommends the establishment of a commission to advise in regard to supervision, treatment, and certification of mentally abnormal children, in accordance with their financial circumstances.—M. E. Morse (Catonsville, Md.).

4901. Oliver, J. R. Pastoral psychiatry and mental health. New York: Scribner, 1932. Pp. xiv+ 330. \$2.75.-This book is intended to help the clergyman as a physician of souls; if he can recognize mental maladjustment he is in a position to check it before it needs specialized help. Some technical understanding of various forms of mental illness is needful. In dealing with fear and anxiety one primary technique is to get the patient to recognize them and accept them, to cease fearing fear. Sex plays a large part in mental maladjustments; no human being is absolutely male or female. The proportion of these elements in each human being determines his or her primary homo-erotic or hetero-erotic tendency. Auto-eroticism is an immature stage of sexual development, with much tragic misunderstanding surrounding it. Love is essential in all sexual expressions. The American home shows marked signs of disintegration. Religious faith and practice have a definite bearing on the healing of mental disease. Jesus told his followers what psychiatrists tell their patients today—that they will be well when they have learned to lose their fixations; his attitude was that primary one toward mental illness—judge not.—H. L. Stratton (Worcester, Mass.).

4902. Pearn, O. P. N. Mental nursing. New York: William Wood, 1932. Pp. 304.—This publication is a simplified handbook on the care of mental patients, written primarily for attendants with little educational background. It contains brief chapters on subjects ranging from general household duties to "Anatomy," "Physiology," "Psychology," "Hygiene," and "Mental Diseases and Disorders."—M. H. Erickson (Worcester State Hospital).

4903. Petroselli, F. Un caso di melancolia d'eccezionale durata. (A case of melancholia of exceptional duration.) Rass. stud. psichiat., 1932, 21, No. 2.—A case of melancholia with stupor, which lasted 13 years and was then cured. The large amount of interest attached to it comes from the uniformity of the clinical picture and the medico-legal interest in the duration.—G. C. Ferrari (Bologna).

4904. Popek, K. K otázce kapilární mikroskopie u slabomyslných. (Capillary microscopy in mental defectives.) Rev. v neur. a psychiat., 1931, 28, 49-56.—Popek observed the capillaries of all ten fingers in 500 cases under the most diverse conditions, and found that with the same pressure and temperature the gross form of the vascular loops remained constant, although the size of the lumen depended on certain external and internal factors. The author studied 244 children from 3 to 17 years old, representing the different types of mental defect, and used as controls 217 normal children, 7-16 years of age, from the folk schools and schools for gifted children. The results reveal that the feeble-minded do not show a larger percentage of pathological capillary forms (archi- and mesoforms and the developmental stages arising from them) than normal children, and that the pathological forms are found in the most varied forms of mental deficiency. Therefore, capillaroscopic findings cannot be used for differential diagnosis of the various types of mental defect. Popek criticizes von Höpfner's scheme of capillary morphogenesis, and denies the existence of a special hypoplastic type originating in defective development of the middle layer, since he has succeeded in transforming, under the microscope, neocapillaries into apparently hypoplastic formations. These are, in reality, capillaries which, because of the abrupt thinning of the skin around the nails, deviate only slightly from the optical axis of the microscope, and consequently only their most external part appears in the field. Popek, however, considers it justifiable to distinguish a neurotic type, which was found in about 20% of the 961 cases, although in only one-third was it associated with vasomotor disturbances or a neuropathic constitution. Among 264 infants, the capillary forms in 20% corresponded to those of

the adult; in the others, normal or mesoforms, or intermediary stages, developed in the course of 4 months. Mesoforms occurred especially in individuals with defects in the mesenchymous and mesoblastic organs. The author concludes that although eapillary microseopy is valuable in its scientific relations, no diagnostic or therapeutic interpretations can be drawn from it.—M. E. Morse (Catonsville, Md.).

4905. Ranson, S. W., & Ingram, W. R. Catalepsy caused by lesions between the mammillary bodies and third nerve in the cat. Amer. J. Physiol., 1932, 101, 690-696.—Bilateral electrolytic lesions in the region between the mammillary body and the third nerve in cats often lead to a condition of somnolence and exaggerated muscle tonus of the very plastic type. Cats with such lesions offer a striking resemblance to patients with encephalitis lethargica of the cataleptic type. They will maintain for many minutes unusual postures into which they have been placed by the experimenter, and the ease with which they can be molded into statuesque postures seems to be directly related to their somnolence and to the paucity of voluntary movements. The lesions in these cats occupy a brain region which is known to be involved in certain types of pathologic sleep in man. The possibility of producing prolonged sleep in cats by such lesions affords an opportunity for determining more accurately the location of this mechanism and for the study of the manner in which it regulates the change from the awakening to the sleeping state. Such experiments may also lead to an explanation of why in some patients somnolence is associated with an increased plastic tonus and catalepsy, and why in others it is associated with museular relaxation .- C. Landis (New York Psychiatric Institute).

4906. Read, C. S. Out-patient psychiatry. Lancet, 1931, 221, 1438-1441.-The author uses the term psychiatry in the sense which includes all mental disorders either psychotic or psychoneurotic in nature and based on either functional or organic causes. The author recognizes that in his earlier experience the methods of psychopathology employed were not so effective as then believed. Much of the treatment was directed toward relieving the patient of the auto-intoxication which was believed to be basic to the dis-The method of hypnotic suggestion was ardently advocated, but with further experience the psychotherapists gradually lost faith in the efficiency of the method until they actually lost the capacity to produce many of the phenomena of hypnotism in their patients. The author has been clinical psychologist at the West End Hospital for Nervous Diseases for six years. In his practice he always uses the term "mental" rather than "nervous" when speaking to the patients about their condition. By describing the disorder as it is, there is less difficulty in giving the patient an insight into his condition. In the out-patient clinic only a small proportion of the patients cared for are psychotic. Of the psychoneurotic patients the anxiety states and situational maladaptations occur most frequently. Results of treatment are frequently discouraging. Some patients are

constitutionally predisposed, so that they are unable to cope with the smallest stresses of life. Some cases are uncooperative after finding that they are not to be given medical treatment. Others respond readily to treatment. Many patients have difficulties arising from marital and familial disharmonies or may have mild depressions caused by abnormal sex practices. These can generally be adjusted effectively in a few interviews. No hard-and-fast rules can be laid down regarding treatment. Although psychoanalysis is the most scientific method of approach, it can be used in only a superficial way because of the time element. The methods of auto-suggestion and hypnosis still have a place in the therapy employed in some cases. Because it is necessary for the patient and the psychotherapist to be alone during visits, it is impossible to allow students to listen to the interviews. There is no serious objection to their presence during the preliminary interview. The mental out-patient department should prove to be of importance in the hygiene movement.—D. J. Ingle (Minnesota).

4907. Riggall, R. M. A case of multiple personality. Lancet, 1931, 221, 846-848.—The author describes the case of an unmarried woman of 37 who had at an earlier period shown seven or eight different personalities. At the present time only one personality other than the original appears. There is a struggle for dominance between the two. The case is very similar to the classical case of Miss Beauchamp described by Morton Prince.—D. J. Ingle (Minnesota).

4908. Rizzati, E. Lo stato attuale del concetto clinico di schizofrenia. (The present state of the clinical concept of schizophrenia.) Schizofrenie, 1931, 1, 37-66.—The author thinks that in various theories of schizophrenia there is an element of truth but that in general each observer is one-sided. In order that the examination of the schizoid affliction be systematic, it is necessary first of all to establish the pathological "quantum" (and also to get the qualitative value) and the phase of the disease; on this basis can be interpreted the results of static and serological examinations.—R. Calabresi (Rome).

4909. Rutherford, W. J. Psychosis in osteitis deformans. Lancet, 1931, 221, 350-351.—S. J. Hartfall in a recent paper has upheld the rarity of mental symptoms in osteitis deformans. The author reports a case from his own experience.—D. J. Ingle (Minnesota).

4910. Sigel, E. The mental hygiene problems of cardiac patients. Smith Coll. Stud. Social Work, 1932, 2, 336-357.—A psychiatric study of 31 patients in the Mandel Clinic of the Michael Reese Hospital in Chicago revealed the presence of neurotic symptoms in two types: those whose cardiac condition greatly restricted their activities, and those in whom no organic basis for the cardiac complaint could be found. There is almost perfect correlation between the degree of cardiac difficulty and the presence of mental-hygiene problems. The majority of cardiac patients, furthermore, do not complain of subjective symptoms. Those who do complain usually have emo-

tional problems.—H. Lange (New Hampshire State Hospital).

4911. Smith, L. H. Psychotherapy and general practice. J. Amer. Med. Assoc., 1932, 98, 1783-1785.—The importance for the family physician of being able to recognize and treat disorders of emo-tional origin is pointed out. In general there are five age periods in the life of the individual during which the stresses and strains on mental life are likely to be particularly troublesome. The first is the period of early childhood. Here the child may be forced to share physical comforts and parental love with a newly born brother or sister. Illness during this period may teach the child bad habits of attention getting. The second period begins at puberty, during which the problem of sex is of major importance. The third period comes during later adolescence, when the individual must accept economic responsibilities. The fourth period comes at the menopause or involutional period. Here is the recognition that one is on the downhill side of life. The fifth age period occurs more indefinitely. It is the time at which the physical infirmities of old age seem greater than the enjoyable experiences of life.-D. J. Ingle (Minnesota).

4912. Sties, A. L'iperinsulismo spontaneo. (Spontaneous hyperinsulinism.) Riv. pat. nerv. 6 ment., 1932, 5, No. 1.—Clinical case of a 49-year-old patient with a syndrome of hypochondriac neurasthenia.—G. C. Ferrari (Bologna).

4913. Stuchlík, J. Profylaxe traumatické neurosy. (Prophylaxis of the traumatic neuroses.) Rev. v neur. a psychiat., 1931, 28, 380-386.-By traumatic neuroses we understand the combination of various physical and psychic symptoms which, in the patient's mind, stand in causal relationship to the trauma. In addition to the injury as a starting point, there must be a mental elaboration and the idea of a goal. The last is always the gain represented by the illness. The first appearance of this phenomenon comes regularly at a later date than the direct physical and mental consequences of the in-Prophylaxis must be purely psychic. It must bring the patient back to adequate thought and action, and replace the dominant idea of gain through illness by the idea of health. Psychotherapy should be begun very early, preferably immediately after the accident, and in every case should be carried to a conclusion. In the milder cases, simple psychotherapy or payment of the indemnity suffices. There are, however, severe cases in which indemnity plays no part; for these, the illness represents a refuge. Such cases need a psychotherapeutic specialist. Stuchlik depicts the much more serious difficulties of these patients, which make them regard their injuries as a relatively good solution .- M. E. Morse (Catonsville, Md.).

4914. Taylor, W. S. Students' reactions to abnormal psychology. J. Abn. & Soc. Psychol., 1932, 27, 40-47.—As a result of some concern about the effect of courses in abnormal psychology on students, a questionnaire was presented to several classes at the close of the course. The majority answering the

questionnaire felt the course to be beneficial, giving evidence that the study of abnormal psychology need not be generally harmful, and may have a significant place in education. A copy of the questionnaire used is included in the report.—C. H. Johnson (Boston Psychopathic Hospital).

4915. Timmer, A. P. Die schizothymen und zyklothymen Temperamente Kretschmers im Lichte des Pawlowschen bedingte Reflexe betrachtet. (The schizothymic and cyclothymic temperaments of Kretschmer considered in the light of Pavlov's conditioned reflex.) Zsch. f. d. ges. Neur. u. Psychiat., 1931, 133, 329.—Timmer undertakes to lay a foundation in brain physiology for Kretschmer's theory of temperaments. He transfers Pavlov's conceptions of radiation and induction to the characteristic methods of perception and psychomotor activity, as well as to the peculiarities of thought in the cyclothymic and schizothymic types. Although the conditioned reflex has nothing to do with conscious processes, its origin is connected with the cortex. It can be extinguished, but the releasing stimulus then exerts an inhibitory action on the flow of secretion in another conditioned reflex. The conditioned reflexes radiate; not only the excitation but also the inhibition of the parts of the cortex involved spreads to neighboring areas. The effect of radiation is to equalize the condition of the cortex. The opposite of radiation is induction; it increases the differences, since excitation in one cortical area causes inhibition in another. Radiation and induction may interfere with each other. The promptness and degree of stimulation and inhibition distinguish Pavlov's "sanguine" dog, of great alertness but little tenacity, from the "melancholy "dog, which reacts slowly but, after a reflex has once been established, uniformly for a long time. Timmer suspects that there are similar differences of radiation in hypomanic and depressive-inhibited individuals. The manner of radiation appears to him to explain "the foundation of cyclothymic tempera-On the other hand, the dominance of inducment. tion gives the individual schizothymic qualities. From this viewpoint, Timmer analyzes the results of previous experimental research on psychological types. In agreement with Pavlov's opinion that conditioned reflexes arise through the analytical function of the cortex, Timmer considers that conscious perception in man also depends on the characteristics of this analytical function. The differences in the characteristics of perception in the two constitutional types (circumference of consciousness, analytic as contrasted with synthetic methods of comprehension, fixed or fluctuating attention) are interpreted on this hypothesis. In schizothymics, induction predominates; one cortical area goes into intensive action, while other areas are inhibited by negative induction. This negative induction, however, exercises in turn a positive induction on the cortical area originally stimulated. In cyclothymics, in whom induction is slight and radiation predominates, the cortical fields surrounding the stimulated area show heightened radiative excitement and receptivity. mechanisms are followed out in the physiology of

sensation (simultaneous contrast). Timmer also assumes radiation and induction in the cortical motor fields, and explains in a similar way the motor characteristics of schizothymics and cyclothymics, discussing in this connection the problems of psychomotor rhythm and writing. This viewpoint is further extended to the difference in methods of association, especially to the experimentally proved tendency of schizothymies to perseveration; and finally to the realm of character. The blunt alternative of the schizophrenic is assumed to correspond to the orientation of thought which he sets up for himself: "an idea cannot endure the presence of its opposite; hence the latter is inhibited or repressed by means of induction." Cyclothymic activity and ability to adapt arise from the absence of strong induction with its weight of antithesis. The application of Pavlov's theory to psychiatry is, as Timmer himself emphasizes, not ripe for discussion, to say the least. Schizophrenia is not "a too-widely extended induction": mania is not a pathological increase of radiation, nor melancholia an abnormally increased inhibition. Researches on the conditioned reflex in psychotics are as yet all too rare, but they point in the anticipated direction .- M. E. Morse (Catonsville, Md.).

4916. Unger, M. Ein Fall von Sprechhemmung. (A case of speech inhibition.) Int. Zsch. f. Indiv.psychol., 1930, 8, 582-586.—A report on an extreme case of retreat from reality. Siekness, inability to speak, inability to think logically, were all believed to be defenses which the patient, a woman of middle age, used to avoid exposure to possible defeat. The relationships within the home during childhood, which were basic to the development of the neuroses, are pointed out as well as the therapeutic approach. —O. N. de Weerdt (Beloit).

4917. Vygotski, L. C. [The fundamental present-day problems of the study of defective children.] Trudy II Univ. Moskva, 1, 77-106.—The author gives a general survey of the different defects in children, the modifications in development caused by these defects, and the different problems involved in the question.—A. B. Hunter (Clark).

[See also abstracts 4673, 4719, 4755, 4919, 4998, 5007, 5020.]

SOCIAL FUNCTIONS OF THE INDIVIDUAL

4918. Asboe, W. Notes on childbirth in Manchat (Western Tibet). Man, 1932, 32, 161.—A note concerning tabus at the time of pregnancy and confinement.—R. S. Wallis (Hamline).

4919. Baeyer, W. V. Ein Fall von psychopathischer Selbstbezichtigung. (A case of psychopathic self-accusation.) Zsch. f. d. ges. Neur. u. Psychiat., 1931, 135, 779-793.—The problem of self-accusation, important both clinically and forensically, is thoroughly dealt with in this work, which investigates the motivation, life history and type of a 35-year-old servant girl who accused herself of certain passional murders and other sex offenses. The story is that of an illegitimate child of a feeble-minded mother, who was early abandoned and brought up by charity.

Later she lived in continual and frequent change between servant positions and hospital. In character, she was found to be impulsive, disharmonious, greedy for gain, and unstable, with an inclination toward hysterical reactions. Her personality structure is partly explained by the development of a life situation in which attention could be compelled by arousing hostility. The securing of pleasure by self-abasement is to be understood in relation to the striving for revenge for the severity of her upbringing. In the beginning, there was no falsification of memory present, but later the elaborated experiences became so deeply embedded that a genuine feeling of guilt resulted, the growth of which was first brought out in hypnosis. The psychopathic reaction of self-accusation is related to pseudologia. -S. Krauss (Frankfurt a.M.).

4920. Ball, R. J. Introversion-extroversion in a group of convicts. J. Abn. & Soc. Psychol., 1932, 26, 422–428.—Report of a study of a group of 136 native born and literate male convicts, whose ages ranged between 17 and 25 years inclusive, and who had been in prison from six months to two years. The Neymann-Kohlstedt Diagnostic Test was used. The results show that there was a ratio of 3 to 1 in favor of introversion. An analysis of the individual tests shows that 19 of the 50 questions were answered introvertively by more than 62% of the subjects and 10 questions answered extrovertively by more than 62% of the subjects.—C. H. Johnson (Boston Psychopathic Hospital).

4921. Beach, W. G. Oriental crime in California: a study of offenses committed by Orientals in that state, 1900-1927. Stanford University, Calif.: Stanford Univ. Press, 1932. Pp. 98. \$1.00.-The object of this study was to ascertain "the place which the Chinese and Japanese residents in California occupy in the records of crime committed in the state; and to note specifically the laws which they are prone to break." Material was collected from the police blotters of the county and city police departments and from the record books of the penal institutions in the state." Analysis was made in terms of racial origin, age, locality, sex distribution, population, and nature of crime; and there was a comparison with similar data relative to other racial groups. The author says: "Oriental immigrants do not differ from other aliens in the United States. Their offences . . . are the consequences primarily of failure to observe city ordinances and similar state enactments, an understanding of which their very newness to American life makes difficult. . . . The larger part of their offences are not of major importance. . . . In respect to more serious crimes . . . as compared with offenders of the white race they stand reasonably high." Unbalanced sex distribution and segregation operate as serious factors influencing Oriental crime, especially among the Chinese .- O. L. Harvey (Boston, Mass.).

4922. Beiswanger, G. W. Artist, philosopher, and the ideal society. J. Phil., 1931, 28, 561-580.—A comparison of Plato's Republic and Romain Rolland's Jean-Christophe shows the respective methods

of the philosopher and the artist in dealing with the ideal society. The one builds by syllogistic processes from initial assumptions to the details, selecting values from existing society, but drawing out the implications, and visioning far beyond it. The artist takes life as he finds it, discovers meaning within it, and reveals its hidden values. Out of this material an ideal society is suggested. Plato may be shot through with illegitimate processes of reasoning, but it is the function of the philosopher to go beyond the prevailing social structure, to divine its drift, to infer its consequences, and perhaps to control its future by constructing an ideal society.—E. T. Mitchell (Texas).

4923. Berge, S., & Wagner, K. Über die Anwendung der Affinitätszahl und der Blockberechnung in der anthropologischen Statistik. (The application of the coefficient of association and the cohesion of groups in anthropological statistics.) Avhandl. Norske Videnskapsakad. Oslo, Mat.-Naturvidensk., 1929, 1-19. — (Biol. Abst. VI: 12592).

4924. Bossard, J. H. S. Residential propinquity in marriage selection. Amer. J. Sociol., 1932, 38, 219-224.—Five thousand consecutive marriage licenses, in which one or both applicants were residents of Philadelphia, were tabulated according to distance between the residences of the spouses. In one-third of all the marriages they lived within five blocks or less of each other, and the percentage of marriages decreased steadily and markedly as the distance between residences of the contracting parties increased. The extent to which the rôle of residential propinquity is confined to social areas in which specific attributes or combinations of attributes are concentrated will be considered in the series of projects of which this was the initial step.—(Courtesy Amer. J. Sociol.).

4925. Brearly, H. C. Genetic sociology: a preliminary note. Sociol. & Soc. Res., 1932, 16, 463-465.

Because class-room work dealing with the sociology of childhood has been almost non-existent, the writer describes a course in genetic sociology. Bibliography is included.—J. R. Hügard (Yale).

4926. Brown, G. G. Legitimacy and paternity among the Hehe. Amer. J. Sociol., 1932, 38, 185-193.—Among the Hehe, a Bantu tribe numbering about 52,000 in Tanganyika Territory in East Africa, clan membership and consequent social attributes are derived patrilineally. If the mother is unmarried the physical father customarily becomes her husband and the child's social father. If the mother is married and the paternity of the husband is questioned, the identity of the physical father is sought; and, if determined, the physical father must, after making the necessary payments, assume the full functions of paternity; otherwise, i.e., if the physical father if not identified, the husband acts as social father. The child thus does not lack a social father, and his status is not affected by the irregularity of his birth. There is, therefore, no illegitimacy among the Hehe. Cultural values condition this result; unchastity evokes little social disapproval, children are universally desired, and the child receives full status without any conflict of social forces.—(Courtesy Amer. J. Sociol.).

4927. **DeBeaux, O. Etica biologica.** (Biological ethics.) Atti Soc. ital. prog. sci., XIX riunione, 1931, 2, 310-311.—R. Calabresi (Rome).

4928. Dewey, J. Individualität in der Gegenwart. (Individuality in the present day world.) Int. Zsch. . Indiv.-psychol., 1930, 8, 567-576.—Translation of the sixth and last of a series of articles under the title, Individualism in the Past and Present, which appeared in the New Republic, 1930. In any static social order behavior forms and ideals are so related When social that resignation may have a meaning. forms are constantly changing, resignation can only mean either the blind acceptance of an older fixed order or a drifting without fixed goals. The attacks upon the so-called mechanistic character of science and industry are founded upon fixed philosophic and religious conceptions born of a time which was in reality in enmity to man. It should be realized at the same time that all of these "systems" are embodied in active thoughts and conceptions of living human beings and represent their attitudes toward the social orders about them. To those who work in the various fields of industry and science these are organizations, not fixed, but in the process of development the goals of which are not yet in sight. The participation in these activities involves not the simple resigned acceptance of a new order to replace some other, but the hope in the possibility of new human values which may be found, however undefined they may be. Applied to our social problems, this means that until the scientific method of investigating "evils" has become united with human sympathy there can be no real progress in their solution. A stable personality is not developed by passive acceptance of any fixed system and its conceptions, but by active participation in the movements of living social organizations. The dangers for any individual in withdrawal from the surrounding social activities are urgently pointed out by psychiatrists under the concept of "retreat from reality."—O. N. de Weerdt (Beloit).

4929. Dingwall, E. J. The new witchcraft. Psyche, 1932, No. 48, 67-73.—While scientific discovery is making rapid progress, the picture has its darker side. The scientific manner of thinking is forgotten, as while appreciating the benefits of science, we accept conclusions because they are advocated by some person of prominence. This gives rise to a modern witchcraft. The witchcraft of olden times was for the ignorant, but that of today enjoys the respect of intellectual groups, and, like the old, lives by faith. Grants are made for the study of witchcraft in New Guinea, but a request for a grant to study the "shamans" of places nearer home would meet with ridicule.—T. R. Garth (Denver).

4930. Driver, H. E., & Kroeber, A. L. Quantitative expression of cultural relationships. Univ. Calif. Publ. Amer. Archaeol. d: Ethnol., 1932, 31, 211-256.—The essay is principally methodological, and aims at establishing, within single culture areas, the degree of similarity of group cultures; the meas-

ure of this similarity is the number of separate culture traits which are common, expressed as a proportion of all traits observed in each culture, and in other ways. The Yule Q and the Pearson r are also used. The data of Linton for Polynesia, Spier for the sun dance, Kroeber for the northwest coast, and Tessman for northeast Peru are evaluated by this technique, and the reconstructions so obtained are compared with the historical information derived for the same cultures from other sources. It is concluded that the statistical method is ancillary to the ethnological methods in use, corroborating them, expressing the results more precisely, and indicating occasional corrections.—R. R. Willoughby (Clark).

4931. Edwards, A. S. Experimental social psychology. J. Abn. & Soc. Psychol., 1932, 26, 349-354.

—In the development of a course in experimental psychology, instructions for 55 experiments were worked out; most of them were tried out with college students and some of them rewritten and revised. Of the original 55, the author believes that 30 may possibly survive as tentative experiments for social psychology.—C. H. Johnson (Boston Psychopathic Hospital).

4932. English, H. B. The emotional short-circuiting of thought. J. Abn. & Soc. Psychol., 1932, 26, 402-404.—In the art of propaganda, the attempt is made to use catch-words which will arouse a group of emotions with a corresponding complex of ideas so effectively that reflection becomes impossible.—C. H. Johnson (Boston Psychopathic Hospital).

4933. Ettinger, C. J. The problem of crime. New York: Long & Smith, 1932. Pp. viii + 538. \$3.00.—This work treats of three main problems: the criminal, the machinery of justice, and society's relation to the criminal. The basic thesis presented is that, contrary to general belief, crime is in its nature essentially dynamic. The author has drawn upon a considerable number of sources; the historical point of view is carefully followed out. Examples of special topics developed are: the cost and mechanics of crime; the sociological, economic, political and psychiatric approaches to the study of the delinquent; the police system; scientific methods of crime detection; traditional criminal law and procedure; the evolution of penology and the prison system; reformatories, prison democracy and riots, parole, probation and the prophylactics of crime.—P. C. Squires (Clinton, N. Y.).

4934. Fielding, W. J. Love and the sex emotions; their individual and social aspects. New York: Dodd, Mead, 1932. Pp. 371. \$2.50.—R. R. Willoughby (Clark).

4935. Francke, H. Juvenile courts in Germany. Sociol. & Soc. Res., 1932, 16, 403-416.—A consideration of the organization, methods and procedure of the juvenile court in Germany both historically and at the present time, by the juvenile court judge in Berlin.—J. R. Hilgard (Yale).

4936. Greene, J. S. [Ed.] I was a stutterer; stories from life. New York: Grafton, 1932. Pp. xiv + 227. \$3.00.—The book contains 20 autobiographical sketches of "readjusted personalities" or individuals whose stuttering was cured at Greene's clinic. The sketches contain brief details of the "stutterers' inner selves" before and after the cure. Comments by the author (editor) dealing with the specific problem of each individual follow the sketches. A brief discussion of the "why of stuttering" precedes the sketches.—C. V. Hudgins (Clarke School).

4937. Hartmann, N. Ethics. Volume 3, Moral freedom. New York: Macmillan, 1932. Pp. 288. \$3.50.—R. R. Willoughby (Clark).

4938. Harvey, O. L. The questionnaire as used in recent studies of human sexual behavior. J. Abn. & Soc. Psychol., 1932, 26, 379-389.—Because of the difficulty of observing sexual behavior in human beings, the questionnaire offers a way of securing data about such behavior. Among the disadvantages of the use of the questionnaire are: (1) it investigates only one aspect of personality; (2) more than 40% return is seldom to be expected; (3) unless questions are comprehensive and carefully worded, they are liable to uncertain interpretation; (4) questionnaires are liable to be seized by the newspapers, which are not always discriminating. The advantages are: (1) it seeks out its subjects-the investigator does not have to wait for cases to be reported to the clinic; (2) it is extensive in application, yet relatively cheap; (3) it is generally brief and is a time-saving method of securing data. An ideal procedure for using a questionnaire is suggested: (1) getting a representative sampling of individuals from a given population; (2) using follow-up letters to increase returns; (3) attempting to secure a complete physical examination on a small representative group of subjects; (4) arranging the questionnaire to permit checking; (5) using personal interviews to serve as an indirect check on the check-list questionnaire. -C. H. Johnson (Boston Psychopathic Hospital).

4939. Hu, I. An experiment on adult silent and oral reading and the effect of different kinds of material. Chinese J. Educ. Res., 1931, 7, 55-64.-The author presents the result of a study of the efficiency of silent versus oral reading. The materials used are of three kinds: (1) a passage of 720 words taken from the famous Chinese novel The Dream of Red Chamber; (2) a passage of 719 words taken from classical prose; and (3) a passage of 703 words taken from a classical poem. 50 Chinese students in the University of Chicago served as subjects, each reading each kind of material twice, once silently and once orally. Precautions were taken for compensating practice and other effects. Records of a few readers were obtained for their eye movements in the two types of reading for the different kinds of materials. Efficiency of reading was measured by answering 20 questions after reading each kind of material twice. The speed of silent and oral reading was calculated in terms of seconds per 100 words. The following table is the result:

Reading	Novel		Prose ·		Poetry	
	Sec.	(P.E.)	Sec.	(P.E.)	Sec.	(P.E.)
Oral	26.6	(.7)	27.3	(.7)	33.9	(.8)
Silent	20.1	(.7)	24.1	(.7)	28.7	(.8)

Eye-movement records of 10 subjects for reading the different kinds of materials are as follows (in 25ths of a second):

Materials	Pauses	Duration	Regressive Movements
Novel	11.9	8.2	.6
Prose	11.9	8.3	.5
Poetry	13.5	8.7	.8

The author concludes that, no matter what the reading material is, silent reading is always more efficient than oral reading. But oral reading still has its values: (1) it affords better fixation through many sense departments; (2) it helps us to get the right sound by first reading; and (3) it is helpful especially for children first learning to speak and for public speakers.—S. K. Chou (Tsing Hua University, Peiping, China).

4940. Jameson, S. H. The concept of organizational personality. Sociol. & Soc. Res., 1932, 16, 417-426.—Sociological analysis of certain social welfare organizations resulted in the formulation of an hypothesis of organizational personality applying to the organization itself.—J. R. Hilgard (Yale).

4941. Jenness, A. Social influences in the change of opinion. J. Abn. & Soc. Psychol., 1932, 27, 29-34.

The members of a group express as individuals views on some topic. Later the group is informed of the majority viewpoint, following which each individual again expresses his views. This article is the first of a series on the extent to which the individual alters his opinion to agree with the majority view. The topics considered were felt to be of sufficient interest to hold the attention of the subjects and possible of considerable diversity of opinion.—C. H. Johnson (Boston Psychopathic Hospital).

4942. Katzoff, S. L. Why marriage? San Francisco: Mercury Press, 1932. Pp. 140. \$1.00.— Marriage is "the only continuously flexible and adjustable method or plan, and offers the greatest opportunity for wholesome biological and emotional expression." Difficulties arise from lack of fitness for marriage. Advice is offered regarding the biological and psychological factors involved in marital adjustment.—M. P. Montgomery (Faribault, Minn.).

4943. Kirk, W. An approach to sociological research. Sociol. & Soc. Res., 1932, 16, 336-344.—
The approaches to sociological research of Sumner, Thomas and Znaniecki, Pareto, and others are characterized. The emphasis today on quantitative studies is rightly placed.—J. R. Hilgard (Yale).

4944. Kirkpatrick, C. A tentative study in experimental social psychology. Amer. J. Sociol., 1932, 38, 194–206.—A simple class-room experiment in social psychology was conducted to illustrate certain difficulties in experimental sociology and to investigate in a tentative way (1) the distortion that takes place with the social transmission of rumor,

(2) the reports of students in regard to pleasant as compared with unpleasant rumor, (3) the influence of a precautionary phrase such as "it is rumored that," and (4) the influence of sex and intelligence upon belief verbalization. A written record of versions of alleged news items orally transmitted revealed a high degree of distortion, especially in regard to condensation and transposition of the precautionary phrase. Belief ratings apparently showed a more general expression of belief in the unpleasant news, but when plausibility ratings of the items were taken into account the good news received relatively higher belief ratings.—(Courtesy Amer. J. Sociol.).

4945. Lesser, A. Superstition. J. Phil., 1931, 28, 617-628.—Superstition is usually defined as belief not founded on rational conceptions of the world. But by this use the word includes all pre-scientific and non-naturalistic beliefs, and besides provides no objective basis for distinguishing a superstition from a legitimate belief. The difficulty is obviated by defining a superstition as a belief or practice which is isolated from a system of reference. If a belief is grounded upon, and has its place in, a system of explanation of life and nature, then, however primi-tive the system may be, the belief has a legitimate place and is not a superstition. On the other hand even true beliefs when not so grounded are, in the one who holds them, superstitions. Many popular superstitions of the folklore type are isolated survivals of what were once elements of systems. Scraps of information lacking systematic background are, however, also superstition .- E. T. Mitchell (Texas).

4946. Levinger, E. Zur Psychopathologie des Rassenhasses. (The psychopathology of race hatred.) Zsch. f. d. ges. Neur. u. Psychiat., 1930, 129, 398.—According to the steps in sexual development, called by the psychoanalysts "phallic," the historical and psychological connection between castration and circumcision gives a viewpoint for the understanding of race hatred (in this case, hatred of Jews). The connection is illustrated by study of material from a psychosis.—M. E. Morse (Hyattsville, Md.).

4947. Lumpkin, K. D. Parental conditions of Wisconsin girl delinquents. Amer. J. Sociol., 1932, 38, 232-239.—Among the parental conditions having significance for the delinquent behavior of 252 girls committed to the Wisconsin Industrial School, socio-economic status is one. 95% of the girls came from manual worker homes, and, according to the investigator's estimate, in 71.4% of 220 cases socioeconomic conditions were distinctly unfavorable. The family group tended to be considerably larger than families in general. About two-thirds of the homes were broken and in 42.2% of these there was a step-parent or foster parent. Social defective tendencies appeared 443 times in 189 families. most prominent among these were delinquency, alcoholism, and sex irregularity. Not only were important aspects of the girl's parental background unfavorable in the large majority of instances, but the group averaged far below normal in intelligence. The modal IQ class was 66-75. 40% of those with

an IQ of 75 and under belonged to the unfavorable background group.—(Courtesy Amer. J. Sociol.).

4948. Mangold, G. B. Social pathology. New York: Maemillan, 1932. Pp. xxii + 736. \$3.00.— This volume presents a wide variety of topics on social problems; there are chapters on poverty, care of the aged, accidents, child labor, unemployment, sickness, feeble-mindedness, mental hygiene, crime, the family, immigration, race relations, race improvement, etc.—J. C. Spence (Clark).

4949. Meek, C. K. Pot-burial in Nigeria. Man, 1932, 32, 160.—Pot-burial is most common among the tribes of the Niger and Sokoto provinces. It is given to all members of the community except those who have died from leprosy or smallpox. The body is placed in a sitting posture and the mouth of the pot is covered with a smaller pot with a pierced opening to allow the escape of the soul of the dead. Practices according to age, degree of wealth, and rank differ somewhat from tribe to tribe.—R. S. Wallis (Hamline).

4950. Mendes-Correa, A. A. La nouvelle anthropologie criminelle. (The new criminal anthropology.) Scientia, 1932, 51, 357-365.—An individual study of each criminal, physiological, psychological, and especially moral, to determine treatment is advocated.—R. G. Sherwood (Redmond, Washington).

4951. Milburn, S. Magic and charms of Ijebu province, southern Nigeria. Man, 1932, 32, 194.—A list of various ways to harm one's enemies without incurring danger oneself. These include curses reinforced by medicine, the preparation and destruction of models of the enemy, and tying the spirit of the victim by a chain, staple, needle or ring manufactured and sold for that purpose by a brass-smith.—R. S. Wallis (Hamline).

4952. Oeser, O. E. Social psychology as an experimental science. Psyche, 1932, No. 48, 30-42.—Ordinary experimental psychology is already to some extent a study of groups, and it is possible to apply its methods to sociological groups. Two methods are available: (1) Examining outstanding individuals whose traits can be traced in the mass of humanity; (2) applying tests to large groups. In studying racial differences, psycho-physical tests would be much better than intelligence tests. There should be an international attack on the problem, such as is earried on by physics and astronomy.—T. R. Garth (Denver).

4953. Pear, T. H. Speech as an expression of personality. Brit. J. Educ. Psychol., 1932, 2, 139-152. —Discusses the close relationship between speech and personality as distinguished from character. Effective speech is characterized as a high grade skill vitally necessary in modern democratic society, but with inadequate criteria. Psychology and psychological method are vitally needed to determine criteria.—K. M. Cowdery (Stanford).

4954. Rangacher, C. Differences in perseveration among Jewish and English boys. Brit. J. Educ. Psychol., 1932, 2, 199-211.—Measures of perseveration consisting principally of timed writing of alter-

nate specimens of customary and similar but strange material (reliabilities .759 to .935) were given to 38 Jewish and 35 English boys in standard five. The Jewish boys show a higher degree of perseveration independent of intelligence and of speed, although the Jewish group rank higher in both intelligence and speed for first trials of writing familiar material.—K. M. Cowdery (Stanford).

4955. Shaw, M. E. A comparison of individuals and small groups in the rational solution of complex problems. Amer. J. Psychol., 1932, 44, 491–504.—Groups of four people were compared with separate individuals in ability to solve complex problems. The subjects were members of a class in social psychology. The problems were of the conventional puzzle type, each having only one correct solution. The groups were roughly equated for ability. Of the possible solutions individuals turned in 7.9% correct and groups turned in 53% correct. Secondary criteria also indicated superiority of the groups. The group advantage seems to lie largely in the checking of errors and rejection of incorrect solutions.—M. N. Crook (University of California at Los Angeles).

4956. Siegel, C. Die Grundformen der Lebensanschauung. (Fundamental forms of the fundamental attitudes toward life.) V jsch. f. Jugendk., 1931, 1, 225-233.—The author's purpose is to develop a systematic, objective derivation of all possible attitudes toward life and the results of these in behavior. He discusses briefly wherein the value of life consists; the relation between life-attitudes and ethics; the life-attitudes at different ages of the individual and at various historical periods; and the biological bases for the development of a life-attitude. The individual is usually not conscious of his attitude. In the child, it comes to expression simply in behavior; but in the adult, so far as he is capable of reflection, a theoretical evaluation is added. The theory may be at variance with the actual behavior, e.g., as in Schopenhauer and Nietzsche. This is in reality a double evaluation, corresponding to the polarity of human beings, especially of complicated natures. The life-attitude is built on the foundation of comparatively primitive steps of recognition in certain elementary experiences—love as the concentration and crown of life, death as negation, religious feelings, the question of the continuity of life bevond the individual. These, arising at a comparatively primitive stage in both the individual and the race, are the foundations of life attitudes. As these experiences are different for each person, so the resultant attitudes are also different. In the different accentuation of the basic factors, the first division is between affirmation and negation—life as activity and development vs. life as resignation and preparation for death. A further cleavage is between persons with an increased and with a decreased ego-feeling. According to the rhythm of life, persons are static or dynamic, and according to the aspect of experience which is accentuated, they are divided into men of action, feeling, and thought. Combining all these categories, Siegel arrives at 8 fundamental combinations of types, characteristics, and attitudes or activities. These are given in tabular form, a condensation of which follows: (1) Depressive-static: feeling—resignation and sacrifice; thought—contemplation. (2) Depressive-dynamic: sympathetic—abandonment to every influence. (3) Euphoric-static: sympathetic—service to society. (4) Euphoric-dynamic: (a) sympathetic—action, progress; feeling—unbounded enjoyment; (b) aggressive—action, activity as such; thought—development of personality. Three great thinkers have independently reached a practically similar classification, viz., Aristotle, Kierkegaard, the Danish religious philosopher of the nineteenth century, and Tolstoi, in his "kingdom of God on earth."—M. E. Morse (Catonsville, Md.).

4957. Smith, H. N. A scale for measuring attitudes about prohibition. J. Abn. & Soc. Psychol., 1932, 26, 429-437.—The technique used in the construction of the scale was the same as that employed by Thurstone and Chave in their scale for measuring attitudes about the church. The scale as finally presented to a group of 281 college students, 178 Y. W. C. A. members, 206 members of the Methodist church and 200 business men, had 45 statements. The Methodist members were as a whole strongly in favor of prohibition. The Y. W. C. A. members showed a majority in favor of prohibition. The students revealed a majority in favor of prohibition with a minority for some modification of the restriction. The business group as a whole was more antagonistic toward prohibition than any of the other groups. While few men in this group would subscribe to the open saloon system, the majority of them would subscribe to some modification of the degree of restriction.-C. H. Johnson (Boston Psychopathic Hospital).

4958. Squires, P. C. Modern psychology and the law: a major problem of social science. Scient. Mo., 1932, 35, 138-141.—J. F. Dashiell (North Carolina).

4959. Talbert, E. L. The modern novel and the response of the reader. J. Abn. & Soc. Psychol., 1932, 26, 409-414.—The novel is responded to according to the constitution of the individual reader. The habits and affective tones with which a given language symbol is linked vary from person to person and group to group.—C. H. Johnson (Boston Psychopathic Hospital).

4960. Thomson, D. F. Ceremonial presentation of fire in north Queensland. Man, 1932, 32, 198.— The importance of fire in the social life of the natives of north Queensland, Australia, is here described as it was observed in four separate tribes. The descriptions are grouped under three headings: the significance of the sharing of fire as the center of family life and as a part of the marriage ceremony; the ceremonial presentation of fire to visitors; mourning and the ceremonial extinction of fire.—R. S. Wallis (Hamline).

4961. Thurnwald, R. Social transformations in East Africa. Amer. J. Sociol., 1932, 38, 175-184.—
The process of adaptation in Tanganyika Territory in East Africa are relative to such geographical factors as permanent and temporary character of soil and climate, and to social conditions such as organi-

zation of tribes and clans. Different degrees and kinds of acculturation must be distinguished. Peace, following on European rule, has brought about a different character in the movements of the peoples. Whereas in times of warfare they moved in groups, such as clans or bands, they are now able to wander individually. A further result of peace is the contact between many tribes. The introduction of modern schooling is based on the Swahili language, which is in the way of becoming the foundation of a nation in the making. The introduction of modern money is dissolving the former bonds of kin and family. The younger generation strives for education and knowledge as a means of prestige and wealth. In this way originates a class of new leaders. Education of the women makes them despise the old field work and increases the number of their wants. This operates against polygamy. The rapidly spreading process of dissolution of family and clan is usually termed "detribulization" and implies a change in mental attitude. Everywhere, however, old customs and ways of thinking persist. Out of the mixture of both, determined by the conditions of life, a new African world will be built up by the Africans themselves .- (Courtesy Amer. J. Sociol.).

4962. Tinker, M. A. The relation of speed to comprehension in reading. School & Soc., 1932, 36, 158-160.—After considering the results of pertinent experiments in the field of reading, the author concludes: (1) that no high degree of relationship exists between either measures of comprehension or of speed of reading when these are derived on the basis of performance with dissimilar textual materials; (2) that there are many reading skills which are somewhat independent; and (3) that only when the same or highly comparable standard materials are used to determine relative speed and readiness in comprehension do we find high intercorrelations between measures of these abilities.—H. L. Koch (Chicago).

4963. Vleugels, W. Soziologie und Psychologie in der Massenforschung. (Sociology and psychology in the study of groups.) Zentbl. f. Psychotherap., 1931, 5, 13.-Vleugels contrasts the older and the newer view of mass psychology and discusses the extent to which they can be harmonized; also the interpretation of mass psychology in terms of the Freudian theory. Much of the modern study of the masses masquerades under the term "mass psychology," although the viewpoint and interests of some of its founders were sociological. The term should be used only in reference to the psychological phenomena of the crowd in a narrower sense. The field of social psychology is much broader than any possible conception of the masses. The older conception of the masses was that of crowds bound together temporarily for revolutionary purposes. The modern conception is that of the activities of concrete, powerful collections of people. The common characteristic of the masses in both the older and the newer sense is belligerent solidarity. We speak of masses as a social phenomenon when there is a common feeling among many persons based on opposition to accepted conditions, which the members re-

gard as interfering with their rights. The new psychology of the masses agrees essentially with the older, but has a deeper theoretical foundation. The phenomena are in harmony with Freudian concepts. In mass activities, the members suffer a temporary regression to a primitive psychological level, which is satisfied by a compulsive drive, not controlled by the ego. The essentials of crowd psychology can be explained according to the type and strength of the affective bonds uniting the members. The mass first becomes a social force when the individuals find a leader with whom they can identify themselves. All that was said in the older literature concerning the suggestibility of the individual in a crowd finds an exact interpretation in Freud's theory of identification. The comparison of mass psychology with hypnotic action is also correct, as both are explained through identification. This replacement of individual ego-ideals by a single objective has applications to other social forces far beyond the mass The more easily external ideals are customarily imposed on the individual, the more quickly and completely he incorporates himself in the massexperience. In the discussion of the relation of the mob to criminality, Vleugels brings out the point that during mass activities the crowd considers as ethical acts which the individual members would regard as wrong. After the experience is over, the individual considers himself entirely without responsibility for deeds committed during the period.—M. E. Morse (Hyattsville, Md.).

4964. Wells, D. Controlled reading. Amer. J. Ophth., 1932, 15, 508-513.—In cases where there is a tendency to suppress the image of one of the eyes, a device for holding a bar or bars between the eyes and the printed page is advocated. This compels the use of both eyes at least part of the time while reading every line and favors development of binocular reading habits.—C. W. Darrow (Behavior Research Fund, Chicago).

4965. Wright, M. B. Sociological factors which influence suicide. Psyche, 1932, No. 46, 51-61.— This paper is based upon Le Suicide by Durkheim, which, though it is thirty years old, the writer considers a classic. We have the egoist, the altruist, and the lawless suicide. More Protestants commit suicide than Catholics. While many would prefer to stress individual psychology and unconscious urges, the author's conclusion is that insufficient allowance is made for pressure of environment and social factors, in considering causes of suicide.—T. R. Garth (Denver).

4966. Yates, T. J. A. Bantu marriage and the birth of the first child. Man, 1932, 32, 159.—Marriage status among the Bantu seems to have very little meaning apart from parenthood. Marriage comprises a number of ceremonies beginning with betrothal and ending with the birth of the first child. To the native marriage is the founding of a family, and is therefore completed only by the arrival of progeny. The payment of the final instalment of the bride price or the return of bride-wealth are both dependent upon the existence of children. Divorce, annulment, the establishment of a separate home, and

avoidance customs all seem to bear close relationship to presence or absence of children. The South African native courts, in adopting the European point of view that consummation of marriage consists in coitus instead of in conception and childbirth, may well be disastrous to the future development of Bantu culture. To deal with marriage apart from the family is unscientific. There are 15 references.—R. S. Wallis (Hamline).

4967. Young, P. V. Varieties of German contemporary sociology. Sociol. & Soc. Res., 1932, 16, 355-

366.-J. R. Hilgard (Yale).

4968. Zipf, G. K. Selected studies of the principle of relative frequency in language. Cambridge: Harvard Univ. Press, 1932. Pp. 57. \$2.50.—R. R. Willoughby (Clark).

[See also abstracts 4745, 4762, 4832, 4840, 4871, 4981, 5002, 5008, 5014, 5024, 5029, 5046, 5051, 5080.]

INDUSTRIAL AND PERSONNEL PROBLEMS

4969. Beckman, R. O. Standardising the selection of apprentices. J. Bus., Univ. of Chicago, 1932, 5, 228-240.—A contrast is shown between scientific methods of selection and the cruder methods used by labor organizations or employers' associations. A plea is made for an employment research bureau of national scope. A brief outline of the fundamentals of such a research program is present.—H. E. Burtt (Ohio State).

4970. Disik, E. [A provisory analysis of the work of employees in the shoe industry.] Psikhotekn. i psikhoficiol. truda, 1930, 3, 37-54.—The author gives a detailed and well organized description of the different phases of this work with the view of discovering the basal psychological functions involved. He finds that the most important functions depend upon visual perceptions and, in certain specialized tasks, upon tactile sensitivity and rhythm of movement.—A. B. Hunter (Clark).

4971. Dobrowolski, E. E., & Hudima, W. D. [Individual psychotechnical examinations for locomotive workers.] Psikhotekn. i psikhofisiol. truda, 1930, 3, 55–62.—Having no specialized apparatus, the authors used simple paper and pencil tests: the American arithmetic tests, the attention tests of Bourdon and Schulte, the memory tests of Giese and Ranschburg, and self-control tests (Couvé's calculations). Although the tests do not seem adequate for discovering the abilities of mechanics, assistant mechanics, and engineers, still the authors found a 83% correlation between their results and the opinions of the administrative heads.—A. B. Hunter (Clark).

4972. Gemelli, A. L'orientamento attuale della psicologia industriale e i suci risultati. (Present-day orientation in industrial psychology and its results.) Atti Soc. ital. prog. aci., XX viunione, 1932, 1, 93-98; Organis. Scient. del Lav., 1932, 7, 62-64.—The criticisms directed against psychotechnics agree especially on the desirability of selection of workers from the viewpoint of economy in factories. It is stated, and often with reason, that selection and orien-

tation ought to be used only for those kinds of work which demand quite special attitudes and for those for which the apprenticeship is long, expensive, and dangerous (e.g., operators of rapid-transit vehicles); that exercise levels original differences of ability; and that the analysis of attitudes necessary for different types of work is rather too obscure and complex. The author has taken into consideration the problems of work analysis, with the aim of bettering the quality and the quantity of production. He studied especially the rhythm of the worker in relation to the rhythm of the machine, the modifications of machines for the convenience of workers, personal rhythms and possibilities of grouping workers in two or three rhythm types; individual and group work (the latter increases production in monotonous kinds of factory work); continuous work and work in series (the latter in most cases tends to increase production without injury to the individual); the relation between the speed of work and the quality of production—for the very simple kinds of work this increases with practice up to a certain point, beyond which increase in production runs contrary to the quality of the product, this divergence being found in all kinds of work of relative complexity.—R. Calabresi (Rome).

4973. Hersey, R. B. Workers' emotions in shop and home; a study of individual workers from the psychological and physiological standpoint. Philadelphia: Univ. Pennsylvania Press, 1932. Pp. xviii + 441. \$3.00.—A year's intensive study of changes in the emotional and industrial behavior of 12 men selected by their peers as representative normal workers, engaged as mechanics or helpers in a locomotive repair shop. A description of general set-up and environment is followed by ten chapters, each of which constitutes the detailed case study of one (or two) men, each illustrating some characteristie problem in adjustment; e.g., youth, low IQ, unhappy home life, fear of unemployment, monotony, influence of the foreman, etc. At intervals during the day each man was questioned concerning his feelings. The investigator became intimately acquainted with his subjects in their home life as well as in their shop work. Records of work performed, observations on reactions of subjects to major and minor crises in their lives and in occupational activities, the easual remarks and opinions expressed by other persons concerning the behavior of the subjects; these data and more were used in the collation of case-study material. Major outcomes of this investigation are two: (1) the need for more human contact between management and individual worker, a more compre-hensive and sympathetic appreciation of the social and emotional problems which affect, either for better or for worse, the worker's productivity; and (2) the observation that emotional tone fluctuates with surprising consistency over a period of from 3 to 9 weeks, depending upon the individual. (Median period for a heterogeneous group of 29 cases was 5.00 weeks.) This periodicity is not greatly affected by immediate social factors; but it does in turn seem to affect productivity. Especially significant are the

final two chapters on "Recurrent emotional fluctua-tions in men" (35 pages), and "Inferences and sug-gestions" (27 pages). In the latter are discussed: the ideal plant environment (a congenial job; sound working conditions; security; satisfactory remunera-tion; justice, equality, and independence; under-standing and efficient supervision; personality factors helpful to proper adjustment); the ideal extra-plant environment (cooperation and consideration in the family circle; ability to live within income; variety and change; sane and healthful recreation; satisfactory sex relationships); and the significance of emotional variability. There are appendices on: (1) problems and techniques; (2) results on nine psychological tests as applied to the 12 main subjects of the study; and (3) production statistics during high and low periods. Bibliography of 100 references. O. L. Harvey (Boston).

4974. Kaufmann, O., & Markier, P. [Psychological analysis of the different aspects involved in the work of tea baling.] Psikhotekn. i psikhofisiol. truda, 1930, 3, 183-204.—As a result of an experiment in baling tea themselves, the authors conclude that the essential elements involved in the work are rapidity and coordination of movements and resistance to monotony. Certain measures dealing with these factors are proposed.—A. B. Hunter (Clark).

4975. Kruk, W. Psikhoteknika doboru pracownikow komunikacji w Wiedniu. (The psychotechnical selection of transport workers in Vienna.) Psikho-teknika, 1930, 4, 105-123.—The author gives a detailed description of the tests used in the selection of transport workers in Vienna; these include those used in the municipal tramway laboratory where all the transport workers for Vienna are selected and those used in the laboratory belonging to the railroads which serve the greater part of Austria. The workers in the transport field are divided into three categories, and each category is tested collectively and individually. The group tests are the same for all the workers in a given category, while the individual tests vary according to the subdivisions of each group .- A. B. Hunter (Clark).

4976. Lipmann, O. Zur Methodik von Unter-suchungen über die praktische Bedeutung von Eignungsfeststellungen. (Concerning the methods of investigation of the practical significance of aptitude determination.) Zsch. f. angew. Psychol., 1932, 42, 273-284.—The problem arises as to what extent the discovery of vocational aptitude is indicative of vocational efficiency. The author gives a series of factors for investigation to help in discovering what relationship may exist between these two, seeking to de-termine what factors give highest correlation between aptitude and efficiency. Five methods for arriving at conclusions in this field are surveyed, with discussion of misconceptions in interpretations by these methods .- A. B. Herrig (Michigan Central State Teachers College).

4977. Lipmann, O. Eine Analyse von 5 Millionen Anfragen bei 163 Pirmen auf Grund von 3500 Annoncen. (An analysis of 5,000,000 inquiries, received by 163 firms from 3500 magazine and newspaper advertisements.) Zsch. f. angew. Psychol., 1932, 42, 357-366.—This is an abstract of Market Study No. 1 by Daniel Starch. In connection with replies that have been received from advertising, Starch has collected material since 1918 from 163 firms. Tabulation and statistical handling of this material is undertaken in order to find answers to a number of questions relative to advertising. Seventeen such questions are handled and the article gives data in tables throwing light on these questions.—A. B. Herrig (Michigan Central State Teachers College).

4978. Lovell, T. The value of industrial psychology. Australasian J. Psychol., 1930, 8, 215-220.—The main two problems involved in the subject of industrial work are selection and vocational orientation and the question of fatigue. The author gives a brief survey of the efforts made to solve these questions in England by the National Institute of Psychology: reforms dealing with the movements made by workers, the methods of apprenticeship, the diminution of monotony in various occupations, the perfecting of materials used, the reforms in conditions of illumination, heating, ventilation, etc., the practice of alternation of periods of rest and work, the adaptation of workers to various tasks, etc. He gives the results obtained, expressing amelioration in terms of increase in output and diminution of waste.—A. B. Hunter (Clark).

4979. Myers, H. Human engineering. New York: Harper, 1932. Pp. 312. \$3.00.—The belief of the author that it is possible for industry to make successful people at the same time it makes successful products is reflected in the content of this volume. His "six laws of good work" together with suggestions for carrying them out are described in considerable detail. The relation of good health to the industry and to the individual is pointed out. A treatment of the relation of the supervisor to the worker is one of the main features.—E. H. Kemp (Clark).

4980. Page, R. M. Measuring human energy cost in industry. Genet. Psychol. Monog., 1932, 11, 321-537.—Page presents no results of original investigation, but only a review of the literature in the field, together with a bibliography of 649 titles and one of "general reference books of most value in a bibliographic way." The following is an outline of topics covered: I. Physiological foundations. Theory of respiratory exchange determination; fatigue and energy cost; literature on fatigue measurement; general physiology; basal metabolism; general metabolic exchange and energy metabolism; respiratory physiology and blood chemistry in relation to mus-cular work; the biochemistry and dynamics of muscle action; the physiology of muscular work; the respiratory quotient; calorie computation; factors, affecting metabolism; physiological factors subject to experimental control; mental work as a physiological factor; environmental factors affecting metabolism; general references on factors affecting metabolism.

II. Apparatus and methods. General manuals on apparatus and methods; incidental and non-quanti-tative indexes of metabolic rate; direct calorimetry;

indirect calorimetry: open circuit methods, gasometer type; open circuit methods, Douglas bag type; the Waller simplification of the Douglas bag method; criticism and defense of Waller method; gas analysis under the Waller method; other simplified methods of gas analysis; other open circuit methods of metabolic rate determination; total pulmonary ventilation as an index of energy consumption in light work; closed circuit methods for determining oxygen consumption; closed circuit methods for determining oxygen consumption; and carbon dioxide output; graphical methods in respiratory exchange determination; breathing apparatus for respiratory exchange experiments; accessory apparatus in respiratory exchange experiments. III. Applications and results. Uses of respiratory exchange determination in industry; laboratory studies of the components of industrial work; energy cost of industrial occupations; energy cost of walking; the study of industrial working conditions; the effect of noisy working conditions; rest pauses; metabolic tests of physical efficiency.—M. V. Louden (Pittsburgh).

4981. Pear, T. H. Voice and personality, as applied to radio broadcasting. New York: Wiley, 1931. Pp. 247. \$3.00.—The recent rapid advances of radio broadcasting, the popularity of sound films, and the development of electrical voice recording all tend to heighten the interest in the voice as an expression of personality. The author discusses: (1) the importance, characteristics, and types of voice; (2) the meaning of personality; (3) the art of listening; and (4) local peculiarities and prejudices of lis-teners as judges. Two experiments were conducted by the questionnaire method to test the ability of listeners (1) to visualize or otherwise imagine the characters and scenes of a radio drama; and (2) to determine age, sex, qualities of leadership, and lo-cality of birth of 9 speakers (2 female and 7 male) ranging in age from 11 to 57 years. Results of ex-periment (1) indicate that 9 out of 110 failed to visualize the characters and scenes of the drams. Answers for experiment (2) were inconclusive except for the age and sex of the speakers. The latter third of the book contains supplementary impressions volunteered by the listeners. The author makes no analysis of these latter replies.—C. V. Hudgins (Clarke School).

4982. Piddington, R. Psychological tests for clerical workers. Australasian J. Psychol., 1930, 8, 59-68.—The author reports a series of tests to be used in the selection of clerical workers: bookkeepers, typists, stenographers, and accountants. He discusses the work previously done by Link and Thurstone and then describes his own method. A series of tests was given to groups of professional workers, students, and school children from 14 to 16 years of age, and then the significant tests were selected according to the degree of correlation existing between the scores of the employees and the ratings given their work by their superiors. Comparisons were made for the three groups as to the average, median, deviation, and intercorrelations, while correlations were made between the professional ratings

of the group of workers and the scholastic ratings of the other two groups. It was found that certain tests were related to the aptitudes shown for a given work but not to the scholastic achievement. Only the following tests were finally retained: substitution, orthography, mixed numbers, free associations, lists of nouns used as answers for a series of problems, attention tests, and classification tests. Each test was given a coefficient value, and the whole group of tests was found to have a correlation of 0.65 for typists, 0.56 for stenographers, and 0.59 for clerical workers. Piddington suggests the use of intelligence tests in the selection of all employees, adding motor tests for typists and stenographers.—A. B. Hunter (Clark).

A Chernikova, O. [The methodology of measuring trade skill in pre-professional work.] Pédologiya, 1930, 611-620.—The authors emphasize the importance of an acquisition of fundamental manual habits before beginning the practice of a trade, and they describe the methods used for the study of this problem by their institute. They studied the kind of manual operations performed by children and the errors usually found in the same kinds of work as performed by beginners. For this purpose, a scale of tests of skill was established and applied both to children and to adolescents. In the first place, tests of general ability were given: recognition of size, use of a ruler, capacity for reproducing geometric forms, etc. Then tests were given which involved the manipulation of objects made of wood, fabries, and paper. The operations were all very simple, some of them requiring no tools at all, while others required only simple ones, such as crayons, scissors, rulers, knives, etc. All tools were rigidly standardized. So far two tests have been established for fabries, four for wood, and eight for paper, with metal tests being now in process. Each kind of manual activity represented in these tests has had approximately 600 trials. The tests are collective, 15 to 20 subjects being included. Typical errors in the performance of the various kinds of work have been established, and the results are classified under five qualitative eategories. Thus, technical defects can be discovered in children and then be eliminated by the teacher before they become habits. Furthermore, the individual manual profiles can be obtained. Data on the tests, on their application, and on the evaluations of results are given. Two charts representing the standardized results of certain tests are included in the article.—A. B. Hunter (Clark).

4984. Schnieder, E. Empirisch-strukturpsychologische Untersuchungen über den Schauspieler. (An empirical structure-psychology study of the actor.) Zsch. f. angew. Psychol., 1932, 42, 285-356.—An effort is made to ascertain how the actor type holds true to the typology of E. R. Jaensch. The author sees advantages in the empirical study over the experimental. He was under-study in a theatrical company, which gave him opportunity for observation and questioning of twenty-four actors, both men and women, ranging in age from nineteen to sixty.

He discovers four theatrical types: the idealistic, the synesthetic, the hysterical, the comic. These he accurately describes, with their reactions to the theatrical situations—rôles, gestures, masks, costumes, practice and performance, the management and the public. The author verifies his empirical studies by the methods of Weber, Thomas, and Leinweber, finding a close relationship between the two studies.—A. B. Herrig (Michigan Central State Teachers College).

York: Norton, 1932. Pp. xviii + 652. \$4.25.—The first section of this volume is devoted to a discussion of the foundations of industrial psychology, including the economic, social, and psychology, including the economic, social, and psychological factors which have contributed to its development. It includes two chapters on individual differences. The second section is devoted to the study of occupational qualifications and to the development and application of techniques for their measurement as an aid in the scientific selection and placement of industrial personnel. Section III deals with problems arising in maintaining fitness at work. Chapters on the place of psychology in promoting the safety of industrial personnel are followed by a detailed consideration of psychological problems in training workers. The general phases of this development are not treated in detail here, but there is a comprehensive survey of the contributions which psychology has made to the solution of the practical problem of properly training workers in industry. Other chapters are devoted to a consideration of monotony, fatigue, and the feelings and motivation of workers. Maladjustment as a general problem receives a chapter. The psychology of management closes the volume. The psychology of selling and advertising is not included here, principally because of its highly specialized nature, and because it is concerned more with group reactions. The orientation of this volume is not statistical, but rather clinical, placing its emphasis on the individual worker rather than on the group. The bias of the volume is predominantly experimental. Much care and attention have been devoted to the work which has been and is being done by European psychologists in this field. The book is of use to advanced students of applied psychology; to teachers of psychology, sociology, economics, industrial management, and allied subjects; and to executives in industry. An exceedingly comprehensive index of names and an equally comprehensive index of names

4986. Voronov, N. N. [Psychotechnical examinations of students in a preparatory building trade course in the Kiev section of the Central Institute of Labor.] Psikhotekn. i psikhofisiol. truda, 1930, 3, 143-171.—The local section of the Central Institute of Labor at Kiev organized a course for training in the building trade, and the psychotechnical department at the university was asked to arrange tests for selection of apprentices. Written tests were not used,

since the education of the candidates varied greatly. The tests were organized into four groups. I. Orientation in space and absence of vertigo: the subjects had to mount an aerial bridge suspended at the height of 21/2 meters, and to indicate the horizontal and vertical directions on papers fastened obliquely on a wall while in a motionless position and while balancing themselves in a swing. II. Ability to comprehend simple orders and to execute them quickly: the subjects had to arrange bricks rapidly in a rectangle, to arrange them according to a simple pattern, to fit together the two halves of bricks from a pile of bricks broken into irregular halves, to count bricks by lifting them one by one from a pile, to do the latter task to a given rhythm, and to toss brieks to their neighbors. III. Appreciation of spatial relations of objects: the subjects had to indicate the horizontal and vertical directions on a wall, to appreciate the small inequalities on the surface of a wall (reliefs and depressions), to reproduce angles by means of compasses, and to put together the parts of a cone (test for patience). IV. Accuracy of manual skill: the subjects had to hammer nails which were only lightly driven into a plank and which were so arranged that a non-vertical blow would either drive them crooked or send them flying out of position; and to fold steel wires so as to copy the dimensions of a model. The results of all the tests were expressed in scores on a scale ranging from 4 to 10 according to the assumed value of the test, and the rating of a subject was determined by his percentage of the maximal score obtainable. At the end of the two months' course the students were classified into eight groups according to the ratings of their instructors, and then a comparison was made between this rating and their psychotechnical score. It was found that 110 of them, who had been placed in the highest two training groups, had scores ranging from 51 to 99; 75, who were in the next two groups, had scores from 32 to 70 (only 6 being 40 or lower); 14 of 28 students who had been dismissed by the instructors from the course ranged from 32 to 42; the other 14 ranged from 6 to 31 .- A. B. Hunter (Clark).

4987. Walther, L. Die Anpassung der Arbeitsgeräte an den Arbeitenden. (Adaptability of work material to the workman.) Psychol. Rundschau, 1932, 4, 86-92.—A field for statistical investigation lies in the study of the relationship of material, utensils, etc., to the physical and psychological nature of the worker. The article discusses the problem from three standpoints: the body, tools, and the machine. All these require thought and scientific study to bring best results with the least fatigue to the worker.—A. B. Herrig (Michigan Central State Teachers College).

4988. Walther, L. Die Arbeitspsychologie. (The psychology of work.) Psychol. Rundschau, 1932, 4, 93-96.—This concluding article on work psychology deals with the problem of fatigue, and emphasizes the need of short pauses that are suited to the needs of individual workers at the close of work periods. It gives results of surveys to show that greater output can be attained by attention to this factor.—A.

B. Herrig (Michigan Central State Teachers College).

[See also abstracts 4702, 4774, 4849, 4873.]

CHILDHOOD AND ADOLESCENCE

4989. Adler, A. Bin Fall von Enuresis diurna. (A case of diurnal enuresis.) Int. Zsch. f. Indiv. psychol., 1930, 8, 471-478.—Verbatim report of conversations with a twelve-year-old boy and his mother in a clinic. The boy presented a case of daytime enuresis and soiling. The critical comments on the case report and aside remarks during the conversations present Adler's views on the genesis of the difficulty and therapeutic treatment. Fear of inadequacy and desire for attention are given as the psychological causes, together with the possible supplementary influence of some organic inferiority. Only the psychological causes require consideration in treatment. The development of self-confidence automatically eliminates the undesirable traits.—O. N. de Weerdt (Beloit).

4990. Atzeni Tedesco, P. Ricerche dinamometriche sui giovani Cagliaritani dai 12 ai 19 anni. (Dynamometrie studies of young people of Cagliari between the ages of 12 and 19 years.) Atti della Soc. fra i cultori delle sci. med. e nat. in Cagliari, 1931, 4, 163-170.—The muscular power of the individuals studied was directly proportional to their age. The values were higher in those of the asthenic type between the ages of 12 and 15 years, and in those of the pyknic type between the ages of 15 and 19 years. Those of the athletic type have always given intermediate values. There is no correlation between height and muscular power; there is a slight correlation with the weight of the body, the width of the hand, and the circumferences of the fore-arm, the thigh, and the leg. The frequency of the dynamometric values in the asthenics between 12 and 15 years probably has a relation to precocity of development.—R. Calabresi (Rome).

4991. Bader, H., & Prits, V. Das Geschwister des schwererziehbaren Kindes. (The siblings of the child difficult to train.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 499-502.—In families of four or more children, the age order of the children may be important at any point. Siblings tend to pair off in special relationships and to influence each other reciprocally in such pairs. The common result is that one, usually the older, develops a passive disposition; the other, an active, often jealous, aggressive attitude. Either child, because of these traits, may become a problem case. Frequently the aggressive, boisterous child of a pair is brought to the clinic as a disturbing element, when the passive "well-behaved" child is potentially the more serious problem case. In such reciprocal pairs the disturbing behavior of the one, whether passive or aggressive, is defensive against the favorable attention gained by the other. Successful corrective treatment of one is therefore likely temporarily to develop unfavorable social behavior traits in the other.—O. N. de Weerdt (Beloit).

4992. Blackfan, K. D. [Ed.] Growth and development of the child. IV. Appraisement of the child.

New York: Century, 1932. Pp. xix + 344. \$2.75.— Each of the two parts of this book, Mental Status and Physical Status, represents the consensus of expert opinion upon the subject, with suggestions of fields needing further investigation. It appears to the committee that a careful study of a relatively small number of individuals, continued over a period of years, is the most promising method of attack upon the majority of unanswered questions. There is a description and evaluation of the leading intelligence tests, and also of personality tests. The latter are for the most part inadequate. Intellectually superior children are products of heredity, but nature and personality determine the extent to which they achieve. Failure is not due to deterioration of intelligence. They are at present neglected, and require improved methods of training. Mental development may be materially enriched and accelerated by effective methods of instruction. The normal course of development of motor skills, of language, and of social behavior is charted. Parental education and training are necessary to promote satisfactory emo-tional and habit control in the child. This education may be regarded as a branch of preventive medicine, and a task for the physician, as is also the problem of sexual guidance. There is a small positive rela-tionship between intelligence and physical measure-ments. "Reliable appraisement of physical status demands that the items on which dependence is placed shall be valid measures of relative physical fitness; that the measurements be as objective as possible; that the results obtained shall be capable of repeti-tion in identical circumstances; that the nature of the measurement be such that fluctuations from the standard are of proven significance; and that the standard or norm shall be applicable to the individual, not just an average from a physically heterogeneous group." The roentgenographic appraisement of de-velopmental growth in the skeleton is outlined, dif-ferentiated by half year intervals. Experiments have shown that objective measures of subcutaneous tissue and muscle can be developed, and that general physical fitness is positively correlated with relative vital capacity. The function of a group or school health service is to educate, to protect from contagion, to discover fitness for school routine, and to discover defects; but at no time does it take the place of the clinical examination. Great emphasis is placed upon the necessity of complete, systematic, serial assessment of the individual healthy child.—
M. P. Montgomery (Faribault, Minn.).

4993. Busemann, A. Berufswahl und Geschwisterzahl. (Choice of a profession as related to the number of brothers and sisters in a family.) Zsch. f. päd. Psychol., 1930, 31, 559-564.—Busemann questioned 169 children in an intermediate school as to their choice of profession. 18 subjects chose their fathers' professions and 29 chose professions which were decidedly higher in the social scale. He notes that the children who chose higher ranking professions usually belonged to a relatively large family (56% coming from families having more than two children), while only 22% of those choosing their fathers' professions came from large families. The

difference was not confined to any one social level. He concludes that the presence of several brothers and sisters acts as a stimulant, and he explains the mechanism of this influence in terms similar to those used by Adler.—A. B. Hunter (Clark).

4994. Challman, B. C. Pactors influencing friendships among preschool children. Child Development, 1932, 3, 146-158.—"A study was made of the factors in addition to propinquity that influence the formation of friendships among preschool children. 33 nursery school children, 17 boys and 16 girls, ranging in age from 27 to 59 months, were used as subjects. The method was the observation of groups, the number of times each child was with every other child being used as the criterion for strength of friendship. The items selected for study were likeness in sex and similarities in C.A., M.A., I.Q., height, attractiveness of personality [ratings by adults], and degrees of extroversion [Marston scale], sociality, physical activity, laughter, and social participation [observational studies]. The following results were obtained: Boys have a slight tendency to form stronger friendships with other boys as they grow older. There is a marked cleavage in friendships on the basis of sex, children of each sex tending to form friendships within their own sex. Similarities in C.A., sociality, and physical activity have an influence in the order given on the friendships of boys with boys. Similarities in social participation, C.A., sociality and possibly physical activity influence the formation of friendships between girls in the order named."—F. D. McTeer (Detroit City College).

4995. Claparède, E. Das Bewusstsein der Ähnlichkeit und der Verschiedenheit beim Kinde. (The consciousness of similarity and dissimilarity in the child.) Psychol. Rundschau, 1932, 4, 60-65.—The question is considered as to whether consciousness of similarity or of dissimilarity comes first in the mental development of the human being. The author observes that the child's consciousness of likeness appears later than his adaptation to it. He comments on the law that the earlier and the longer an automatic reaction appears, the longer will conscious reaction of it be delayed. Consciousness of a condition arises when habitual reaction fails. The child's early reactions are few and to wholes, later to individual characteristics, namely differences. Thus differences would come into consciousness earlier than the similarities to which reactions have become automatic. This conclusion is in contrast with the usual belief relative to the consciousness of similarity and dissimilarity.—A. B. Herrig (Michigan Central State Teachers College).

4996. Cotelessa, M. La motilità riflessa del neonato e del lattante. (The reflex motility of the new-born and the nursling.) Lattante, 1931, 9-10, 707-737; 761-790.—After touching upon the development of the nervous system in the new-born, the author examines the reflex motility at that age. The reflexes common to the new-born (i.e., abdominal, cremasteric, knee jerk, Achillean, pupillary, oenlocardine, vaso-motor) are examined separately. The author makes a personal casuistic contribution relative to the reflexes in the new-born and in the nurs-

ling during the first year of life.—R. Calabresi (Rome).

4997. Courtis, S. A. Criteria for determining equality of groups. School & Soc., 1932, 35, 874-878.—The author believes that the usual pairing procedure used in the selection of parallel groups does not equate these effectively. He contends that ideally the individuals in the groups should be matched on the basis of their growth constants. In the absence of information regarding these constants the following procedure is recommended: Give a series of tests separated by intervals sufficient to permit real growth in all subjects. Match pairs on achievement in Test 2 and on growth from Test 2 to Test 3. Predict the secores on Test 4. If the computed and predicted secores agree essentially, the two groups may be considered equated and the experimental factor may be introduced in one of them. The isochron should be the unit of measurement.—H. L. Koch (Chicago).

4998. Descoudres, A. Was wir den zurückgebliebenen Kindern zu danken haben. (The debt of gratitude we owe the retarded child.) Psychol. Rundschau, 1932, 4, 54-60.—The author holds that the retarded types hold an important place in life, making a contribution quite distinct from the higher intelligences in the way of faithfulness, modesty and virtue. The recognition of these types has led the educator to a new child psychology and consequent pedagogy, bringing to the child a greater joy in learning, substituting reality of experience for mere verbalism.—A. B. Herrig (Michigan Central State Teachers College).

4999. Freund, H. Pseudoonanie. (Pseudo-onanism.) Int. Zseh. f. Indiv.-psychol., 1932, 10, 289-290.—Discussion of a case of a five-year-old boy who practiced onanism in bed by a movement of the entire body, never using his hands. Freund holds that the boy developed an interest in the movement at a time when he was bandaged over the entire body during treatment for eczema—that sex interest was secondary. Of more significance were the attitudes of the foster-parents—discouragement and helplessness. The child apparently enjoyed the attention he was receiving and the disturbance which he created.—O. N. de Weerdt (Beloit).

5000. Priedmann, A. Kenne ich mein Kind? (Do I know my child?) Int. Zsch. f. Indiv.-psychol., 1930, 8, 532-536.—The author groups under two headings the typical adjustment problems met with in children, and gives suggestions as to basic causes and corrective measures. Part I gives the basis for personality development: environmental conditions in the home with reference to the attitudes of parents, gnardians, brothers, sisters, etc.; the character of the home training, whether loveless, careless, over-indulgent, etc. Part II discusses the degree of preparation for coping with life: in the home (indications of lack of self-dependence in conforming to acceptable social standards); work, school, career (indications of repression and discouragement); sociability and friendships (indicating under-development of social adjustability); attitudes toward the sexes (indicating under-development of self-confidence); art, science, psychology (presenting prob-

lems of lack of self-confidence) .-- O. N. de Weerdt (Beloit).

5001. Gerard, E. I. Der Tod als Erlebnis bei Kindern und Jugendlichen. (The experience of death in childhood and youth.) Int. Zsch. f. Indiv. psychol., 1930, 8, 551-558.—A study made in New York by means of a questionnaire. Included among the 72 cases were 3 children under 14 years, 29 Barnard College students, a colored servant girl, 4 university professors. Fear of death, faith in eternal life, associations with death, such as the color black, suicidal thoughts, and the influence of religious backgrounds in the home, are among the problems touched upon. A conceptual quasi-statistical analysis.—O. N. ds Weerdt (Beloit).

5002. Heller, T. Ueber dissociale Ausartung Jugendlicher. (Delinquent degeneration of adolescents.) Visch. f. Jugendk., 1931, 1, 234-247.—Many young people at puberty show symptoms which, for a time, parallel exactly those of schizophrenia, until eventually they take a decided turn for the better and thereafter develop normally. As Bleuler points out, every pubertal period has a certain schizoid cast. The schizoid personality develops when these peculiarities do not regress completely after puberty, but fasten on to the personality and give it a special stamp. An abnormal puberty by no means presages an abnormal adulthood. The author describes the symptomatology of the schizoid crises of puberty, with their negativism, reappearance of the instinctive drives of early childhood, the lack of will, or else compulsive activity, the vivid affectivity, and the distortion of the outside world. These symptoms are recognized by the adolescent himself as alien, and they frighten and torment him. He retreats into himself in the attempt to work out some kind of re-lationship to the world. Adolescent "degeneration" follows two directions: psychosis and delinquency. Some adolescents pass through a dissociated phase of more or less serious delinquency, and later right themselves completely. The author reports three such cases, pupils in his school of correctional education. He believes that dissociated delinquent acts represent an automatic (and often symbolic) abreaction of the emotional tension to which the adolescent has been subjected since childhood. They belong to the same category as accident and emancipation reactions. They arise from the subconscious, and break through all inhibitions. The character picture of these adolescents changes as soon as the path to success is cleared. All that an institution of educational therapy can do is to remove them to a favorable environment, give them opportunities to talk with ex-perienced and understanding older friends, and help them to develop in the directions which they desire. Under these conditions, the adolescent himself can assume the task of eliminating the "psychic foreign body," which drops out without leaving a trace. author advises against psychoanalysis, which interferes with this process of elimination by keeping painful experiences always in the foreground. This spontaneous activity of the adolescent should not be interfered with or inhibited in any way.—M. E. Morse (Catonsville, Md.).

Kindern. (Conversations with parents and children.) Int. Zsch. f. Indiv.-psychol., 1930, 3, 441-458.—A series of conversations typical of those held in guidance counsels (Erziehungsberatungen) reported verbatim in order to show how a single interview may serve to uncover the causes of the asocial attitude which underlies the maladjustment of a child. Cases of enuresis, lack of initiative, and extreme timidity are presented.—O. N. de Weerdt (Beloit).

5004. Illge, W. Bin Fragebogen sur Brfassung der seelischen Struktur des Grundschulkindes. (A questionnaire proposed for the study of the psychological structure of primary-school children.) Zsch. f. päd. Psychol., 1930, 31, 97-106.—School teachers experience great difficulty in filling out the observation blanks required of them, for many of the questions asked cannot be covered by observations made during the class periods. In order to overcome this difficulty, Illge proposes a questionnaire to be filled out by the pupil himself in regard to his tastes, desires, and habits, the responses being "yes," "often," "sometimes," and "no." The teacher should be able to determine individual traits of character by comparing a child's responses with the distribution of such responses in the class as a whole. Illge gives a concrete example of such an interpretation based on the use of the proposed questionnaire.—A. B. Hunter (Clark).

5005. Irwin, O. C. The latent time of the body startle in infants. Child Development, 1932, 3, 104-107.—Body startle was recorded from a two-dimensional stabilimeter on a polygraph moving at a constant speed, which carried also a record of the time at which the startling stimulus was given. The mean latent period (the distance between these two kymograph records) of 163 body startles following a tone of 581 d.v. with a duration of .07 sec. made by 12 infants from 15 hours to 53 days old is .18 sec. with a probable error of .03 sec. and a range of .07 to .35 sec. There was little change in the mean latent time with either age or sex. It was observed that closing of the eyes often accompanied these body startles or was substituted for them; crying never accompanied them.—F. D. McTeer (Detroit City College).

movements. Child Development, 1932, 3, 167-169.—When 21 infants under one month of age were dropped a distance of 2 feet 85 times, "no responses occurred in 12% of the trials, and various patterns of limb movements occurred in 88% of the trials. The most definite pattern was an extensor-flexor pattern which was present in 53% of the successful trials; erying occurred in only two instances." When 12 infants 2 to 33 days in age "were accelerated against gravity 45 times, no responses occurred in 22% of the trials, and various patterns of limb movements occurred in 78% of the trials. The extensor-flexor pattern was not as striking as under the first set of conditions; no crying occurred."—F. D. Mc-Teer (Detroit City College).

5007. Isaacs, S. Some notes on the incidence of neurotic difficulties in young children. Part II. Brit. J. Educ. Psychol., 1932, 2, 184-195.—Gives il-

lustrations to accompany discussion, summary, and conclusions as presented in Part I. Consists of classified descriptive paragraphs and sentences from case studies.—K. M. Cowdery (Stanford).

5008. Jacobi, E. Untersuchungen an verwahrlosten, geistig abnormen Mädchen. (Studies of delinquent, mentally abnormal girls.) Arch. f. Psychol., 94, 303-365.—A thorough study of 30 patients observed over a long period, some of them up to 20 years. 21 of the group were psychopathic, and of these, 15 were also decidedly feeble-minded. Jacobi classifies as psychopathic personalities both those who suffer from this abnormality and those from whose abnormality society suffers. In this study, the second type naturally predominates. In addition to the psychopathic personalities, some of the girls were psychotic, suffering from schizophrenia or brain syphilis. Jacobi tries to differentiate the rôles of constitution and environment. Hereditary factors were present in 60% (alcoholic psychoses, asociality, psychopathy, less often feeble-mindedness, very infrequently psychoses and epilepsy). Hereditary influence is greatest among the mentally defective, and very slight among the psychopaths. Environmental factors are much less common than constitutional. Characteristic of the latter are physical disease, poor school records, prostitution, "running around," delinquency, etc. The author studies thoroughly the occurrence of crime, venereal infections, pregnancies, alcoholism, and the influence of occupation. As to the last, hand-workers and servants predominated, while elerical workers and shop-girls accounted for only one-fifth. The age at which delinquency began varied between 14 and 25; about one-half the cases began between 14 and 25; about one-half the cases began between 14 and 25; about one-half the cases began between 14 and 25. The prognosis in all the cases studied is unfavorable. The histories are given in full.—M. E. Morse (Catonsville, Md.).

5009. Jachner, D. Die Phantasieschwester. (An imaginary sister.) Zech. f. päd. Psychol., 1930, 31, 371-379.—The author gives an interesting account of a little girl of 3½ years of age who invented a "sister in Berlin" whose activities and achievements she would relate in detail. It seems that this mythomaniae manifestation originated in a feeling of inferiority. The child had a younger sister and a brother who were twins, but she seemed to think that they were related only to each other and that she herself had neither brother or sister at home.—A. B. Hunter (Clark).

5010. Justin, F. A genetic study of laughter-provoking stimuli. Child Development, 1932, 3, 114-136.—After an extensive review of the pertinent literature, 54 laughter-provoking situations were selected to illustrate the following theories of laughter: surprise or defeated expectation; superiority and degradation; incongruity and contrast; social communication; relief from strain; and play. Some of the stimuli used were actual situations in which the child participated; some were actual observed situations; some were presented pictorially and some verbally. The whole list was presented individually to twelve

boys and twelve girls at each yearly age level from 3 through 6 years. The results show "an increase in responsiveness to the fifth year and a decrease in the sixth. This trend is apparent in total response and in responses to the six main divisions devised to embody the various theories of laughter causation, both in mean seconds [of laughter] and in percentage of response to situations of the four age groups. [However,] despite this age increase and subsequent decrease, the percentage responses to the main divisions of situations do not markedly change their relative positions. Actual situations were the most effective at all age levels. At 3, 4 and 5 years, the verbal presentation was next in effectiveness; at the 6th year, pictorial presentation was more effective than the verbal. At all age levels, response to situa-tions in which the child himself participated was greater than to those situations in which he did not participate." One may justly conclude that "the one thing that is always present that provokes laughter, to suppress which is to suppress laughter, a variation of which has an immediate effect on the intensity of the emotion of the ludierous, is still to be found."-F. D. McTeer (Detroit City College).

5011. Katz, D. Gespräche mit Kindern. (Conversations with children.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 459-470.—Verbatim reports and critical discussions of selected conversations of parents with children. The aim of the conversations is to teach the child to regard his own conduct and adjustments objectively and reasonably, thus avoiding the development of harmful conflicts. Katz holds that when properly conducted such discussions do not arouse egocentric tendencies.—O. N. de Weerdt (Beloit).

5012. Koch, A. F. [The correlation of indices of intellectual and motor skill in adolescents.] Pedologiya, 1930, 65-80.—The author studied the results of a series of mental and psychomotor tests given to 655 adolescents of both sexes, aged 16 to 17, for use in vocational guidance. He considers that the material gathered does not warrant the making of definite conclusions, though temporary ones can be drawn. The frequency curves show only a slight dis-persion for motor skill, a condition which is mainly due, according to the author, to the influence of intellectualistic scholastic instruction which is a hindrance to motor training. A comparative study of the indices for information, general skill, and professional aptitudes seems to show the dependence of these three capacities upon general instruction. A comparison of the correlation coefficients discloses a very weak connection, during the adolescent period, between general skill and motor ability, and between different motor elements. This may be due to an insufficient integration of the different functions in the behavior as a whole, this insufficiency being characteristic of adolescence .- A. B. Hunter (Clark).

5013. Lee, M. A. M. A study of emotional instability in nursery school children. Child Development, 1932, 3, 142–145.—Shifts of mood over a 3-minute period as expressed audibly or by facial expression were recorded on a graph cross-ruled for 15-second intervals and for a 7-point scale of mood

level. Three observers collected 995 such observations on 18 nursery school children between 2 and 3 years old. These records, scored as to total number of times a shift occurred from one to another scale division of mood, and also as to the algebraic sum of average feeling tones in each quarter minute, indicate "(1) that instability of mood and mood level are measurable characteristics of nursery school children, (2) that they are interrelated in the nursery school situation, (3) that they correlate more highly with mental than with physical age or health, and (4) that they tend to be affected in definite ways by environmental factors," such as day of week, adaptation to routine, presence of parent, etc.—F. D. Mo-Teer (Detroit City College).

5014. Löbl, H. Die Entmutigung durch das Märchen. (Discouragement engendered by fairy tales.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 530-532.—The writer reviews some of Hauff's and Anderson's fairy tales, criticizing the content because of the gloomy, frightening pictures they present of the selfish perfidy of men and the harsh cruelty of life for the gentle and virtuous. Löbl urges that care be exercised in the selection of reading material for

children .- O. N. de Weerdt (Beloit).

5015. Loosli-Usteri, M. Psychologie und Kinderfürsorge. (Psychology and child welfare.) Psychol. Rundschau, 1932, 4, 65-67.—The need of a knowledge of psychology for those working in the child welfare field is emphasized; comments are made on the types of children who become objects of such care.—A. B. Herrig (Michigan Central State Teachers College).

5016. Löwy, I. Dummheit als Enthebungsmittel. (Stupidity as a means of escape.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 478-486.—Stupidity is accepted along with such traits as laziness as an escape from reality. Good descriptions and methods of treatment are presented of timid discouraged school children who were so repressed as to appear stupid. The factor of intelligence as basic to school and social adjustment is lightly considered in the manner typical of the Adlerian movement.—O. N. de Weerdt (Beloit).

children observe.) Psychol. Rundschau, 1932, 4, 71-76.—The author raises the question as to the difference that exists between the way the child sees things and the way the adult sees them. He quotes Claparède in his discovery that the child does not at first see details, but sees wholes, and later differentiates details. This is a direct contrast to older beliefs, especially to the association psychology. Study of animals shows the same tendency to observe and to react to wholes. The author shows why this procedure from undifferentiated wholes to details is reasonable.—A. B. Herrig (Michigan Central State Teachers College).

5018. Pyles, M. K. Verbalization as a factor in learning. Child Development, 1932, 3, 108-113.—Comparisons were made of the learning scores of 80 children between the ages of 2 and 7 years on three series of problems of a multiple-choice type. The stimulus objects used for the three series included

animal shapes, unnamed three-dimensional nonsense forms, and a similar series of forms with nonsense names. The object of the learning was to choose at once out of five forms the one inside of which a small toy was concealed; learning continued until the child's first choice was correct in four successive trials. No more than 25 trials took place in one day: if necessary the learning was continued on the following days but with the previously correct objects omitted; hence, learning was not continued beyond 100 trials. Verbalization was encouraged through questions from the experimenter as to where the toy was found. "When the three modes of procedure were compared, eliminating practice effect by rotation in matched groups, the median number of trials on the animal series was found to be 4, on the name series 7.5, and on the unnamed series 16.5. Data on complete failures and on the percentage succeeding in a given number of trials, are [also] in support of the conclusion . . . that verbalization served as a distinct aid in learning."—F. D. McTeer (Detroit City College).

5019. Ray, W. S. A preliminary report on a study of fetal conditioning. Child Development, 1932, 3, 175-177.—Fetal movements were recorded on a kymograph by the use of tambours fastened with adhesive tape diaphragm side down to the mother's abdomen. A loud noise produced marked fetal reactions in the one case studied. An attempt was made to condition the kicks so stimulated to a vibration against the maternal abdomen.—F. D. McTeer (Detroit City College).

5020. Ruclius, A. Arbeitsversuche an Hilfsschülern. (Studies on the work of retarded children.) Jenaer Beitr. z. Jugend- u. Entwicklungspsychol., 1929, No. 11, 1-46.—A comparison was made of the work done by children from ordinary schools and by others from schools for retarded children. Two kinds of tests for manual skill were used. The first consisted in the children's making folded paper cups after being given a practical demonstration. Aid was finally given if necessary. This task was repeated without modification from time to time. The second test consisted in reproducing by means of pliers and wire a series of models which were of different size and form. This task varied from time to time, although the general type of problem always remained the same. The retarded children were less successful in the first test than the normal children, but their improvement went on at an equal pace. However, in the second test, although they were at first as skilful or even superior in skill, they made little or no progress, and their variability was definitely greater.—A. B. Hunter (Clark).

5021. Seidler, R. Die Erfassung der Schülerpersönlichkeit. (Understanding the personality of the school child.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 522-529.—Presents the thesis that the child enters upon his school career with a background of personal attitudes toward set tasks, as contrasted with spontaneous play, and also toward the social controls of those about him. Each child therefore experiences the demands of the various school situations in a manner peculiar to his own already developed individ-

uality. Suggestions are offered with concrete examples from cases on how the teacher may ascertain these individual attitudes of her charges through essays on such topics as, "What I have wanted to do, or become."—O. N. de Weerdt (Beloit).

two groups of preschool children, one in Hawaii and one on the mainland. Child Development, 1932, 3, 159-166.—Records of the day and night sleep of 30 nursery school children at Vassar College were kept by nursery school teachers and parents. Similar records were kept for 136 nursery school and kindergarten children in Honolulu. The children at Vassar for the same age range take longer naps, and require longer to get to sleep at night; the Hawaiian children go to sleep more quickly and sleep longer at night. "The correlation between total sleep and mental age shows a slight tendency toward an inverse relationship between mental age and total sleep, which may have been a factor in causing shorter sleep for the superior Vassar group. The rhythm of sleep is indicated by a line that fluctuates daily up and down, showing a tendency for long sleep one day to be followed by short sleep the next. Relative humidity and temperature do not seem to have influenced the amount of total sleep."—F. D. McTeer (Detroit City College).

5023. Smith, M. E. The preschool child's use of criticism. Child Development, 1932, 3, 137-141.—
"A study of 325 criticisms made by children from 2 to 6 years old showed four types of unfavorable criticisms made: interference with self or possessions, failure to conform to wishes or social usage, lack of knowledge or skill, and undesirable personal traits. At first criticism was directed to another than the person concerned, apparently for the purpose of securing help in a difficult situation, and partock of the nature of tattling. A significantly greater proportion of criticisms was made at 5 than at 3 years old, directly to the person criticized. Most of the criticisms made by children were made primarily because of the effect on the speaker of the action criticized, but the percentage of such criticisms lessened significantly from 3 to 5 years. A series of 100 criticisms made by adults showed a significant increase in the proportion of criticism of personal traits, of dress, of failure to conform, and of favorable criticisms, with a significant decrease of criticism of lack of knowledge and of interference. But there was no significant difference in the amount of criticism directed to the person criticized; that made to another, however, was of the nature of 'talking behind their backs' rather than of tattling. . . . At every age the unfavorable criticism greatly exceeded the favorable."—F. D. McTeer (Detroit City College).

5024. Sommer, A. T. The effect of group training in the correction of articulatory defects in preschool children. Child Development, 1932, 3, 91-103.

—A group of 14 nursery school and kindergarten children (ages 26 to 67 months) all of whom had three or more speech defects (according to the ratings of two listeners on an adaptation of the Blanton-Stinchfield articulation test) were paired with a

control group on the basis of speech defects, age, intelligence, school attendance, and education and occupational status of parents. After the experimental group had been given corrective work by a trained speech teacher fifteen minutes daily for twelve weeks, a repetition of the articulation test showed for the control group an improvement of 28%, for the trained group 57%. Sex differences were slight but apparently favored the girls.—F. D. McTeer (Detroit City College).

5025. Sumpf, E. Wesen und Wege der älteren unter Geschwistern oder anderen Vergleichspartnern. (Personalities and behavior traits of the older of pairs of siblings or other partners.) Int. Zsch. J. Indiv.-psychol., 1930, 8, 486-498.—Three cases of the elder in pairs of siblings and two cases of jealousy in animals. The latter are analyzed in a frankly anthropomorphic manner with the typical individual-psychological conceptions. The typical jealousies of the older or first individual are always aroused through the influence of a third or relating personage (Besiehungsperson), and this individual and his attitudes must always be taken into account in corrective work. The subject himself should be drawn into conscious participation in the corrective process in so far as he is capable of objectively considering the situation.—O. N. de Weerdt (Beloit).

5026. Vance, T. F. Food selections of nursery school children. Child Development, 1932, 3, 169–175.—Detailed tables of food selections are given on the basis of the observation by nursery school teachers of 44 children at an average of 25 meals each, and the recording of the main course food tasted first and that finished first. Meats, apples, sandwiches, flah, and eggs seem to have preference, as do broiled and raw foods in contrast to soups and creamed dishes.—F. D. McTeer (Detroit City College).

5027. Walcott, E. Daydreamers: a study of their adjustment in adolescence. Smith Coll. Stud. Social Work, 1932, 2, 283-335.—17 children, described as seclusive and day-dreaming, were studied from two to eight years after they had been patients at the Institute for Juvenile Research in Chicago. Each case is presented in detail. The author concludes that the prognosis for resolving their emotional difficulties is favorable only when the child has some source of affection within his family.—H. Lange (New Hampshire State Hospital).

5028. Weiss, G. Rin Arbeitsversuch an Pürsorgezöglingen. (A study on the activities of charity
school children.) Zsch. f. Kinderforsch., 1929, 36,
83-127.—The anthor, who is a student of Peters at
Jena, studied the activities of the following groups of
children: 17 abnormal children who exhibited volitional or affective disturbances, a group of associal
children with or without pronounced sexuality and
with a tendency to destroy, a group having periodic
oscillations, and a group able to adapt themselves to
communal life. She determined their intelligence
levels, which were found to be more or less retarded,
observed them freely, and studied their capacity to
work under different conditions. Thus she acquired
precise information concerning each child and was

able to place him individually under the most favorable work conditions.—A. B. Hunter (Clark).

5029. Zanker, A. Kinderheilkunde und Individual-psychologie. (Pediatries and individual-psychology.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 502-518.—Report on an analysis of 150 cases of children who were out-patients of a children's hospital. Classification according to mental behavior disturbances showed that in the preschool group traits of aggression, ranging from simple negativism to violent outbursts of temper, are most common. These are usually coupled with nightmares, bed-wetting, and other forms of so-called "weak nerves." In the second group—the school child group—one-fourth of the cases show various learning difficulties in school; the next largest category of cases shows bed-wetting as a symptom. Other symptoms are headaches, vomiting, neuralgia, restlessness in sleep, and various anti-social behavior traits. These traits or symptoms do not tend to appear as isolated phenomena, but are expressed in various combinations together or in sequences. The third or prepubertal age shows antisocial behavior growing more marked, even to vaga-bondage, and sex conflicts become frequent. As age increases it becomes more difficult to find expressions peculiarly characteristic of either individuals or age groups. This analysis is followed by a discussion of the practical problems involved in grouping the cases from the viewpoint as to whether somatic or psychie factors are the sole bases for the disturbances or form merely the predominant influences in mixed cases. Illustrative cases are presented .- O. N. de Weerdt

5030. Zerov, V. [The evolution of written language in primary school children.] Pedologiya, 1930, 683-697.—The author made a statistical study of the compositions of students in four primary schools in Novosybkov, Russia. The composition subjects were the same for all the classes, though there was added a free composition for each class. The time allowed for each composition was 50 minutes. 570 compositions written by children from 8 to 13 years of age were obtained. Zerov found a marked preference in all the children for verbs and substantives at the expense of adjectives. The percentage of personal and possessive pronouns and of verbs tended to decrease as a function of age. This decrease for verbs took place at the expense of the use of the present tense, the use of the future tending to increase, while that of the past remained stationary. The high percentage of substantives and verbs revealed the "activism" and the concrete character of the children's thinking. The paucity of adjectives was a proof of the weakness of their power of qualitative analysis. The high percentage of personal and possessive pronouns of the first person was an index of the subjectivism to be expected with the age. The evolution observed in the use of verb tenses showed that the child was ceasing to live only in the present and that the future was beginning to occupy a more important place in his mental attitude. The syntax did not differ essentially from that of adults, although there was a preponderance of simple propositions. The evolution in language development was shown

by a progressive complication in phase structure corresponding to an increasing awareness of more complex situations and relationships. Influences of sex were practically imperceptible. Of more importance was the social environment, for the author found different developments in children of different social classes. In conclusion the author emphasizes the pedagogical bearings of the following factors: The subject of the composition exercises a great influence on the language used. Certain subjects seem to inhibit or retard the evolution of verbal thinking. A decided preponderance of the use of temporal relations over that of spatial relations is shown. The young student narrates facts that follow each other in time, while description and reasoning are rare and of an accidental character.—A. B. Hunter (Clark). [See also abstracts 4689, 4705, 4847, 4897, 4900, 4917, 4925, 4947, 4954, 5050, 5053, 5076.]

EDUCATIONAL PSYCHOLOGY

5031. [Anon.] Report of researches in education. Brit. J. Educ. Psychol., 1932, 2, 221-227.— This committee report lists by institutions under fifteen topical headings the psychological researches in progress in Great Britain which are of particular interest to educationists.—K. M. Cowdery (Stanford).

5032. Baley, S. Uwagi w sprawie programu drialalnosci psychologow szkolynch. (Some observations on the activity program of educational psychologists.) Polskie Arch. Psychol., 1930, 4, 237-243.—
The question of pedagogical psychology is of special
interest in Poland at present, and the activities of
Ioteyko and the influence of the Adler school are
emphasizing the practical applications of the science.
Unfortunately, only the personal initiative of Polish
lycée directors can be dependent upon for any results.
As director of the Institute of Pedagogical Psychology at the University of Warsaw, Baley has endeavored to coordinate the effects of these lycée directors.
The minimum activities which he advocates at present
are as follows: the pedagogical psychologist should
limit his activities for the time being to the examination of children entering school, whose evolutional development should be carefully followed; he should
give advice to children leaving school regarding vocational guidance; and he should especially concern
himself with the problems of difficult children
throughout his entire school. Baley recommends the
use of group intelligence tests supplemented by special tests in memory, attention, and motor aptitudes,
and the extensive application of results gained from
individual tests. Two points are stressed: (1) a
close, sympathetic relationship between the psychologist and the students based on mutual confidence;
and (2) a close collaboration between the pedagogical
psychologist and the teaching staff. Such work,
Baley believes, not only would be of great utilitarian
value but would be of benefit to theoretical child
psychology.—A. B. Hunter (Clark).

5033. Bonaventura, R. Il problema delle classi omogenee. (The problem of homogeneous classes.) Vita scol., 1932, 3, 1-5.—The author thinks the advantages of homogeneous classes should be for the

better rather than the weaker pupils; and reports on the observations of Treves and Saffiotti (a) the three groups (gifted, average, weak) which can be found among pupils in every class, and on the observations of Pende on brachytypes and tachytypes. Homogeneous classes should not have before them the goal of permitting the more gifted students to advance more rapidly than those of lower degree, but should make the curriculum bigger and broader and more adapted to the powers of the gifted, encourage in all pupils attitudes which call forth healthy emulation, and facilitate the conservation of discipline, which is seriously in danger when some of the students, because of lack of preparation, cannot follow the lesson with interest.—R. Calabresi (Rome).

5034. Bovet, P. Das "Haus der Kleinen." (The Maison des Petits.) Psychol. Rundschau, 1932, 4, 76-84.—The Rousseau Institute at Geneva has a Children's School which Bovet describes. He comments on the combination of celecticism and originality in material and method. The school sees three steps in the development of the thought process: (1) manipulation without thought; (2) manipulation followed by thought; (3) thought preceding manipulation. The author tries to impart the spirit of living and learning in this school.—A. B. Herrig (Michigan Central State Teachers College).

5035. Burns, E. L. Achievement tests in Turkey. School & Soc., 1932, 36, 175.—H. L. Koch (Chicago).

und seine pädagogische Bedeutung. (The state of being nonplussed and its pedagogical significance.) Zsch. f. püd. Psychol., 1930, 31, 403-410.—The author discusses the feeling of astonishment experienced when, due to having read inattentively or to having carelessly followed a chain of ideas, we are suddenly brought up against something that we cannot immediately understand. The fact of being thus nonplussed should have a certain importance from the pedagogical point of view, since there is produced in these states of surprise a kind of compression of attention which is a useful form of mental gymnastics. Furthermore, we are trained to shun a superficial manner of reading. There is also a direct advantage to be gained in that the student is obliged to re-read the text, and thus his power of reflection is stimulated.—A. B. Hunter (Clark).

5037. Dies, M. Nuovi esercizi scolastici. (New school exercises.) Vita scol., 1932, 3, 5-9.—School tests are tests of culture and psychotechnical tests are tests of intelligence; one must admit the impossibility of measuring the degree of development of the intelligence independent of the culture absorbed, but it is necessary to distinguish school knowledge from extra-school knowledge. Psychotechnical tests should be introduced into the schools as exercises suitable for the development of the same attitudes which they should select; however, the tests chosen should be interesting to the pupils, and capable of objective application, scaling, and repetition in different forms. The author favors substitution, or at least the integration of school texts of culture with tests of knowledge, attitude, and intelligence.—R. Calabresi (Rome).

5038. Dolch, E. W. Testing word difficulty. J. Educ. Res., 1932, 26, 22-27.—In testing word diffi-culty the author believes that it is often forgotten that one is testing words as well as children. This means that the conditions for each word tested must remain as constant as those under which each child is tested. The experiment was conducted with 40 children of grade VI. 70 words were presented to them in column, and they were asked to mark with a zero all words unknown and with a question mark all of which they were uncertain. Immediately afterwards the same words were presented in a multiple choice test. Although the agreement between the results of the two tests was small, the author points out that it is what one might expect due to the differences in method. It is pointed out that by using the multiplechoice test, the pupil is aided in unequal amounts for the different words .- S. W. Fernberger (Pennsylvania).

5039. Dottrens, R. Die Genfer Versuchsschule. (The experimental school at Geneva.) Psychol. Rundschau, 1932, 4, 85-86.—The article comments on the work of the experimental school in connection with the Rousseau Institute, especially as to its aims and its accomplishments.—A. B. Herrig (Michigan Central State Teachers College).

5040. Eurich, A. C. The significance of library reading among college students. School & Soc., 1932, 36, 92-96.—About 300 students at the University of Minnesota who kept logs of their reading and atudy for one week furnished the data for the study. It was discovered that about one-fourth of the time the group devoted to reading was spent in the university library. No essential relationship seemed to exist in the group between the amount of time given to reading in the library and outside of it, or between these two variables and scholarship, intelligence or sex. Seniors tended to use the library more than did the juniors or sophomores. Using the library as opposed to not using it at all did correlate .31 with the honor-point ratio.—H. L. Koch (Chicago).

5041. Gray, W. S., Gray, W. L., & Tilton, J. W. The opportunity schools of South Carolina. New York: American Association for Adult Education, 1932. Pp. 141.—An experiment was carried on by the South Carolina State Department of Education, through the assistance of the American Association for Adult Education, to determine in adult opportunity schools the values derived, the learning problems encountered, and the nature of the progress made by different types of students who attend. The experiment was conducted with groups of white and colored adults of limited education who attended the opportunity school for one month. Tests, were administered at the beginning and at the end. The average progress made in reading, writing, spelling and arithmetic by the beginning group was equivalent to 3.9 months of ordinary primary work by white students, and 3.4 months by negroes. The intermediate group made 7.5 months progress, and the advanced 9.5 months. The informal training in citizenship, general culture and religion, while not measurable was very significant, as shown by later contacts with pupils. The conclusion is that the training received in opportunity schools is highly valuable and should be much more widely available. It can not, however, "make up in any spectacular way for what the public school system should have done."—M. P. Montgomery (Faribault, Minn.).

5042. Gupta, K. A few hints on the teaching of mathematics. Indian J. Psychol., 1932, 7, 75-86.— The old teaching methods of India, in which rote memory without understanding or questioning was the usual thing, are criticized by this teacher, who suggests that a knowledge of the child is the first essential for correct and successful teaching. The curiosity of the child, his desire to experiment, his natural liking for asking questions, etc., may be used to advantage by the teacher who seeks to train the child to do things for himself. Children should never be told that mathematics is difficult or uninteresting.

-E. H. Kemp (Clark).

5043. Herzog, E. Brziehungsmöglichkeiten in den öffentlichen Internaten. (Possibilities for child training in public boarding schools.) Int. Zech. f. Indiv.-psychol., 1932, 10, 290-303.—Such schools in Saxony offer an opportunity for academic preparation to those of limited means. Children from broken homes, orphans, and home problem cases are also among those attending. The schools are for the most part historically derived from three older types, teachers' seminaries, schools sponsored by principalities (originally cloister schools out of the times of the Reformation), and a limited number from boys' military academics. Herzog describes the administrative and supervisory organization of the schools, pointing out their particular weaknesses in regard to effective personality development of the pupils. Suggestions are made for effective organization of tutor-pupil relationships, socialization of student life, infirmary services, etc.—O. N. de Weerdt (Beloit).

5044. Hoppe, J. Brziehung zur Gemeinschaft durch die Schule. (Training for sociality in school.) Int. Zsch. f. Indiv.-psychol., 1930, 8, 519-522.—Report on methods and achievements in a "social" school (Gemeinschaftsschule) of a type organized in Hamburg and elsewhere since the war. Cooperation in common projects, dramas, entertainments, etc.; help for backward classmates by the better learners, and consideration for the opinions of others in class discussion are among the means and aims. Incidents are cited showing how the attitudes developed in the school room are transferred to extra-school situations.

—O. N. de Weerdt (Beloit).

5045. Hurd, A. W. Comparisons of short answer and multiple choice tests covering identical subject content. J. Educ. Res., 1932, 26, 28-30.—Comparisons of several test forms given in 36 schools to 1423 pupils indicate differences in mean scores and in reliability.—S. W. Fernberger (Pennsylvania).

5046. Javoronkov, B. N. [The study of villages by secondary schools.] Trudy II Univ. Moskva, 1, 122-146.—Different schools of the U.S.S.R. have organized excursions for the children to villages where the students study social problems, question the peasants, and make various observations which they later analyze. The author discusses in detail the conclu-

sions of authors who have published such material.-A. B. Hunter (Clark).

5047. Kalachninov, S. G. [A quantitative analysis of pedagogical activity.] Trudy II Univ. Moskva, 1, 29-42.—If the same test is given at the beginning and at the end of the period of apprenticeship, the progress of the pupil can be determined. The median of values thus obtained denotes the class progress for each subject studied for a given time. Using these figures and knowing the expense and the time consumed by both the students and the teacher, one can sumed by both the students and the teacher, one can compute the indices of efficiency for various pedagogical methods.—A. B. Hunter (Clark).

5048. Kalznelson, S. S., & Brodovskaya, V. S. [The characteristics of children admitted to the first grade of manual training schools.] Pedologiya, 1930, 350-368.—The authors made a medico-pedological study of 1045 children admitted to the first grade of 12 primary schools (504 boys and 541 girls). The ages varied from 7 to 10. The following matters were considered: the social situation of the children, the hereditary influences, the physical development, the state of health, the psychoneurological condition (vertigo, speech disturbances, the knee jerk, the pupillary reflex, the thyroid gland, and incontinence), and the intelligence level as measured by Rossolimo's abbreviated tests. The authors elaborated the statistics obtained, drawing the following conclusions: since the children entering the schools conclusions: since the children entering the schools represent a heterogeneous group from the biological and social points of view, the composition of the first grade of the primary schools should be based entirely on a preliminary pedological investigation; after the age of seven, instruction should not be obligatory; all children of 7 years of age who desire to attend the school should be admitted; and special leaves with individualized instruction should be classes with individualized instruction should be created for retarded children .- A. B. Hunter (Clark).

5049. Kapuste, E. Individualpsychologie im Unterricht. (Individual-psychology in teaching.)

Int. Zsch. f. Indiv.-psychol., 1932, 10, 312-313.—The
lesson on Joseph and his brethren is used in religious
education to show eight-year-old school children how
personal relationships and problems among brothers and sisters and between parents and children develop. Moral precepts are avoided. The children are led to distinguish between false goals and real goals, and to evaluate achievements objectively in terms of usefulness for all concerned.—O. N. de Weerdt (Beloit).

5050. Krause, P. Zum Problem der Schulreife. (A contribution to the problem of scholastic maturity.) Zsch. f. pää. Psychol., 1930, 31, 278-302.—The author gave a series of intelligence tests to children entering the first year of primary school in 1921, 1923, and 1925, and he then followed their scholastic careers. Detailed tables are given of his results, of which the following are examples. 1921 entrants: 10 out of the 27 children tested continued their studies or entered language classes, and 7 of these were in or entered language classes, and 7 of these were in the first ranks according to the tests passed at the age of 6, while the other 3 held ranks 11, 14, and 19. 1923 entrants: 7 out of 26 continued their supple-mentary studies and were among the highest 11 of their group. 1925 entrants: 9 out of 31 entered

classes in foreign languages and were among the upper 18 of their group. The failures were found to be grouped at the bottom of the psychotechnical list. 1921 entrants: 4 children who were obliged to enter special training classes ranked 23, 25, 26, and 27, while one child who was obliged to repeat two classes ranked 24. 1923 entrants: 3 children sent to a school for mentally retarded children had ranks 10, 17, and 26. 1925 entrants: a child sent to a school for retarded children ranked last in this group. The author is especially interested in determining the moment at which the child is old enough to be placed in the various classes. The solution, already proposed by a German writer, of determining entrance into classes by means of intelligence tests and not by chronological age, seems to the writer to be an improvement over the present system but not a complete solution of all the pedagogical, psychological, and social difficulties involved.—A. B. Hunter (Clark).

5051. Kwalwasser, J. Problems in public school music. New York: Witmark, 1932. Pp. 166. \$2.00. -R. R. Willoughby (Clark).

5052. MacRae, M., & Uhl, W. L. Types of errors and remedial work in the fundamental processes of algebra. J. Educ. Res., 1932, 26, 12-21.—Data from 104 ninth-grade pupils in the East High School, Superior, Wisconsin. The children were divided into four groups with regard to IQ determined by the Otis Self-Administering Tests. An analysis of the errors indicates that those of multiplication and division were of most frequent occurrence. Other difficulties are noted.—S. W. Fernberger (Pennsyl-

5053. McElwee, E. W. A comparison of the personality traits of 300 accelerated, normal, and retarded children. J. Educ. Res., 1932, 26, 31-34.-A study was made of 300 children in Public School 208, Brooklyn, N. Y., divided into three equal groups of accelerated, normal, and retarded. In each case the teachers were asked to check a list of 14 characteristies, such as interest in school work, good effort, quietness, obedience, calmness, talkativeness, restlessness, stubbornness and listlessness. The results indicate that all three groups possessed more desirable than undesirable traits. In general, the accelerated children seemed to possess a greater degree of all the desirable traits than did the retarded children.—S. W. Fernberger (Pennsylvania).

5054. McNeely, J. H. Paculty inbreeding in land-grant colleges and universities. Washington, D. C.: U. S. Office of Education, 1932. Pamphlet No. 31. Pp. 25.—"The data were collected through questionnaires sent direct by the Office of Education to the institutions, where they were distributed to the staff members, filled out individually by them, and later returned to the office by the institutions. ...

The data do not represent the entire faculty of each institution. institution." In some of the universities only a minor proportion of the faculties made returns. Of the 6,754 who reported on their undergraduate training, 21.6% secured all, 8.1% secured part, and 70.3% secured none of their undergraduate training at the institution where they were employed in 1927-28. Of the 5,910 who reported on their graduate train-

ing, 18.1% secured all, 18.9% secured part, and 63.0% secured none of their graduate training at the institution where they were employed. Of the 6,754 who reported on their entire training (both undergraduate and graduate), 11.7% secured all, 32.7% secured part, and 55.6% secured none of their training at the institution where they were employed. A comparison of seven major fields of teaching showed that engineering had the highest and home economies the lowest percentage of home-trained faculty members. Of the instructors, 59.1% obtained all or part of their entire training in their own institutions in contrast with 32.1% for professors. The median salaries of staff members who obtained all or part of their training in their own institutions were found to be from \$32 to \$285 higher than the median salary of those trained in other institutions in every academic rank except instructor.—A. K. Kurts (U. S. Civil Service Commission).

5055. Muchow, M. Zum Problem der Zeugnisreform. (On the problem of reform in scholastic reports.) Zsch. f. päd. Psychol., 1930, 31, 222-233.— Among other efforts to adapt the instruction of children to present-day psychology in Germany has been included the question of revision of scholastic reports. Certain pedagogues advocate the elimination of grades, psychological portraits of the school children being used instead. Others demand the entire suppression of any method of grading. Muchow believes, however, that the parents and the children themselves require an evaluation of the work done by the pupils, and she advocates the conservation of some sort of method of estimating scholastic achievement, the schoolmaster to be at liberty to determine his own method of describing and analyzing the child's work. Such an analysis would, furthermore, indi-rectly furnish a psychological profile of the child. She also advocates the grouping of scholastic subjects according to their psychological relationship instead of according to their traditional division, which is pedagogically and psychologically unsound.

—A. B. Hunter (Clark).

5056. Olander, H. T., & Sharp, E. P. Long division versus short division. J. Educ. Res., 1932, 26, 6-11.—Study of the results from 1265 pupils from grades IV to XII inclusive in four different school systems. They were tested with an examina-tion of 7 difficult examples, 5 of which had onedigit divisors. In another similar test of 10 problems, the pupils were asked to work 5 by long division and 5 by short division methods. From an examination of the results the authors conclude that 75% of the children chose to work difficult examples in di-vision with one-digit divisors by the long division method, and that they used the long division method with greater accuracy.-S. W. Fernberger (Pennsylvania).

5057. Otis, A. S. Ability grouping. School & Soc., 1932, 36, 116-118.—The author attempts a refutation of the arguments presented by another writer against ability grouping in the schools. Otis contends: (1) that the difficulty of administering a program involving ability is not insurmountable;
(2) that the schemes employed in the classification

of pupils, while not perfect, do work fairly well and can be improved; (3) that where ability grouping prevails, the curriculum is almost automatically modified in keeping with the new arrangement; (4) that success in work at one's mental level is a good preparation for later living; (5) that ability groups are still sufficiently heterogeneous to be stimulating.— H. L. Koch (Chicago).

5058. Pavlov, P. K. [A study of the characteristics of adult instruction under the conditions of three historical epochs.] Trudy II Univ. Moskva, 1, 51-76.—The author examines briefly three types of propaganda of ideas among adults: the feudal type, the bourgeois-individualist type, and the Soviet type of instruction. He discusses their fundamental characteristics, their field of activity, their organization as to material, etc.—A. B. Hunter (Clark)

5059. Renwick, E. M. Children's misconceptions concerning the symbol for mathematical equality. Brit. J. Educ. Psychol., 1932, 2, 173-183.—Tests are shown to objectify the commonly observed inability of ten- to twelve-year-old children to interpret as a unity a mathematical expression whose parts as a unity a mathematical expression whose parts are connected by the sign of equality. To them it means an instruction to do the process preceding the sign in order to obtain the answer which should fol-low. When the word "equal" is introduced its mean-ing tends to become "same," and to be replaced in-discriminately by "alike," or it is used in connection with resemblances where neither degree nor quantity is involved.—K. M. Cowdery (Stanford).
5060. Seidler, B. Der Schüleraufsatz als Aus-

druck der kindlichen Persönlichkeit. (School es says as expressions of the personality of the child.)

Int. Zoch. f. Indiv.-psychol., 1932, 10, 304-311.—
Seidler again presents her thesis that school essays can aid the teacher in understanding her pupils. Fundamental attitudes and trends can be deciphered. The writer reports an inability to develop a standardised objective method for the psychological analysis of such essays; and concedes that the social, economic, and familial environment of the child must

also be carefully considered. Five essays from one child are presented in part as illustrative material.—
O. N. de Weerdt (Beloit).

5061. Stoke, S. M., & Lehman, H. C. The relative importance of ability and industry as determinant of scholastic achievement. ers of scholastic achievement. Harvard Teach. Rec., 1932, 2, 117-123.—The writers contend that there is no general answer to this question and that it can be answered only for specific situations, with the nature of the measurements specified. In support of their contention, they show that three different measures of industry will produce three different answers to the problem. No fully valid measure of industry has been developed and the writers admit that their objective of the problem. jective measure is faulty. Additional methods of measuring industry will probably secure still different results. Achievement may also be measured in different ways so as to stress either the fruits of industry or ability. In doing this the writers found they could alter their results at will so as to make first one or the other of industry and ability appear more important. The measure of ability used was an in-

telligence test, but it is pointed out that such measures of ability are not valid in determining ability in art or other of the less academic subjects. In the average college or university a good many "non-academic" courses contribute toward a student's scholarship average and true measures of ability and industry have not been devised for these. Consequently it is inaccurate to study this question by use of average marks. Methods of instruction may be made to favor either ability or industry with the con-sequence that what may be true in one instructor's classes may be untrue in another's. Finally it is suggested that the importance of ability varies inversely with the homogeneity of the student body while the importance of industry varies directly with the homogeneity of the student body—provided marks are given on a competitive basis.—S. M. Stoke (Mount Holyoke).

(Mount Holyoke).

5062. Thompson, E. I. M. A study of the efficiency of "individual work." Part I. Bris. J. Educ. Psychol., 1932, 2, 212-220.—When the Edinburgh infant department organized an individual work group ("curriculum centered") and a year later a "child centered" expression-type group, tests were given annually to compare the results with control classes taught in the "usual" way. Tests of intelligence, reeding, appelling and arithmetic for three

trol classes taught in the "usual" way. Tests of intelligence, reading, spelling and arithmetic for three successive years ahow that the first experimental group starts with and fully maintains superiority over the control group used and in all of the tests.—

K. M. Cowdery (Stanford).

5063. Warner, M. L. Meeting the problem of special children. J. Abn. & Soc. Psychol., 1932, 26, 405-408.—Unstable feeble-minded children should be placed in custodial institutions. The stable feeble-minded can be cared for in special classes in the pubminded can be cared for in special classes in the pub-lic schools. The group above the level of feeblelie schools. The group above the level of feeble-minded and below the average, and the unusually brilliant also should be provided with special classes, leaving the average children to progress normally.—

C. H. Johnson (Boston Psychopathic Hospital).

5064. Whitlow, C. M. The prevalence of smoking and drinking among high school pupils. School & Soc., 1932, 36, 177-178.—The results of the study are based on the returns from an approximate the

Sec., 1932, 36, 177-178.—The results of the study are based on the returns from an anonymous questionnaire filled out by 750 students in a six-year high school in the Rocky Mountain region. Where a preliminary honesty test indicated lack of good faith in the responses, the returns were discarded. One-third of the boys and two-thirds of the girls said they never smoked. Three-fourths of the pupils indicated that they believed smoking to be harmful, while two-thirds are of the enjinion that girls have as much right to were of the opinion that girls have as much right to smoke as do boys. Three-fourths of the boys and nine-tenths of the girls asserted that they never drank. It is considered that the influence of the school is negligible in relation to the practices of smoking and drinking.—H. L. Koch (Chicago).

[See also abstracts 4689, 4772, 4931, 5021, 5028, 5030, 5086.]

BIOMETRY AND STATISTICS

5065. Irwin, J. O. Mathematical theorems involved in the analysis of variance. J. Roy. Statis. Asso., 1931, 94, 284-300.—(Biol. Abst. VI: 12602).

5066. Stevenson, P. H. Conversion of non-metric data to form suitable for statistical comparison. Amer. J. Phys. Anthrop., 1931, 16, 91-96.—(Biol. Abst. VI: 12611).

5067. Stadencki, S. M. W obronie sredniej arytmetycznej. (In defence of the arithmetical mean.) Psikhoteknika, 1930, 4, 147-154.—The author's criticism is directed chiefly against the recent work of Macewicz. He believes that, if the use of the arithmetical mean did not give the results expected by the latter, the fault was due to a lack of homogeneity in the groups studied. He advocates the re-tention of the arithmetical mean, supplementing it by the average deviation or, for a large number of subjects, by the mode and the median.—A. B. Hunter

5068. Wilks, S. S. The standard error of a tetrad in samples from a normal population of independent variables. Proc. Nat. Acad. Sci., 1932, 18, 562-565. The exact expression for the standard error of t₁₂₈₁ in samples from a normal population in which the inter-correlations of the four variables are zero

is derived and found to be $\sqrt{\frac{2(N-2)}{(N-1)^3}}$. "The use of the foregoing really of the foregoing

of the foregoing method for finding the exact value of the standard error of time in samples from a general normal population of four variables leads to extremely complicated results which seem to defy simplification."—A. K. Kurts (U. S. Civil Service Commission).

5069. Wright, S. Statistical methods in biology. J. Amer. Statis. Asso. (Suppl.), 1931, 26, 155-163.

—A brief review of the fields of application of statistical methods to biology and a more detailed illustration of one of these: the interpretation of statistical descriptions in terms of causal relations. The method of path coefficients is used in the analysis of the rôles of heredity and environment as factors determining differences in intelligence quotient among children, using Burks' data from adopted children and own children. The results are contrasted with those of the method of multiple regression in obtaining a prediction equation.—(Biol. Abst. VI: 12618).

[See also abstract 4930.]

MENTAL TESTS

5070. Babcock, H. A note on the Pintner-Paterson performance scale. J. Abn. & Soc. Psychol., 1932, 27, 63-64.—When foreigners who had usually been tested with only the short form of the Pintner-Paterson performance scale were tested with the long Terman scale, it was found that the performance scale tends to rate adults lower than does the Terman.—C. H. Johnson (Boston Psychopathic Hos-

5071. Bonaventura, E. Prove d'intelligenza ed esercizi scolastici. (Intelligence tests and school exercises.) Vita scol., 1932, 3, 1-5.—The author sees in certain intelligence tests (such as graphic narrations, tests of analogy or proportion, criticism of absurdities, etc.) very suitable exercises for the de-velopment of intelligence; and proposes that these exercises be introduced into the curriculum, with the practical aim of mental development .- R. Calabresi

5072. Bruckner, A. Ueber amerikanische Intelligenzforschungen. (American researches on intelli-gence.) Visch. f. Jugendk., 1931, 1, 247-258.— Bruckner gives a brief outline and a critical review of Thorndike's Measurement of Intelligence. The greatest value of Thorndike's researches is that he has succeeded in bringing system into many of the hitherto confused aspects of intelligence measurement and has developed new methods which in many respects approach a clarification of the subject. Especially, through narrowing the total field of intelli-gence to the intellect CAVD, he has been able to devise a more rigid and exact method for the de-termination of degrees of difficulty in intellectual Aufgaben and to prepare the way for the construction of an absolute scale. For him, the intelligence problem is primarily one of Aufgaben, and from the results of these he builds up his theory. One should compare this method with W. Stern's in The Intelligence of the Child and Adolescent, in which the theory is taken up first, then the methods of examination, and finally the applications developed from it, i.e., the personalistic in contrast with the behavioristic attitude. Bruckner disagrees with Thorndike's assumption that a quantitative factor is the fundamental cause of differences in native intelligence. He believes that grades of intelligence are distinguished rather by qualitative differences in the original endowment of associative power. Stress on pure quantity of associations without regard to quality leads into the field of fantasy rather than that of intelligence. Furthermore, non-intellectual factors also come into consideration in the measurement of intelligence. Thorndike emphasizes that his hypothesis relates to inborn abilities, and he shows the method of differentiating these from the acquired. His method, however, is very inclusive and tedious, and is scarcely of practical importance in determining the grade of intelligence actually present at a given time, to say nothing of native intelligence. Moreover, one misses in Thorndike's studies the express recognition that intelligence is a relative conception. His scale is only apparently absolute. It could not conceivably hold for all times, all nationalities, or all vocations. Finally, his measurements involve the danger of splitting up the personality into partial abilities without ever grasping the total intelligence. When it is a question of determining a certain ability, his method is to be highly recommended, but for judgment of the total personality in regard to intelligence, it is insufficient.—M. E. Morse (Catonsville, Md.).

5073, Copeland, H. A. Pamiliarity of the stimulus in the word association test for measuring emotions. J. Abn. & Soc. Psychol., 1932, 27, 89-91.— Failure or hesitancy to respond to a stimulus word, particularly among children, is often due to unfamiliarity with the word.—C. H. Johnson (Boston Psychopathic Hospital).

5074. Davis, R. C. Ability in social and racial classes. New York: Century, 1932. Pp. xiv + 114. \$1.75.—Measurements were made of the latent time

of the Achilles reflex, tapping speed, and body resistance between the backs of the wrists. The subjects were of eight groups, viz., white and negro college students, white and negro feeble-minded, white and negro school children (the white divided into a country and a city group) country and a city group), and mountaineer chil-dren. Statistically significant differences were found for all three measures in a large number of the intergroup comparisons, but there is much overlapping between groups. There is extensive discussion of the apparatus used, previous work on the problem, and the possible significance of the results.—R. R. Willoughby (Clark).

5075. Frickx, J. Le test P. V. du Dr. Simon (II partie). (The Simon P. V. test, second part.) Bull. trimes. de l'office intercommunal d'orient. prof. de Bruxelles, 1930, 9, 22-34.—The author gives an entire reproduction of the P. V. test, Part II, with a correction reckoner which is of great value, since such a scale is rarely found. He applied the test to 170 children from 11 to 15 years of age, students in the Brussels elementary schools. From his results be concludes that the test should not be given to children younger than 13 and that it is applicable up to 18 years. He set a time limit of one hour, but since a great number of the children failed to finish in this period, he believes that they should be allowed an unlimited period as recommended by Simon.—A. B. Hunter (Clark).

5076. Hetzer, H., & Koller, L. Vier Testreihen für das zweite Lebensjahr. (Four series of tests for the second year of life.) Zsch. f. päd. Psychol., 1930, 31, 257-306.—This series of tests continues those published in 1928 for babies. The children were examined every quarter by means of development tests, and the authors sought to discover the characteristic functions for each phase. Four essential aspects were considered: mastery of the body, such as ability to stand alone, to hold to a chair, etc., and, later, self-mastery, such as obedience to an order, patience, perseverance, precaution, etc.; mastery of concrete materials, such as comprehension of pictures, attention to designs, colors, observation of construction made by another, games composed of cubes, sticks, etc.; social behavior with or without the aid of language; and memory, such as memory for an object shut in a box for a given time. The tests are graded so that they can be performed by 75% of normal children for a given age. Each child is given the test for his chronological age and for the pre-ceding and following periods. Each test corresponds to a mental period of 9 days, and the results are added to or subtracted from the whole according to the success of the child .- A. B. Hunter (Clark).

5077. Heywood, H. B. The general factor in Spearman's theory of intelligence. Nature, 1931, 127, 306-307.—A short note on the mathematical aspect of Spearman's theory. A thorough, extrastatistical knowledge of the tests used is urged.—A. B. Hunter (Clark).

5078. Hsiao, H. H. A test of multi-adaptability. Mental Testing (Chinese), 1932, 1, 16-21.—The author describes an intelligence test called "a test of multi-adaptability." It consists of five parts in ten

pages. The first page is used for name, age, and amount of education. At the bottom of this page is an explanation of the aim of the test. The methods and explanations of the first four parts are found on pages 2, 4, 6, and 8 respectively, while the materials of these four parts are on pages 3, 5, 7, and 9 respectively. The last page is used exclusively for the fifth part. The purpose of this kind of arrangement is to avoid bringing the material and the exclusives within the material and the exclusives within the second of the second planations within the same field of vision. In the first part there are ten problems. Subjects are required to distinguish the relation between A and B. If A and B are even numbers, their sum is to be written on the detailed line. If A and B are odd numbers, their difference is to be written on the full line. In the second part there are twenty problems. The materials used are still the two letters A and B, which represent sometimes odd numbers and sometimes even numbers. The task is to subtract the smaller from the larger. For instance, when A is an even number and B an odd number, the difference is to be written on the dotted line if A is larger than B; and on the full line if A is smaller than B. But when A is an odd number and B an even number and A is larger than B, the difference is to be written on the full line; if smaller, on the dotted line. In the third part, there are eighteen problems. In addition to A and B, we have C and D. The method is the same as above. In the fourth part there are also eighteen problems. The method is just the opposite of the second and third parts, i.e., instead of subtraction addition is used. The fifth part is the same as the fourth, except that the use of dotted and full lines is irregular. The time limits for the five parts of the test are: 24 seconds, 3 minutes, 4 minutes and 32 seconds. test are: 24 seconds, 3 minutes, 4 minutes and 32 seconds, 5 minutes, and 3 minutes, respectively. The characteristics of this test of multi-adaptability are (1) that education and training have no appreciable effect upon its score, (2) that mechanical or rote memory is not involved, (3) that irrelevant factors such as eyesight or reading ability are not involved, (4) that two kinds of adaptability are used, namely, positive anticipation and negative unexpected adaptation, and (5) that it demands quick and constant change of attention and mental set from the subject. The method of scoring takes account of both the numerical answers and the position of the answers. The first part is too easy to be used as an intelligence test. The subjects are all college undergraduates and graduates ranging from 18 to 50 years of age. Nine records are discarded. The correlation from 72 subjects with the Otis Self-Administering Test is $.54 \pm .06$. The coefficient of reliability by the splithalf method is $.68 \pm .04$.—S. K. Chou (Tsing Hua University, Peiping, China).

5079. Jaxa-Bykowski, L. Kilka uwag o odpowiedziach blednych przy badaniach pedologicznych.
(Some observations concerning the false responses
obtained in pedological studies.) Kwar. Psychol.,
1930, 2, 49-57.—In estimating the results obtained
from intelligence tests, particularly the negative results, experimenters are apt to adopt certain
schematisms which may give rise to hasty or erroneous diagnostics or prognostics. There are a great

number of wrong responses which may be due to accidental causes arising from the three following sources: the attitude of the child (momentary distraction, fatigue, indisposition, unwillingness, suspicion, apathy, etc.); the personality of the experimenter (unsuitable attitude, some kind of infirmity); and the method of wording or asking the questions. This third source of error is of great importance. The tests may not be adapted to the social and ethnic environment of the child or may not take sufficiently into account the realities of life (the syllogisms tests). Therefore, responses may be given which are false in appearance only. Generally speaking, the results obtained from group tests should not be used for diagnostic purposes without the supplementary information gained from individual tests.—A. B. Hunter (Clark).

5080. Koester, H. L. Ueber das Verhaltnis der intellectuellen Begabung sur musikalischen, zeichnerischen und technischen Begabung. (On the relations between intellectual aptitudes and talents for music, drawing, and technical skills.) Zech. f. päd. Psychol., 1930, 31, 399-403.—For the purpose of studying intercorrelations between intellectual ability and special talents in music and design and in technical skills, Koester made a series of investigations in three different types of schools (primary, intermediate, and secondary). The teachers were asked to classify the subjects into six groups according to order of merit from the point of view of each aptitude. The results obtained from 3,000 subjects were found to be similar for the three types of schools investigated. Uniting the two groups at either end of the scale (thus making four main groups), the author found the following relations between intellectual and musical abilities: 40% of the subjects in the first two groups for musical ability were in the first two groups according to intelligence; 31% of them were in the third intelligence group; 26% were in the fourth; and 23% were in group; 26% were in the fourth; and 23% were in the last two groups. The percentages of the subjects classified in the last two musical groups were 10, 14, 31, and 28 as regards the four main divisions of the intelligence ranking. For drawing, the importance of the first two groups varied as follows as a function of the intelligence groups: 42%, 30%, 20%, and 12%. The subjects in groups 5 and 6 were 5%, 8%, 14%, and 17% of the four main intelligence groups. In regard to the technical questions, 54% in the first main group were found in the highest in the first main group were found in the highest intelligence division, 35% in the second, 25% in the third, and 21% in the combined last two groups. Students in groups 5 and 6 for technical skill were Students in groups 5 and 6 for technical skill were found in the four intelligence groups as follows: 4%, 6%, 9%, and 17%. Thus it was clearly demonstrated that, to the degree that we pass from the superior groups in intelligence to the lower groups, the percentage of subjects having very definite special talents decreases, while the percentage of those judged to be mediocre in skill correlatively increases.

—A. B. Hunter (Clark).

5081. Levitov, N. D. [The test of "compositions of pictures" for the study of intelligence.] Psikhotekn. i psikhofisiol. truda, 1930, 3, 129-142.—The test

consists in giving the children certain titles and then asking them to imagine several suitable picture compositions. 149 children of the seventh grade, from 14 to 19 years of age, were tested. The following titles were used: "Captured," "The Squall," and "The Victim of Duty." Two and a half minutes were allowed each time for imagining the composition of the pictures. For all of the three topics the number of correct solutions varied from 1 to 18, while the arithmetical mean was 7.35 ($\sigma = 4.05$). The average intercorrelations between the three topics varied from .49 to .55, if the number of responses only was considered. Taking into account the degree of originality of the responses, the intercorrelations were higher: .53 to .68 according to the classes tested. The coefficient of multiple correlation with scholastic standing (the mother language and social sciences) was .53 on the average. Believing that by means of this test certain important aptitudes regarding teaching ability could be disclosed (ability to give concrete examples rapidly and to express them in a concise and striking form), Levitov tested a group of normal school students. He found that correlations with estimates of the pedagogical abilities of the students were $\rho=.50$ for 25 fourth-year students and $\rho=.66$ for 21 third-year students .- A. B. Hunter (Clark).

5082. Nassri, K. Tests d'intelligence et rendement scolaire. (Intelligence tests and scholastic achievement.) Paris: Presses Universitaires, 1930. Pp. 246.—The author gave a group of Paris school children two different types of tests: a verbal form which consisted of the Lahy intelligence test plus certain additional questions from other writers; and a non-verbal form, the Pintner-Paterson performance test. These tests and their application are described in detail and the results given. Though he believes that the two types are intended for different forms of intelligence, Nassri found that the index of correlation obtained through a comparison of the intelligence quotients for the two methods was quite high, being .68 ± .036 for 100 subjects. Unfortunately the non-verbal test (the American standardization of which is not valid for Paris children) is best suited for the determination of levels for young children. Its upper limit is too low, for the tests are not suited to children beyond the age of 9. Thus a comparison of the two methods is not entirely satisfactory Nassri discusses the possible uses of the tests for comparisons of groups and for individual analyses of abnormal cases. He gives a detailed example of such a case .- A. B. Hunter (Clark).

5083. Piaggio, N. T. H. The general factor in Spearman's theory of intelligence. Nature, 1931, 127, 56-57.—A short note on the mathematical aspect of Spearman's theory.—A. B. Hunter (Clark).

5084. Root, A. R., & Root, E. B. A study of the Neymann-Kohlstedt diagnostic test for introversion-extroversion. J. Abn. & Soc. Psychol., 1932, 26, 415-421.—This study of the Neymann-Kohlstedt test tends to corroborate the findings of the designers. Changeability, variability, or stability were found to vary according to a curve of chance.—C. H. Johnson (Boston Psychopathic Hospital).

5085. Thomson, G. H. The standardization of group tests and the scatter of intelligence quotients. A contribution to the theory of examining. Brit. J. Educ. Psychol., 1932, 2, 125-138.—Suggests that IQ's be replaced by standard scores with the mean score for an age given the value 50 and the standard deviation 15. Warning is given against preventing the obtaining of scores in upper ranges by including too difficult problems and allowing inadequate scores to correct answers. "Allowance for age" in group subject-matter tests needs to be based on the statistical facts of the particular examination, not on some arbitrary pre-arranged scheme. Appendices are included on fitting lines of norms by least squares, on calculating r and regression lines, on drawing a normal curve to fit a distribution of scores, and on samples from Moray House test 11.—K. M. Cowdery (Stanford).

5086. Thouless, R. H. A fallacious argument in educational psychology. Brit. J. Educ. Psychol., 1932, 2, 196-198.—The author takes issue with the assumption that a test is shown to be an improved measure of an aptitude if it gives a higher correlation with the mean of scores on two tests than with those of each separately. He states that Spearman's correlation of sums estimated from two magnitudes measured separately proves that the above relationship exists whether the test is good or bad.—K. M. Cowdery (Stanford).

5087. Weber, C. O. Further tests of the Wells emotional age scale. J. Abn. & Soc. Psychol., 1932, 27, 65-78.—The third revision of this test gave higher correlations with other variables than did the first revision. There was a positive correlation with intelligence which the author considered too high and which should be corrected in the fourth revision. Both emotional and mental ages correlated negatively with the degree of offense, as was expected. Both tests correlated negatively with chronological age. The author suggests that this test may reveal that human thinking is bimodal, not unimodal.—C. H. Johnson (Boston Psychopathic Hospital).

testow wobee dazen do ujednostajnienia. (Methods of evaluating the results of tests and attempts at rendering them uniform.) Biegeleisen, B. Jesscze o ocenie wynikow testow. (Additional remarks apropos of the evaluation of test results.) Wojciechowski, J. Odpowiedz p. Drowi B. (Response to Biegeleisen.) Psykoteknika, 1930, 4, 166-181.—The articles are a polemic apropos of the different methods used in the psychotechnical institutes in Poland. Wojeiechowski, who is a partisan of the use of a single method, proposes that Galton's or Claparède's method should be adopted, while Biegeleisen, who does not consider that uniformity of method is entirely desirable, advocates the use of the Otis curve which is, according to his viewpoint, only that of Galton transposed to different coordinates.—A. B. Hunter (Clark).

[See also abstracts 4709, 4773, 4811, 4920, 4957, 5012, 5020.]

Directory of American Psychological Periodicals

- American Journal of Psychology—Ithaca, N. Y.; Cornell University.

 Subscription \$6.50. 624 pages annually. Edited by M. F. Washburn, K. M. Dallenbach, Madison Bentley, and E. G. Boring.

 Quarterly. General and experimental psychology. Founded 1887.
- Journal of Genetic Psychology—Worcester, Mass.; Clark University Press.

 Subscription \$14.00 per annum; \$7.00 per volume. 1,000 pages annually (2 volumes). Edited by Carl Murchison.

 Quarterly. Child behavior, animal behavior, and comparative psychology. Founded 1891.
- Psychological Review—Princeton, N. J.; Psychological Review Company. Subscription \$5.50. 540 pages annually. Edited by Howard C. Warren. Bi-monthly. General psychology. Founded 1894.
- Psychological Monographs—Princeton, N. J.; Psychological Review Company.
 Subscription \$6.00 per vol. 500 pages. Edited by Herbert S. Langield.
 Without fixed dates, each issue one or more researches. Founded 1895.
- Psychological Index—Princeton, N. J.; Psychological Review Company.
 Subscription \$4.00. 300-400 pages. Edited by Walter S. Hunter and R. R. Willoughby.
 An annual bibliography of psychological literature. Founded 1895.
- Psychological Bulletin—Princeton, N. J.; Psychological Review Company.
 Subscription \$6.00. 720 pages annually. Edited by Edward S. Robinson.
 Monthly (10 numbers). Psychological literature. Founded 1904.
- Archives of Psychology—New York, N. Y.; Columbia University.
 Subscription \$6.00. 500 pages per volume. Edited by R. S. Woodworth.
 Without fixed dates, each number a single experimental study. Founded 1906.
- Journal of Abnormal and Social Psychology—Eno Hall, Princeton, N. J.; American Psychological Association.

 Subscription \$5.00. 448 pages annually. Edited by Henry T. Moore.

 Quarterly. Abnormal and social. Founded 1906.
- Psychological Clinic—Philadelphia, Pa.; Psychological Clinic Press.
 Subscription \$3.00. 288 pages. Edited by Lightner Witmer.
 Without fixed dates (9 numbers). Orthogenics, psychology, hygiene. Founded 1907.
- Psychoanalytic Review—Washington, D. C.; 3617 10th St., N. W. Subscription \$6.00. 500 pages annually. Edited by W. A. White and S. E. Jelliffe. Quarterly. Psychoanalysis. Founded 1913.
- Journal of Experimental Psychology—Princeton, N. J.; Psychological Review Company.
 Subscription \$7.00. 700 pages annually. Edited by Samuel W. Fernberger.
 Bi-monthly. Experimental psychology. Founded 1916.
- Journal of Applied Psychology—Baltimore, Md.; Williams & Wilkins Company.
 Subscription \$5.00. 400 pages annually. Edited by James P. Porter.
 Bi-monthly. Founded 1917.
- Journal of Comparative Psychology—Baltimore, Md.; Williams & Wilkins Company.

 Subscription \$5.00 per volume of 450 pages. Three volumes every two years. Edited by Knight Dunlap and Robert M. Yerkes.

 Founded 1921.
- Comparative Psychology Monographs—Baltimore, Md.; The Johns Hopkins Press.
 Subscription \$5.00. 400 pages per volume. Knight Dunlap, Managing Editor.
 Published without fixed dates, each number a single research. Founded 1922.
- Genetic Psychology Monographs—Worcester, Mass.; Clark University Press.

 Subscription \$14.00 per annum; \$7.00 per volume.

 Monthly. Each number one complete research.

 Child behavior, animal behavior, and comparative psychology.

 Founded 1925.
- Psychological Abstracts—Eno Hall, Princeton, N. J.; American Psychological Association.
 Subscription \$6.60. 700 pages annually. Edited by Walter S. Hunter and R. R. Willoughby.
 Monthly. Abstracts of psychological literature. Founded 1927.
- Journal of General Psychology—Worcester, Mass.; Clark University Press.

 Subscription \$14.00 per annum; \$7.00 per volume. 1,000 pages annually (2 volumes). Edited by Carl Murchison Quarterly. Experimental, theoretical, clinical, and historical psychology. Founded 1927.
- Journal of Social Psychology—Worcester, Mass.; Clark University Press.
 Subscription \$7.00. 500 pages annually. Edited by John Dewey and Carl Murchison.
 Quarterly. Political, racial, and differential psychology. Founded 1929.

"SCIENTIA"

INTERNATIONAL REVIEW OF SCIENTIFIC SYNTHESIS
Published every month (each number containing 100 to 190 pages)
Edited by F. Bottassi, G. Brani, F. Eariques

- IS THE ONLY REVIEW the contributors to which are really international.
- IS THE ONLY REVIEW that has a really world-wide circulation.
- IS THE ONLY REVIEW of scientific synthesis and unification that deals with the fundamental questions of all sciences; the history of the sciences, mathematics, astronomy, geology, physics, chemistry, biology, psychology and sociology.
- 1S THE ONLY REVIEW therefore, which, while immediately interesting students of psychology by its numerous and important articles and reports relating to this science, presents them also with the means of knowing, in a summary and synthetic form, the chief problems of all the other branches of knowledge.
- 1S THE ONLY REVIEW that among its contributors can boast of the most illustrious men of science in the whole world.
- The articles are published in the language of their authors, and every number has a supplement containing the French translation of all the articles that are not French. The review is thus completely accessible to those who know only French. (Write for a free copy to the General Secretary of "Scientia," Milan, sending 12 cents in stamps of your country merely to cover packing and postage.)

SUBSCRIPTION \$10, post free

OFFICE: Via A. De Togni, 12

General Secretary: DR. PAOLO BONETTI

Milen (116)

A COMPREHENSIVE ABSTRACTING AND INDEXING JOURNAL OF THE WORLD'S LITERATURE
IN THEORETICAL AND APPLIED BIOLOGY, EXCLUSIVE OF CLINICAL MEDICINE

BIOLOGICAL ABSTRACTS

Under the Auspices of the Union of American Biological Societies, with the Cooperation of Biologists Generally

- 1 publishes concise and intelligent abstracts contributed by thousands of specialists from every field of theoretical and applied biology;
- 2 furnishes annually: (a) an author index; (b) an extensive alphabetic subject index; (c) a complete systematic index providing an adequate approach to taxonomic (and much non-taxonomic) information on a group basis;
- 3 searches over 5000 journals representing every civilized language, abstracts all pertinent matter in English but gives the citation in the original language;
- 4, charges for this service \$15.00 per annual volume with a special rate of \$9.00 to individuals who pay for the subscription from their private purse.

Orders and correspondence should be addressed to

BIOLOGICAL ABSTRACTS, UNIVERSITY OF PERCENTLYANIA, PHILADELPHIA, PA., U.S.A.





EDITED BY

WALTER S. HUNTER, CLARK UNIVERSITY RAYMOND R. WILLOUGHBY (Associate Editor) CLARK UNIVERSITY

WITH THE COOPERATION OF

F. C. BARTLETT, CAMBRIDGE UNIVERSITY ED. CLAPARÈDE, UNIVERSITY OF GENEVA † G. C. FERRARI, UNIVERSITY OF BOLOGNA

A. MICHOTTE, UNIVERSITY OF LOUVAIN

L. E. MIRA, University of Barcelona W. WIRTH, University of Luiping

V. OSIPOV, LENINGRAD H. PIÉRON, SORBONNE M. PONZO, UNIVERSITY OF ROME

P. RANSCHBURG, HUNGARIAN UNIVERSITY

M. L. REYMERT, MOOSBHBART, ILL.

CONTENTS

Author	Index639-	651
Subject	Index652-	-680
Additio	nal Bibliographic Sources	1

PUBLISHED MONTHLY, WITH TWO ISSUES DURING DECEMBER, BY

THE AMERICAN PSYCHOLOGICAL ASSOCIATION

PRINCE AND LEMON STS., LANCASTER, PA.

Business Offices: PSYCHOLOGICAL REVIEW COMPANY LANCASTER, PA., AND PRENCEPTON, N. J.

Subscription, \$6.00 per year; Foreign, \$6.25.

Entered as second-class matter February 5, 1927, at the post-office at Lancaster, Pa., under the Act of March 3, 1879.



EDITED BY

WALTER S. HUNTER, CLARK UNIVERSITY RAYMOND R. WILLOUGHBY (Associate Editor) CLARK UNIVERSITY

WITH THE COOPERATION OF

F. C. BARTLETT, CAMBRIDGE UNIVERSITY V. OSIPOV, LENINGRAD

ED. CLAPARÈDE, UNIVERSITY OF GENEVA

†G. C. FERRARI, UNIVERSITY OF BOLOGNA

A. MICHOTTE, UNIVERSITY OF LOUVAIN
L. E. MIRA, UNIVERSITY OF BARCELONA

M. PIÉRON, SORBONNE

M. PONZO, UNIVERSITY OF ROME

P. RANSCHBURG, HUNGARIAN UNIVERSITY

M. L. REYMERT, MOOSEHEABT, ILL. W. WIRTH, UNIVERSITY OF LEIPEIG

> VOLUME VI 1932

PUBLISHED MONTHLY, WITH TWO ISSUES DURING DECEMBER, BY THE AMERICAN PSYCHOLOGICAL ASSOCIATION PRINCE AND LEMON STS., LANCASTER, PA.

> Business Offices: PSYCHOLOGICAL REVIEW COMPANY LANCASTER, PA., AND PRINCETON, N. J.

THE STREETLESS

DALFUR A BUNTEN, CLAR UNDERLY RAVISIOND H. WILLOUGHBY (Assesse Page) Calum Dervoorty

TO MOTE A PROCESS THE REAL PROPERTY.

A C. ROBERT, CARRIER BENERRY ED. CLARAREDS, HETERALY OF CHARAC FO. C. STORALL, University on Bounces A. MUNICIPE, ENGRAPS OF LANGUAGE L. E. SURA, CARRESTO OF LANGUAGE

A BANSCHIE

W. Wilkill, Downson or Large

VOLUME VI 1932

THE AMERICAN PROGRESSION OF A SECURITION OF A

LANCASTER PRESE, INC.

CONTENTS

The numbers refer to abstracts

984-989	644-674	Childhood and Adolescene
1328-1333	1039–1067	436-481
		834-851
2111-2149	1760-1802	1196-1223
2672-2693	2268-2330	1561-1604
3064-3066	2766-2802	1950-1988
3469-3488	3137-3161	2484-2518
3873-3878	3561-3582	2926-2976
4266-4271	3910-3943	3351-3379
4712-4734	4344-4372	3694-3739
Motor Phenomena and	4808-4851	4144-4162
Action	Nervous and Mental	4524-4568
151-191	Disorders	4989-5030
609-621	266-313	Educational Psychology
		482-507
		852-897
		1224-1249
		1605-1644
		1989–2031
		2519–2558
		2977-3006
		3380-3404
		3740-3773
		4163-4185
		4569-4589
		5031-5064
		Biometry and Statistics
		508-519
	7 000 0000	
		998-902
		1250-1252
		1645-1649
		2032-2039
		2559-2574
		3007–3018
		3405-3413
		3774-3780
		4186-4192
		4590-4596
		5065-5069
		Mental Tests
		520-527
		903–921
		1253-1260
2257-2267	1531–1560	1650-1658
2760-2765	1929-1949	2040-2052
3118-3136	2479-2483	2575-2581
3551-3560	2896-2925	3019-3032
3903-3909	3316-3350	3414-3418
4335-4343	3660-3693	3781-3798
	4128-4143	4193-4197
		4597-4606
218-265	4969-4988	5070-5088
	1328-1333 1718-1728 2111-2149 2672-2693 3064-3066 3469-3488 3873-3878 4266-4271 4712-4734 Motor Phenomena and Action 151-191 609-621 990-1005 1334-1350 1729-1743 2150-2208 2694-2726 3067-3083 3489-3521 3879-3895 4272-4311 4735-4777 Plant and Animal Behavior 192-214 622-636 1006-1036 1351-1376 1744-1753 2209-2256 2727-2759 3084-3117 3522-3550 3896-3902 4312-4334 4778-4803 Evolution and Heredity 215-217 637-643 1037-1038 1377 1754-1759 2257-2267 2760-2765 3118-3136 3551-3560 3903-3909 4335-4343 4804-4807 Special Mental Conditions	1328-1333

STHETTIOO

expensation of voters are named and

			6005-1005					
1000-0000								

Vol. VI, No. 13

DECEMBER, 1932

AUTHOR INDEX

A. E., 2927
Anil. A., 3278
Abadi, E., 1650, 1760, 3855, 3844, 4013
Abbott, C. E., 192
Abbott, E., 745
Abbott, E., 745
Abbott, E., 745
Abbott, J., 746
Abel, T. M., 1706
Abel, T. M., 1803
Aberdam, R., 1761
Abernethy, E. M., 3863
Abraham, F., 676
Abraham, P., 747
Abramowics, C., 2188
Abramson, M. J., 815
Accardl, V., 4633
Ach, N., 398
Achilles, P. S., 1261
Ackerson, L., 2926
Adams, D. K., 598
Adams, G. P., 2, 3
Adams, G. P., 2, 3
Adams, G. P., 2, 3
Adams, H. F., 3607
Adelberg, H., 3694
Adelmann, J., 4524
Adler, Alexandra, 282
Adler, Alfred, 218, 1114, 1762, 1763, 2766, 2767, 4344, 4373, 4374, 4808
Adler, F. H., 2151, 2191
Adler, R., 1950
Adrian, E., 2627
Adrian, E. D., 550, 984, 1718, 1744, 4712, 4718, 4714
Adueco, V., 4785
Agndjanian, —, 1719
Agnasotti, A., 2152
Agostini, C., 2331
Agostini, G., 677
Alsenscitat, J., 1115
Aitken, B., 814
Aksenov, S. D., 3695
Alajouanine, T., 500
Albane, A., 1421
Alberti, J., 2768
Albertin, C., 4512
Alberth, H., 1866, 2400
Aldrich, C. A., 2928
Aldrich, V. C., 2582
Alexander, E., M., 1378
Alexander, F., 1764, 2268
Alexander, J., 116
Aluxejew-Berkmann, L. A., 2163
Allerd, R., 315
Allend, R., 328
Allend, R., 1379, 1765, 1766, 1767, 2269, 2760, 4809
Allens, F., 561, 4203
Allendy, R., 1379, 1765, 1766, 1767, 2382
Allend, F., 561, 4218, 4634
Allend, F., 561, 4203
Allendy, R., 1379, 1765, 1766, 1767, 2382
Allend, R., 151, 152, 1846
Allodi, F., 2332

Allport, F. H., 316, 1382, 1480, 1481

Allport, G. W., 3417
Alm, O. W., 2200
Almoslino, J., 1768
Altavilla, E., 317
Altenburger, H., 937, 2111
Altenburger, H., 937, 2111
Altenburger, H., 937, 2111
Altrowitz, N., 835
Amberton, W. R., 2112
Ameghino, A., 266
Ameline, M., 1068
Ames, A., Jr., 56, 4635, 4636
Amenn, E., 938
Anastasi, A., 2566
Anderson, A. C., 2210
Anderson, A. C., 2210
Anderson, F. N., 2333
Anderson, F. N., 2333
Anderson, H. W., 748
Anderson, H. W., 748
Anderson, H. W., 748
Anderson, M. L., 3164
Anderson, M. L., 3164
Anderson, M. L., 3164
Anderson, W. A. 2402
Andrade, E. N. da C., 529
Andrea-Salomé, L., 219
Andrejewa, E. W., 4779
Andrés, B. V., 816
Andrews, C. G., 485
Angell, J. R., 21
Angyal, A., 990, 1089
Anokhin, P. K., 4272, 4273
[Anon.], 4, 220, 221, 222, 223, 267, 318, 319, 400, 401, 679, 749, 730, 852, 860, 923, 924, 925, 1070, 1071, 1606, 1607, 1770, 1770, 1895, 1929, 1989, 1990, 2072, 2270, 2384, 2484, 2583, 2760, 2978, 3316, 3945, 4014, 4015, 4128, 1414, 4219, 4376, 4376, 4569, 4607, 4608, 4852, 4858, 5031
Anson, K., 1561
Antibon, A., 3616
Antonovitch, S., 3065
Appel, K. E., 2387, 3165, 3287, 3264
Aptekar, H., 1482
Aptel, E., 1351
Arana, J., 2837
Aranjo, M., 3010
Arkin, G. E., 1662
Armitage, D. M., 1418
Armstein, B., 4274
Arrington, R. M., 2931
Arsenius, N. V., 4588

Ayres, J. G., 1964, 5106
Asboukier, D. J., 4854
Assalini, M., 321, 3279

Babb, W. W. M., 2632
Babcock, H., 5070
Bache, L. F., 1116
Bachrach, M., 4279
Bacq, Z. M., 2727, 3523
Bader, H., 4530, 4991
Baeck, L., 4588
Baege, E., 1754
Baertschi, W., 991
Baeyer, W. V., 4919
Bahle, J., 3001
Baillie, J., 3799
Baillie, J., 3799
Baillie, J., 3799
Baillie, J., 3798
Bain, R., 903
Bainbridge, F. A., 153
Baird, D. O., 853
Baker, G., 2559
Bahst, A., 808
Baker, G., 2559
Bahst, A., 808
Baker, G., 2559
Bahst, A., 4815
Ballagh, B., 5032
Balla, R. J., 4920
Balla, A., 2896
Balla, R. J., 4920
Balla, A., 2896
Ballachey, E. L., 4321
Ballard, C. R., 2664
Ballachey, B. L., 4321
Ballard, C. R., 2664
Ballachey, B. L., 4877
Bandel, R., 3946
Bannerji, M., 4810
Bannerji, M., 4816
Banner, H., 57, 562
Barnayay, E., 1008
Barbe, A., 1419
Barrd, P., 3489
Barinbaum, M., 4855, 4856
Barnes, E., 1806, 3186
Barnes, E., 1806, 3186
Barnes, E., 1806, 3186
Barnest, T. C., 3460
Barnouw, A. J., 3903

Arsian, K., 4275, 4715, 4716
Artom, C., 2113, 2114
Aryamor, I. A., 1368, 1564,
Aryamor, I. A., 1368, 1564,
Ashbaugh, E. J., 891
Ashbaugh, E. J., 891
Ashbaugh, E. J., 891
Ask-Upmark, E., 4638
Atrakhan, S., 1567, 4983
Atzenl Trdesco, P., 4276, 4277,
4278, 4529, 4990
Auden, G. A., 1951
Audiat, J., 4268
Auger, D., 1007, 3084
Austragedilo, A., 1328
Avelino, I., 2153
Bable, I., 3179
Back, I., 4020
Back, I., 4020
Back, I., 4020
Baili, I., 3799
Baliy, A., 5002
Baliy, G., 3712
Baliard, C., 2002
Baliy, G., 3712
Baliard, I., 4020
Barbeta, A., 2154
Barbeta, V., 2013
Barbeta, I., 4020
Barbeta, I., 40

Benciolini, F., 4719
Benda, C., 2540, 4018
Benedek, L., 1422, 4461
Benedek, L., 1422, 4461
Benedict, C. G., 4736
Benedict, F. G., 2710, 4736
Benedict, R., 2404
Benichon, R., 4845
Bennitt, R., 2212, 2213
Bentley, M., 9
Berennit, A., 1869
Berenne, C., 4641, 4642
Beresin, P. N., 1566, 1567
Bergansin, F. L., 4251
Berge, S., 4923
Berger, A. v., 1870
Berger, F., 4019, 4571
Berger, F., 4019, 4571
Berger, F., 4019, 4571
Berger, F., 4019, 4571
Berger, F., 4020
Bergenann, W., 4020
Bergenann, W., 4020
Berkeley-Hill, O., 752
Berlit, B., 1423
Bernard, R., 1428
Bernard, R., 2865
Bernard, R., 2865
Bernard, R., 4859
Bernard, R., 4859
Bernard, R., 2074
Bernardt, R., 208
Bertrand, F. L., 610
Best, C. H., 155
Besterman, T., 1779, 3561, 4348
Betgliel, L., 4028
Beth, M., 4024
Betta, G. H., 2406
Benandle, G., 2335
Bianconl, P., 3280
Bianchl, G., 2335
Bianconl, P., 3280
Bianchl, G., 2335
Bianconl, P., 3280
Bianquis, G., 3422
Billsch, H., 817
Bibl, V., 3138
Bickchental, T., 4168
Biddle, W. W., 756, 3618
Biddle, W. W., 756, 3618
Biddulph, R., 2102
Bieber, J., 1425
Bienstock, S. F., 1670
Bier, W., 4787
Bierens de Haan, J. A., 2214, 3085, 3086, 3087, 3524, 4782
Biancan, B., 4813 Bierens de Haan, J. A., 3085, 3085, 3086, 3086, 3087, 3524, 4782

Biermann, B., 4813

Bierring, R., 2982

Biha, O., 2407

Bilancioni, G., 4222

Billstrom, J., 327

Binet, L., 2157

Binet, L., 2157

Bingham, H. C., 4783

Bingham, W. V., 21, 818, 1382, 2215, 2809, 2080, 3661, 3801

Binnewies, W. G., 437

Binswanger, H., 4860

Bird, M. H., 2040, 2842

Birkhoff, G. D., 328

Birkhoff, G. D., 328

Rirnbaum, F., 4347

Bissonnette, T. H., 1009, 2216

Bize, P. R., 4406

Bisette, A., 1772

Blachy, M. E. O., 1198, 1199

Blackburn, J. M., 57, 156

Blacker, R., 2486

Blackfan, K. D., 3167, 4992

Blair, H. A., 4738

Blake Pritchard, E. A., 4861

Blakelee, A. F., 4643

Blalock, J. R., 4410

Blanchard, E., 4424
Blanchard, M. B., 3022
Blanco, W., 3020
Blankfort, M., 4814
Blatz, W. B., 438
Blatz, W. E., 4140, 4531, 4532
Blaustein, L., 1200
Bleckwenn, W. J., 681, 1072
Bleek, D. F., 2843
Bleich, O. E., 2217
Blees, A. A., 3522
Bleuler, M., 2336
Bloch, I., 2273
Blondel, C., 757, 753, 1871, 3948
Bluekercken, J., 4348
Bluekercken, J., 4348
Bluemel, C. B., 1872
Bluhm, A., 637
Blume, M., 2324
Blume, W., 3728
Blumenthal, A., 1873
Bobrov, S., 1567
Boccaccia, E., 1117
Boda, I., 1262, 4193, 4198
Bodenheimer, F. S., 3088
Bocckmann, P., v., 530
Boehm, F., 2274
Boggardus, E. S., 3619
Boggs, R. S., 1874
Bogoras, W. G., 2408
Bohn, G., 1118
Boldyref, J. W., 2323, 4111
Boldyref, J. W., 2323, 4111
Boldyref, J. W., 611
Boldyref, W. M., 612
Bonaventura, M., 646, 2275
Bonaventura, M., 646, 2275
Bonaventura, M., 646, 255
Bonaventura, M., 646, 255
Bonaventura, M., 646, 255
Bonaventura, M., 646, 2575
Bonaventura, M., 647
Bonaventura, M., 647 Bonaventura, A., 1073
Bonaventura, E., 939, 1532, 1533, 4644, 4702, 5083, 5071
Bonaventura, L., 1584
Bond, E. S., 2337
Bond, H., 4025
Bonjour, J., 1074
Bonardel, R., 824, 4280
Bonner, C. A., 3168
Bonnerjea, B., 4026
Bonnerjea, B., 4026
Bonnerjea, B., 4026
Bonnerjea, B., 4026
Bonnerjea, B., 4307
Book, C. D., 2523
Boome, E. J., 330, 1484
Boorman, W. R., 1119
Booth, M., 2409
Booth, M., 2409
Booth, W., 2176
Borchardt, L., 10, 3491
Borchert, W., 2911
Boreson, G. M., 3372
Borghesan, E., 4739
Borling, E. G., 1263
Börnartein, W., 2672
Borovski, W. M., 3069
Borsarelli, F., 940
Bortkiewicz, L. v., 508
Bos, M., 4224
Bosch, G., 682, 653
Boee, R. G., 2081
Bossard, J. H. S., 4924
Bosshard, H. M., 4862
Bostock, John, 2053
Bott, C., 3001
Bott, H. M., 488
Bouman, H. D., 3874
Bourguignon, G., 605, 2157
Bounfield, W. A., 6, 7, 1659
Bourguignon, G., 605, 2157
Bounfield, W. A., 6, 7, 1659
Bovert, P., 4610, 5034
Bowen, B. D., 3070
Bowers, H., 2602, 3097
Bowler, A. C., 745
Bowman, K. M., 1075, 3169, 4881
Bowman, H. G., 3382
Bowmen, L. G., 3382
Bowmen, E., 2524
Bowman, E., 2524
Boynand, E., 2211
Boynton, P. L., 11, 531, 599
Bossano, E., 4349

Branchfeld, O., 759, 4850, 4572

Brandbury, D. E., 1608
Bradem, F. F., 904
Braem, H. R., 3170
Branmar, L. J., 1838, 4402
Brannadt, C., 4328
Bratianu, S., 472
Brannar, H., 4611
Brasch, G., 3118
Brauer, B., 761
Brauner, B., 761
Brauner, J., 1568
Brauner, B., 761
Brauner, J., 1568
Brauner, B., 761
Brauner, M., 1013
Brancer, C., 524
Branchman, M., 1013
Bray, C. W., 1702, 1728
Brancer, H. C., 3281, 4925
Bresileabecher, J. K., 1552
Breine, W., 3173
Bressler, J. 60
Brian, W. R., 3604
Briegs, D. R., 1612
Brichan, C., 5286
Briegs, D. R., 1612
Brichan, C., 5286
Briegs, D. R., 1612
Brichan, C., 5286
Briege, M. S., 311
Bristow, W. S., 300
Briggs, D. R., 1612
Brichan, C., 5286
Briele, M. S., 301
Brichtow, W. S., 300
Briegs, D. R., 1612
Brichan, C., 5286
Briele, M. S., 311
Bristow, W. S., 300
Briegs, D. R., 1612
Brinch, C., 5286
Briele, M. S., 301
Brichtow, W. S., 300
Brich, C., 3424
Brook, F., 3609
Burrier, R. J., 2466
Burrier, M., 3517
Broom, M. R., 2587
Broom, E., 3587
Broom, E., 4294
Brook, F., 1869
Brown, C. M., 1613
Brown, F. J., 1676, 2075, 2526
Brown, C. M., 1613
Brown, F. J., 1577
Brown, M. J., 4333
Brown, F. J., 1577
Brown, M. J., 4335
Brown, F. J., 1578
Bro

Carter, M. A. 356
Carter, M. A. 356
Carter, M. A. 356
Carter, A. E. 226
Case, I. M., 1608
Casoella, B., 2630
Casoe, 2105
Casper, S., 927, 928
Castelberry, W. S., 2849
Castagnarl, G., 2694
Castald, L., 4336, 4387
Castellani, M., 1284, 4145
Castie, B. S., 3898
Castro, L. F., 3864
Cathrein, V., 3802
Cattareo, D., 942
Cattell, McK., 4714, 4724
Cattell, McK., 4714, 4724
Cattell, R. B., 61
Cavalcanti, A., 2934
Cavan, R. S., 1041, 1773, 2418
Cassaniga, A., 3663
Celle, J., 1286
Cernocky, K., 3803
Challey-Bert, P., 2157
Challman, R. C., 4094
Chamberlin, C. W., 2414
Chamberlin, C. W., 2414
Chamberlin, C. W., 2414
Chambers, W. D., 4865
Chanpy, C., 3093
Chance, B., 4647
Chant, S. N. F., 3664
Chappin, F. S., 1124, 1992
Chapman, D. W., 1707
Chapman, B. N., 2729
Chapman, R. N., 2729
Chapman, R. N., 2729
Chappell, M. N., 158, 159
Charchenko, S. I., 2585
Chariet, H., 2166
Charpentier, R., 565
Chariet, H., 2166
Charpentier, R., 565
Chariet, H., 2166
Charenikova, O., 1557, 4963
Chaves, F., 3564
Chaves, F., 3564
Chavigny, P., 1938
Cheney, C. O., 2340
Cheriapkin, V. T., 2882
Chernikova, O., 1557, 4963
Chiders, A. T., 3355
Chinaglia, A., 2674, 2675
Chotsen, F., 4351
Chou, S. R., 2588
Christonus, J., 3804
Christophe, —, 4394
Cheristophe, —, 4394
Clark, E. L., 1100
Clark, E. B., 1536, 1536, 1537, 1538, 1539, 1540
Clark, E. L., 2180
Clark, E. L., 2180
Clark, E. L., 2180
Clark, E. L., 2780
Clark, E. L., 2780
Clark, E. R., 2783
Clarke, G. L., 2780
Clark, E. R., 2783
Clarke, G. L., 2780
Clarke, G

Cochram, M., 4648
Codot, H., 108, 1315
Cogan, S. S., 3181
Coghill, G. E., 2116
Cohen, J. T., 272
Cohn. P., 2805
Cole, W. H., 1014, 4786
Coleman, J. B., 4187
Collings, E., 489
Colling, E. T., 1730
Colling, E. T., 1730
Colling, J., 16
Colling, W. L., 491
Collmann, R. D., 2488
Colombl, C., 4740
Colucci, C., 1485, 1541, 1569, 1653, 3781
Comas, J., 2850
Combes, M., 1354, 8912, 4815
Commandon, —, 388
Commina, W. D., 3034, 4787
Come, M., 4352
Conn, J. C. M., 4194
Conn, J. H., 2341
Connad, H. S., 600, 2043, 3022, 3556
Constance, C. L., 1995
Cook, R. C., 1615
Cook, W. M., 1953
Cook, W. W., 1616
Coombs, H. C., 2117
Cooper, E. C., 1204
Cooper, L. M., 959
Cooper, O. A., 4535
Corleiro, Q., 3021
Corteri, G., 1042, 1077, 3665
Corteri, G., 3021
Corterissen, C., 3021
Corteri

Crookshank, F. G., 228, 4383
Croa, A., 1357
Crobland, H. R., 1317
Croblers, H., 19489
Crow, R., 2229
Crowler, M. A. R., 491
Croxton, F. E., 4509
Cuchis, A., 948, 1286
Cuff, N. B., 1358
Cuff, X. H., 1358
Cuff, X. H., 1358
Culley, R., 273, 1811, 1812, 1812
Culvick, A. T., 4035
Cunningham, B. V., 436
Cuneton, E. E., 1500
Cuchis, A., 948, 1286
Culley, R., 273, 1811, 1812, 1812
Culvick, A. T., 4035
Cuntingham, B. V., 436
Cuneton, E. E., 1500
Cutsforth, T. D., 3442
Culledth, K. M., 195, 1715, 2633, 3492
Dahowski, K., 2400
D'Agowtino, V., 1297
Dahmen, O., 63
D'Alessio, G. B., 3856
Dallenback, K. M., 135, 1715, 2633, 3492
Dandy, W. E., 2648
Daniel, G., 1126
Danrow, C. W., 3850
Darden, O., 8, 3359
Davenfort, D. W. S., 4301
Davenport, K. M., 3273
Davin, A. R., 3069
Davide, A. R., 3069
Davide, A. R., 3069
Davide, A. R., 3069
Davide, A. R., 3073
Davids, J. Dev., 360
Davids, R. C., 5074
Davis, J. Dev., 360
Davis, R. C., 5074
Davis, R. C., 508
Davis, R. R., 1308
Decroly, O., 441, 523, 3701, 449
Decrow, C., 4612
Davis, R. C., 5074
Davis, R. G., 5

Donaldson, H. H., 3527
Donselet, P., 4226
Dooley, L., 3187
Doolittle, G. J., 2347
Dorcus, M. D., 2222
Dorcus, M. D., 2223, 4317
Dorling, W. O., 4588
D'Ormea, A., 277
Doross, H., 2419
Dorsch, E., 1488
Dost, —, 1884
Dost, —, 1884
Dost, —, 1884
Dost, M., 2419
Dottrena, R., 5028
Douglass, H. R., 1617, 2529, 2987, 4573
Dounine, M. S., 4188
Dove, C. C., 491
Dowdall, H. C., 4087
Dowell, P. S., 444
Dowman, C. E., 3192
Downey, J. E., 215, 3493, 3494
Downs, H., 2590
Doyle, J. B., 1815
Drabovitch, W., 1731, 3861, 3882
Draganesco, S., 1816, 4288, Downs, H., 2590
Doyle, J. B., 1815
Drabovitch, W., 1731, 3861, 3882
Draganesco, S., 1616, 4288, 4289
Dragon, A. W., 861
Drelkurs, R., 3139, 4395, 4396
Dressel, F., 2901, 3318
Drever, J., 65, 3897
Dreyfus, R., 765
Driver, H. E., 4930
Droba, D. D., 650, 907, 971, 1132, 3782
Drury, D. W., 4689
Dry, W. R., 1204
Drysdale, C. V., 538
Dublineau, J., 4006
Dubs, H. H., 2420
Ducasse, A., 2421
Ducasse, C. G., 2422
Ducret, S., 2120
Dudley, D., 3558
Dudycha, G. J., 2423, 4574
Duffet, —, 1862
Duff, F. G., 1043
Duffy, E., 1956
Dufour, M., 569, 4226
Duff, F. G., 1043
Duffy, E., 1956
Dufour, M., 569, 4226
Duff, H., 398, 995, 3703
Dumas, G., 4227
Du Mes, A. G., 2741
Duncan, D., 3358
Dunkelberger, G. F., 1133
Dunlap, K., 1359, 1366, 1374, 4590
Dunlap, K., 1359
Dunshee, M. E., 445
Dupouy, R., 736, 699, 1080, 1817
Durando, P., 278
Duret, R., 2080, 2633
Durig, A., 4290
Durling, D., 1134
Durup, G., 3827
Duthil, R., 1357, 2590, 3862
Dwelshauvers, G., 821, 1388, 1709, 1774
Dworkin, S., 3515
Dybowski, M., 972
Dynes, J. B., 4817
Dyanger, D. W., 199, 3956
Dyson, J. M., 4667
Eagle, E., 2170
Eames, T. H., 2531 Bagle, E., 2170
Eagle, E., 2170
Easnes, T. H., 2531
Easley, E., 4466
East, W. N., 4398, 4871
Eaton, H. O., 4201
Eaton, T. H., 1999, 3750
Ebaugh, F. G., 1051
Ebbecke, U., 2081, 2082
Eccles, J. C., 996, 3067, 3475
Eckhardt, K., 1957
Eckstein, F., 1889
Economo, C. v., 138, 279
Edeistein, D. O., 2988
Eder, M. D., 17, 4818
Edgerton, A. E., 4694

Edgerton, H. A., 2038
Edgerton, J. A., 220
Edinger, F., 4487
Eddon, N. W., 4538
Edström, G., 2678
Edwards, A. S., 4931
Edwards, H. T., 994
Eella, E. C., 4166
Effmoff, W. W., 3319
Egeblad, K., 3828
Ehlers, H., 2696
Ehrenstein, W., 3829
Eichler, W., 3830, 3831
Einhorn, U., 1135
Elkstrand, R., 2492
Elderton, E. M., 4591
Elliaberg, W., 766, 2902, 3667, 3832, 4872, 4873
Elliott, J. D., 4089
Elliott, M. A., 1136
Elliott, E. M., 18
Ellia, A. L., 191
Ellia, C. B., 1778
Ellia, H., 341, 3914
Ellia, W. J., 2493, 3186
Elmer, M., 2188
Emmer, L., 2576
Emmery, M., 3188
Emmer, E. E., 2000
Enachescu, M., 986
Endara, J., 3564
Endara, J., 3564
Endres, F. C., 230
Engel, P., 1228
Engel, P., 1228
Engel, P., 1228
Engel, P., 1228
Engel, R., 402, 1936, 3320, 2903, 3668, 3669
Engel, S., 66
Engel, S., 66
Engelhardt, W., 4228
Engelhardt, W., 3189
Engreval, M., 767
Enroth, E., 3444
Eppstein, J., 2592
Erickson, M. H., 3190
Erkens, J., 2424
Erlanger, J., 2125
Ernsch, E., 2171, 2172
Erschowitz, N., 67, 342, 3445, 4229
Eschbach, H., 4399, 4539
Espinosa, L. A., 3564
Estinger, C. J., 4933
Espinosa, L. A., 3564
Estinger, C. J., 4938
Espinosa, L. A., 3564
Estabrooka, G. H., 4575
Estève, C., 768
Ettinger, C. J., 4938
Euginger, H., 2122
Eulenberg, P., 4468
Eurich, A. C., 400, 1618, 1619, 2848, 4167, 5040
Buxière, J., 1818
Evans, H. M., 1020, 1021, 1360
Evans-Pritchard, E. E., 4042
Evard, —, 768
Ewald, G., 3057, 3058
Ewen, J. H., 1390
Evensen, H., 1390
Evensen, H., 1380
Ewans, H. M., 1020, 1021, 1360
Evans-Pritchard, E. E., 4042
Evard, —, 768
Ewald, G., 3057, 3058
Ewen, J. H., 1390
Ewens, J. W., 6, 570
Ewels, L. F., 3704 Fabre, P., 2128, 2124
Fabritius, H., 2806
Faddeeva, V. K., 3695
Fagan, L. B., 4043, 4044
Pagley, R. B., 280
Pahrenbruch, —, 2775
Fairbairn, J. S., 4874
Fairén, V., 3495
Falankin, A., 3553
Fancler, D. G., 3751
Pankhauser, E., 4875
Faris, E., 4045
Faris, R. E. L., 3859
Farmer, E., 2001
Farnopalskaya, M. G., 2681

Farnsworth, P. R., 68, 110, 231, 587, 2425
Farr, C. B., 2807, 3007, 3105, 3101, 3264
Fattovich, 5., 2600
Fauville, A., 3060
Faver, H. E., 4401
Favill, J. 2436
Fedorow, V. J., 4655
Fedorow, W. T., 4655
Fedorow, W. T., 4655
Fedorow, V. J., 4657
Fenikk, A., 3702
Felighaum, A., 4656
Fedorow, V. J., 4657
Fenikk, A., 3702
Felighaum, A., 4656
Fedorow, V. J., 4657
Fenikk, A., 3702
Felighaum, A., 4656
Fedorow, V. J., 4657
Fenikk, A., 3702
Felighaum, A., 4656
Fenn, W. O., 185
Fenner, C., 862
Fenner, C., 862
Ferguson, J. M., 3000
Ference, R., 4727
Ferguson, J. M., 3000
Ferral, G., 604, 2638, 2652, 2622
Ferguson, J. M., 3000
Ferral, G., 6042, 2638, 2652, 2625
Ferguson, J. M., 3670
Ferrer, G., 6042, 2638, 2652, 2625
Fersuson, A., 6035
Ference, C., 164, 2638, 2652
Fersuson, A., 6036
Ference, C., 862
Fersuson, A., 8036
Ference, C., 3646
Ference, C., 269, 600, 4601
Freming, G., 402
Filippin, A., 3670
Frinkel, J. L., 2436
Frinkel, J. R., 3694
Frinkel, J. R., 3694
Frinkel, J. R., 3694
Frinkel, J. R., 3694
Frinkel, J. R., 3695
Frinkel, M., 2335
Fisher, M., 2335
Fisher, M., 1060
Fitzpatrick, F. L., 4789
Fisher, R. A., 3695
Fisher, R. A., 3694
Fisher, R. A., 3695
Fisher, R. A

Frongia, I., 3554
Frunkin, E., 2385
Frus, J., 4877
Fry, G. A., 78, 74
Fry, G. A., 78, 74
Fry, W. E., 4064
Fryer, D., 539, 973, 4602
Fuchs, A., 1190
Fukuoko, G., 639
Fuller, H. A., 1447
Füllop-Miller, R., 1887
Fuller, J. F., 1747, 3476
Furbay, J. H., 1230
Furfey, P. H., 3783, 4543, 4544, 4545
Furusawa, K., 155
Furster, J., 349
Gabriel, F., 2008 Gabriel, E., 3968
Gaddi, A., 2856
Gaddi, A., 2856
Gadellus, B., 2659
Gaillard, H., 4131
Gaiser, D. W., 1358
Gajendragadkar, K. V., 1273
Gakkel, L. B., 8695
Gaido, L., 998, 1388, 1544,
Gaidston, I., 1088
Gallant, I. B., 1084
Galli, A., 571, 572, 578, 837, 838, 950, 951, 952, 1339, 1547, 1548, 1685, 1686, 1782, 1888, 1985, 1992, 4665, 4666
Galli, E., 3627
Galperin, P. J., 3048
Gailstoff, P. S., 4791
Gamble, E. A. McC., 3447
Gamble, E. A. McC., 3447
Gamole, R. A., 1689
Garsenhuber, B., 1987
Garceau, L., 2677
Gardner, G. E., 2778, 2810, 464
Gargas, S., 2429
Garma, A., 3964
Garrett, B., 21, 2566
Garrett, B., 21, 2566
Garrett, B., 4747
Garrey, W. B., 3504
Garrett, S., 4747
Garrey, W. B., 3504
Garrett, R., 773, 1140
Gartstein, N. G., 3695
Garvey, P. H., 185
Gaspár, J., 1491
Gasser, H., 2125
Gast, P., 2430
Gates, A. I., 889, 1621, 3393, 3395
Gates, R. R., 2253
Gattl, A., 1687
Gattl, F., 1545
Gattl, F., 1545
Geltan, R., 3477
Gebardt, M., 1291, 4291
Gee, W., 1889
Gehrie, E., 4228
Gelb, A., 2352, 4405
Geldard, F. A., 75
Gebhardt, M., 1291, 4291
Gee, W., 1889
Gehrie, G., 1085
Gehrie, B., 3496
Gemill, A., 2352, 4405
Geldard, F. A., 75
Gellhorn, B., 3496
Gemill, A., 2352, 4405
Geldard, F. A., 75
Gellhorn, B., 3496
Gemill, G., 4577
Gentill, G., 4577
Gerberich, J. R., 1622

Gergs, E., 1623, 4292
Germain, J., 2907, 2990
Germane, C. R., 2355
Gertx, H., 2177
Gerum, E., 823
Gerwig, G. W., 506, 4355
Gesell, A., 1575, 1820, 3196, 3707
Getson, P., 3965, 4823
Gerwonat, L., 22
Geys, K., 954
Ghiannoulatos, C. P., 1521
Ghigl, A., 4615
Ghirardi, G. E., 2288
Ghisain-Honsei, —, 3628
Ghisain-Honsei, —, 3628
Ghosh, S., 909
Gianeli, V., 283
Gianni, O., 4247
Gibson, C. F., 652
Gifford, W. J., 364
Gigon, A., 2083
Gilhousen, H. C., 1022
Gilles, A., 1822
Gilles, R. D., 2354
Gilliand, A. R., 3415, 3560
Gilmore, L., 1231
Giltay, H., 1142, 1777
Gini, C., 3675
Ginsberg, M., 4047
Ginsburg, A. M., 3287
Giovanni, C., 4578
Giraud, G., 1143
Glaeser, F., 2939
Glaser, M. A., 3906
Glenn, E. R., 3753
Gilck, F. Z., 4470
Gliddon, G. H., 56, 4635
Glover, H. F., 4570
Gliddon, G. H., 56, 4635
Glover, H. F., 2586
Goldberger, M., 1576
Goldblat, H. H., 2586, 3186
Gootsch, W., 3426
Goldberger, A. M., 1232
Goldberger, A. M., 1232
Goldberger, A. M., 1237
Goldblat, H., 3123
Goldberger, A. M., 1236
Goldberger, M., 1576
Goldblat, H., 3123
Goldberger, M., 1576
Goldblat, H., 3217
Goldblatern, M., 406, 407
Goldstern, M., 408
Gorphe, F., 1498
Gordon, R., 2889
Gordon, R., 2880
Gordon, R., 3890
Goodenough, F. L., 774, 806, 1818, 1877
Goodman, L., 2088
Goodenough, F. L., 774, 806, 1818, 1877
Goodman, L., 2088
Gordon, R., 3690
Graber, G., 3098
Goudge, M. E., 3502
Goudernough, F. L., 774, 806, 1818, 1877
Goodman, L., 2088
Gordon, R., 3690
Graber, G., 3098
Goudge, M. E., 3502
Goudenough, F. L., 774, 806, 1818, 1877
Goodman, B., 3664
Grander, M., 4366
Grander, M., 4366
Grander, M., 4366
Grander, M., 3291
Grander, M., 3291
Grander, M., 3289
Grander,

Gray, W. L., 4217, 5041
Gray, W. S., 5041
Greany, W. S., 5041
Greenberg, P. J., 2940
Greene, C. H., 3250
Greene, C. H., 3250
Greene, C. W., 3970
Greene, E. B., 886, 1258
Greene, J. S., 4936
Greene, J. S., 4936
Greene, J. S., 4936
Greene, R. A., 3199
Gregerson, M., 3499
Gregerson, M., 3497
Greyal, K. S., 4825
Gridley, P. F., 1688
Griffin, A. K., 2055
Griffith, C. E., 2697, 2698, 3449
Griffith, C. H., 64
Grifnoil, G., 4580
Griffith, C. H., 64
Grifnoil, G., 4580
Griffith, C. S., 2697, 2698, 3449
Griffith, C. S., 2697, 2698, 3449
Griffith, C. E., 2697, 2698, 3449
Griffith, C. B., 2697, 2698, 3619
Grosseart, F., 111
Grosscup, E. A., 1046
Grosscart, F., 117
Grubbs, W. H., 1665
Grubb, K., 3708
Gruender, H., 4678
Gruender, H., 4878, 4879
Gruender, H., 4878, 4879
Grundest, H., 1748, 3899
Grunthal, E., 1824
Guerder, W. S., 365
Gubarew, F., 177
Guelma, E., 1824
Guerdisch, W., 3505
Guller, W. S., 3492
Guilford, J. P., 81, 189, 1645, 2725, 3148
Guillaume, P., 540, 1361
Guillaume, P., 540, 1361 Guyon, R., 23

Haag, F. E., 1826, 4407

Haas, B., 575

Haase, E., 2942

Haberlandt, A., 2435

HRberlin, P., 2943

Haby, G., 1292

Hacker, E., 1145, 4051

Hackfield, A. W., 3069

Haddock, L., 1778

Hadlich, H., 1487

Haeberle, H., 408

Haecker, V., 1877

Haefner, R., 3885

Haeger, F., 1039, 3327

Haering, L. H., 3809

Haeutler, A., 4472, 4475

Hafter, R., 1047

Hagan, C. W., 4546

Hagbin, H. I., 2456

Haggerty, M. E., 3755

Hagueneau, J., 1827

Hahn, A., 2057
Hahn, H., 2909, 3629
Hahn, R., 4168
Hair, C., 3451
Haines, T. H., 3200
Haire, N., 1495
Halberstadt, —, 286
Hall, G. W., 606
Haller, M. W., 3860
Hallday, A. P., 2495
Halper, L., 140
Halpern, I., 2126
Halverson, H. M., 2496
Ham, L. B., 4223
Hamberg, I., 4583
Hamilton, G., 1087
Hamilton, J. A., 24, 930
Hamilton, J. E., 2699

Heegs, F., 493
Heermann, G., 1966
Heess, —, 4082
Hegar, W., 4658
Hegraman, H., 1894
Helchelheim, F., 1069
Heidbreder, E., 370
Heidbreder, E., 370
Helder, F., 2638
Heilbronn, A., 625
Heiller, F., 2837
Hellman, J. D., 4170
Heimbrecht, B., 2197
Heimbrecht, B., 2197
Heimbrecht, B., 2197
Heinbecker, P., 2127
Heinse, H., 2944
Helsig, H., 594
Held, O. C., 4169
Hellebrandt, F. A., 4293, 4294
Heller, R., 2180
Heller, R., 2180
Heller, R., 2180
Heller, R., 2408
Hellmer, R. D., 4408
Hellmer, R. D., 4503
Hellmer, R. D., 8503
Hellmholts, H. F., 706
Helmond, A. M., 2945
Helsmoortel, J., 1340
Helson, H., 83, 1293, 1689, 1690, 2858
Henderson, D. K., 2354
Henderson, G., 491, 494, 2005
Hennon, V. A. C., 2577, 2578, 2690, 2992 Menmon, V. A. C., 2577, 2578, 2980, 2992

Henning, R., 9053, 4262

Henning, R., 9053, 4262

Henning, M. P., 84

Henry, G. W., 1088, 3201

Hensechen, S. E., 141

Hense, H., 4295

Herberts, R., 1147, 2058

Herberts, R., 1147, 2058

Herberts, R., 1147, 2058

Herringa, G. C., 4296

Hermann, I., 1415

Heron, W. T., 4793

Herren, R. Y., 1023, 1733, 3478

Herrick, C. J., 985

Herrick, R., 2812

Herring, D. B., 654

Herring, D. B., 654

Herrmann, H., 4581

Hersech, J., 2859

Hersech, J., 2859

Hersech, J., 3859

Hersech, J., 3859

Hersech, J., 2859

Hersery, R. B., 400, 1942, 4973

Hersey, R. B., 400, 1942, 4973

Hersery, R. J., 405

Hersery, R., 4170

Hersery, R., 410

Herrhelmer, H., 2178

Herser, E., 2855

Hersberg, A., 4882

Hernfeld, J., 1724

Herso, E., 5048

Herso, F., 2128

Hemard, A., 655, 707

Hess, W. R., 656, 2120, 2294, 2296, 2296, 4204

Hesse, E., 1022

Hesse, E., 1288

Hernor, R., 1288

Heun, R., 3928

Heun, R., 3928

Heun, R., 3928

Heymann, R., 4476

Heywond, H. B., 5077

Hickas, W., 4056, 4057

Hickas, J. A., 450, 1205

Higgainson, G. D., 28

Hillicath, G., 3368

Hillicath, G., 3469

Hillicath, G., 346

Hill, C. M., 368
Hill, T. R., 2307
Hillsbrand, M. J., 120
Hinca, C. M., 4409
Hines, M., 3608
Hinrichsen, O., 2207
Hinsey, J. C., 2238, 2801
Hinton, R., 2029
Hinton, J. J., 2029
Hirch, S. J. 2029
Hirch, M. J. 2029
Hirch, M. J. 2029
Hirch, M. J. 2029
Hirch, S. J. 2029
Hirch, M. J. 2029
Hirch

3925, 3026, 3927, 3928, Howell, L. D., 1863
Howell, L. D., 491
Hroch, K. E., 3738
Hailao, H. 80378
Hailao, H. 80378
Hailao, H. 80378
Hailao, H. 4630
Hubbard, L. D., 3220, 3221
Höbel, W. 4171
Höbner, A. H., 1148, 4060
Huddleson, J. H., 3976
Hudgins, C. V., 4205
Hudlma, W. D., 4971
Huebsch, L., 3712
Huebsch, L., 3712
Hugegt, A. S., 2700
Hugon, P. D., 3428
Hulli, C., 936
Hull, C. L., 166, 171, 1362
Hunni, E. H., 4061
Hunt, J. M., 3143
Hunt, F., 1850, 3077
Hunt, W. A., 113, 2630, 2658
Hunter, R. S., 307
Hunter, W. S., 78, 200, 201, 202, 203, 12775, 2215, 2226
Huntlington, C. E., 1691
Hurd, A. W., 5045
Hurlock, R. B., 451, 612
Husband, R. W., 167, 168, 648, 3073
Huskey, J. F., 2005
Hurlock, R. B., 451, 612
Husband, R. W., 167, 168, 648, 3073
Huskey, J. F., 2005
Hurlock, R. B., 451, 612
Husband, R. W., 167, 168, 648, 3073
Huskey, J. F., 2005
Hurlock, R. B., 451, 612
Husband, R. W., 167, 168, 648, 3073
Huskey, J. F., 2005
Hurlock, R. B., 451, 612
Husband, R. W., 167, 168, 648, 3073
Huskey, J. F., 2005
Hurlock, R. B., 451, 612
Husband, R. W., 167, 168, 648, 3073
Huskey, J. F., 2005
Husse, R., 1897, 2440
Husserl, R., 586
Hilya, A. R., 3206
Hilge, W., 3714, 5004
Hureit, A., 238
Hyman, H. T., 1820
Hytler, J., 3662
Hure, E., 178
Hobore, A. H., 1188, 4060
Husband, R. W., 162, 2036
Hure, E., 178
Hubbard, L. D., 3228
Hushinga, E., 2182, 3502
Husband, R. W., 167, 168, 648, 3073
Huskey, J. F., 2005
Husse, R., 1897, 2440
Husserl, R., 587
Husband, R. W., 162, 2506
Hilge, W., 3714, 5004
Hureit, A., 238
Hyman, H. T., 1820
Hytler, J., 3662
Hymen, R. P., 858
Ingram, W. R., 142, 4005
Hugel, R. W., 5045
Jung, C. C., 2364
Jones, B. G., 236
Jones, B. C., 236
June, M., 1612
Jordan, G. P., 455
Jones, J., 266
June, M., 4207
Johnson, G. E., 1736, 2701
Johnson, G. E., 1736, 2701
Johnson, G. E., 1029
Johnson, G. E., 1736, 2701
John Justin, F., 5010

Kaestner, B., 4381
Kagan, E. M., 2184
Kahmann, H., 2227
Kahn, B., 173
Kalachninov, S. G., 5047
Kallen, H. M., 2600
Kailenberg, K., 1882
Kalma, M. A., 1091
Kaimus, H., 1026
Kaimus, H., 1026
Kaimus, H., 1026
Kaimus, H., 1026
Kaimus, M. A., 1091
Kaimus, M. A., 1091
Kaimus, M. A., 1091
Kaimus, M., 2181
Kamper, A. A., 710
Kansi, K., 2132
Kann, S., 2185
Kantor, N. G., 3074
Kaplan, L., 1898
Kappelmann, H., 3531
Kappenburg, B., 2944
Kappers, C. U. A., 1331
Kappers, C. U. A., 1331
Kappste, E., 5049
Kapustnik, O. P., 3695
Karn, H. W., 1364
Karpman, B., 1500
Kasanin, J., 2818, 3210

Kato, G., 2182
Kattentidt, I., 4828
Kats, D., 4236, 2011
Kats, David, 2702, 2786
Kats, R., 4153
Kats, S. E., 711, 3203
Katseneibogen, S., 3211
Katseneibogen, S., 3211
Katsenstein, W. P., 2186
Katsoff, B. L., 4942
Kaufman, I. W., 3851
Kaufman, M. R., 2322
Kaufmann, O., 4974
Kausehansky, D. M., 3295
Kautsky, K., 385
Kawaters, P. H., 4066
Kawin, E., 1206
Kautsky, K., 385
Kawaters, P. H., 4066
Kawin, E., 1206
Kearney, J. F., 859
Kefauver, G. N., 2006, 4172
Keilhacker, M., 2995
Keim, S. L., 496
Keith, A., 2861
Keith, H. M., 706
Keiler, A. D., 3482
Kelley, M., 2519
Kellogs, P. U., 4067
Kelly, A., 4068
Kelman, H., 4418
Kelso, L. E. A., 4294
Kelty, M., 456
Kennedy, L. R., 2007
Kent, G. H., 1654
Kernstock, K., 1415
Kerendine, M., 456
Kernstock, K., 1415
Kerterlinus, E., 457
Kielhois, A., 360, 2300
Kiene, H. E., 2364
Kiesow, F., 1290, 1297, 4672
Kiessling, A., 468
Kilpatrick, W. H., 27, 2503
Kilipatrick, W. H., 27, 2503
Kilipatrick, W. H., 27, 2508
Kilner, E. R., 1628
Kinder, R. F., 3081
Kinder, H., 3001
King, C. D., 38, 32
King, C. E., 3504
King, L. S., 3461
King, M., 1092
King, S. M., 1690
Kingsbury, F. A., 2910
Kingsley, H. L., 2642
Kinder, H. R., 3088
Kirapatrick, E. A., 3430
Kirapat

Koch, A., 1584, 3715
Koch, A. F., 5012
Koch, A. F., 5012
Koch, H., 88, 2141
Koch, W., 1608
Koehner, F., 4190
Koehler, O., 3532
Koeppen, S., 2713, 2714
Koester, H. L., 5080
Koffra, K., 1288, 2001, 3555, 4237
Kofman, T., 1662
Kogn, V. M., 2912
Kogo, S., 2120
Köhler, B., 4588
Koht, A. G., 2059
Kolle, L., 2741
Koller, G., 3100
Koller, L., 5076
Komai, T., 639
Komora, P. O., 4419
Kondrateva, L., 1567
König, R., 2446
Konorski, J., 4297
Konstanthu, T., 2358, 3978
Konsuloff, S., 2304
Koos, L. V., 4172
Kopera, A., 957
Korczynska, Z., 4829
Kornhauser, A. W., 2913
Korotkova, J. M., 3695
Kortenhorst, A. T., 288
Koslov, P. A., 1550
Kosnick, H., 4753
Kossow, W., 2447
Kost, R., 2178
Kostin, N., 3036
Kossow, W., 2447
Kost, R., 2178
Kostin, N., 3086
Kossak, P., 2602
Krafta, J., Jr., 3876
Krakov, S. W., 89
Kramer, F. M., 987
Kranefeldt, W. M., 1400, 3929
Krannich, E., 1329
Kransee, V. V., 1629, 1630
Kratina, F., 4704
Kraus, H. M., 781
Kraus, H. M., 781
Kraus, R., 2914
Krauss, E., 1899
Krauss, E., 1899
Krauss, E., 1890
Krechevsky, I., 2742, 4323, 4324
Krecker, —, 2864, 4069
Kroller, A., 721, 1816, 4288, 4289
Kreinder, A., 721, 1816, 4288, 4289
Kreinder, A., 4173
Krigsman, B. J., 3101
Krille, H., 2488
Kreipe, K., 4754
Kreischmer, E., 2305, 2702
Kreinder, A., 721, 1816, 4288, 4289
Krecherheer, E., 2305, 2702
Kreinder, A., 4173
Krigsman, B. J., 3101
Krille, H., 2488
Kreipe, K., 4754
Kreischmer, E., 2305, 2702
Kreinder, A., 4173
Krigsman, B. J., 3101
Krille, H., 2488
Kreipe, K., 4754
Kreinder, A., 721, 1816, 4288, 4289
Kroeber, A. L., 4930
Kroeber, R. G., 1171, 660, 1277, 1781
Krueger, M. S., 2708
Kruek, W., 4975
Kuchtz, J., 4482
Kudrjancew, A., 177
Kudrjavev, N., 5877
Kudrjavev, N

Kuhimann, F., 2915, 3431
Kuhimann, W., 3636
Kühn, H., 2874
Kulkov, A. E., 2814
Kulkov, A. E., 2631
Kulovesi, Y., 2788
Künkei, F., 4831, 4682
Kunta, A., 143
Kunyavskaya, S., 2815
Kunse, B., 2916
Kunse, J., 4674
Kupalov, P. S., 2181
Kupfer, E., 2091
Kupker, E., 2091
Kupker, E., 2091
Kupker, E., 2091
Kupker, E., 2091
Kupky, O., 1585
Kuraner, A., 2106
Kurtz, A. K., 2564, 3774
Kurtzig-Moses, R., 413
Kusmin, F., 3338
Kwalwaser, J., 5051
Kyriaco, —, 1441
Labhart, F., 2133 Labhart, F., 2133
Lacan, J., 1434, 1836
Lacassaque, M., 2366
Lachmann, —, 4519
Lacombe, R. E., 237
Lacroix, —, 3852
Lafon, R., 1818
Laforgue, R., 661, 1049, 1151, 1782, 2507, 2367, 3637
Lagerborg, R., 2608
Lahy, J. M., 914, 1442, 2504, 4363
Lai, G. D., 3894
Laignei-Lavastine, L., 1705
Laird, D. A., 238, 2092
Laird, J., 361, 3037
Lalande, A., 2006, 3800
Laird, J., 361, 3037
Lalande, A., 2006, 3800
Lalou, R., 782
La Mar, N. C., 2216, 3264
Lämmermann, H., 2009, 2010
Lancaster, W. B., 4675
Landauer, K., 2505
Landheer, B., 1152
Landis, C., 1382, 1401, 2704, 3580, 3597
Landolf, M., 3505
Lang, H. B., 1027, 3598
Lang, T., 2668
Lang, H. B., 1027, 3598
Lang, H. B., 1027, 3598
Lang, J., 4421
Lange, M., 1443
Lange-Elchbaum, W., 2808
Langeton, R. M., 773
Langeldt, G., 2134
Langeton, W. C., 4651
Lanler, L. H., 3812
Lantsch, A., 4071
Lapleque, L., 2135, 2157
Lapleque, M., 1721
Laqueur, E., 4295, 4296
Largeau, R., 1433
Lartin, K. O., 1004
Larrivé, E., 1834
Lartin, K. O., 1005
Lataste, F., 1028
Lataste, F., 1038
Lataste, H. W., 4170
Laugler, H., \$24, 1722
Lawton, G., 4838
Layton, H. T., 2012
Latarrev, P. P., 938, 959
Latarrivid, R., 4834, 4464
Leel, M. A., 2506
Learmouth, J. R., 4726
Learer, E., 4621
Lectons, D. H., 3014
Lebedinsky, M. S., 2507, 3716
Lectons, G., 4835
Ledebur, F. v., 1850

Ledebur, J. v., 2206
Lee, D. M., 873
Lee, H. N., 4072
Lee, J. M., 873
Lee, H. N., 4072
Lee, M., 4174
Lee, M. A. M., 615, 5013
Lee, P. R., 811
Leoper, R., 1737, 1750
Leeper, R. R., 1444
Lefevre, J. 2157
Lehmann, H. C., 29, 459, 842, 1501, 3582, 5061
Lehmann, W., 4588
Lehnen, H., 1655
Leidecker, K. F., 1668
Leikvam, J., 280
Leirl, F., 92, 93, 2094, 2095, 3452
Lemmon, V. W., 2096
Lénart, E., 1415
Lenoir, R., 2062
Lents, T. F., Jr., 4195
Lenz, A., 2450, 3638, 4073
Lens, A. K., 3717
Lensberg, K., 4422
Leon, L. A., 3564
Leonard, G. O., 230
Leonhardt, C., 4074
Leorite, R., 2157
Leroux, E., 1321
Le Roux, J. M., 2568
Leroy, A., 713, 714, 4890
Leroy, R., 1835
Lersch, P., 8884
Lesch, E., 1502
Leroy, R., 1835
Lersch, P., 8884
Lesch, E., 1502
Lesch, P., 3854
Leuller, —, 772
Levashov, K., 1567
Levi, I. J., 491
Levi, L., 1586
Levi-Bianchini, M., 662, 843
Levine, J., 1710
Levine, M., 4755
Levine, P., 3050
Levinger, E., 4946
Levinsohn, G., 4676
Levinsohn, G., 4676
Levinsohn, G., 4676
Levivov, N., 3.334
Levine, J., 1710
Levine, P., 3050
Levinger, E., 4946
Levinsohn, G., 4676
Levitov, N., 3.334
Levine, J., 1710
Levine, P., 3050
Levinger, E., 4946
Levinsohn, G., 4676
Levitov, N., 3.334
Levine, J., 1710
Levine, P., 3050
Levinger, E., 4946
Levinsohn, G., 4676
Levitov, N., 3.334
Levine, J., 1886
Lewis, D., 2043
Lewin, H., 1887
Lewis, D., 2043
Lewis, H., 1887
Lewis, H., 1887
Lewis, H., 1887
Lewis, H., 1888
Lewis, D., 2048
Lewis, D., 2048
Lewis, D., 2048
Lewis, D., 3079
Lewin, J., 364
Lewis, D., 364, 1887
Lewis, H., N., 1887
Lewis, H., N., 1887
Lewis, H., N., 1887
Lewis, D., 2048
Lewis, D., 2048
Lewis, D., 2048
Lewis, D., 2048
Lewis, D., 364, 1887
Lexis, H., N., 1887
Lewis, H., N., 1887
Lewis, H., N., 1887
Lewis, H., 363
Ley, J., 364, 1887
Lewis, D., 2048
Lewis, D., 364, 1887
Lewis, M., 1722
Lewis, M., 1722
Lelenman, J., 264
Lewis, M., 1742
Ligera, —, 3870, 4076
Light, W. D., 3887
Lichthy, J., 363
Leyin, M., 1772
Lillie, W. J., 4726, 4678

Lima, M., 848
Limarea, A., 2951
Linarea, A., 2951
Linarea, A., 2951
Linarea, A., 3992
Lincoln, E. A., 2034, 2040, 2790
Lind, C., 856
Lindberg, A., 4835
Lindberg, V., 2035
Linde, E., 2705
Lindennergh, M., 4300, 4301
Linder, F. E., 4485
Lindhard, J., 2190
Lindeey, D. B., 3082
Lindwersky, J., 974
Line, W., 31
Lingwarde, O., 3222
Lindwersky, J., 974
Line, W., 31
Lingwarde, O., 3222
Link, H. C., 2918
Lippann, O., 1044, 3038, 4976, 4977
Lippay, F., 2706
Lippert, E., 4156
Lockhart, L. W., 1156
Lockhart, L. W., 1157
Lobbauer, J., 3
Loewenstein, R., 3872
Loewenberg, J., 3
Loewenstein, R., 3572
Loewenberg, J., 3
Loewenstein, R., 3572
Loewenberg, J., 3
Loombroso, C., 3720
Lombroso, C., 372

Lundholm, H., 2789, 8225, 4892;
Lüncherg, T., 460
Luntowski, G., 1301
Luquet, G.-H., 567, 2865
Luria, A. R., 3865, 3041
Luria, L. A., 1889
Lussy, M. C., 491
Luther, W., 2229
Luta, A., 2844
Luta, B., L., 3900
Luta, L., 2021
Luta, E., 4230
Luxenburger, H., 1756, 2259, 2260, 3125
Luyten, W. J., 3776
Lyttelton, R. S. R., 240
Lyubitskaya, E. I., 2743 Mang. P., 663

Mable, E., 461

MacAuliffe, L., 38008

MacCurdy, J. T., 607

MacDonald, A., 4487

MacDonald, A., 4487

MacBonald, M. S., 4756

Mace, C. A., 617

Mack, G. M., 4444

Mackay, A. L. G., 2539

MacKennie, W. P., 291

MacKinnou, A. L., 4427

Mackindou, J. J. R., 3889

MacLeod, R. B., 3836

Macklin, M. T., 2261

Macquart, R., 1342

MacRae, M., 5052

Madariaga, I. C., 716

Máday, S. V., 1415

Madigan, L. F., 4646

Madora, T. R., 3226

Maes, R., 3102

Maes, R., 3102

Mager, H., 507

Magruder, F. A., 879

Mahaffey, B. E., 2744

Mahdi, A., 546

Maher, H. C., 3018

Mailer, R., 2919

Maler, N. R. F., 2230, 4326

Mainwaring, J., 2014

Mairet, P., 1902

Maitl, H. P., 880, 4757

Maitra, S. K., 1505

Makedvedeva, —, 1555

Malamud, W., 2097, 3249, 4428

Mala, J., 2458

Male, R., 3103

Maller, J., 4138

Maller, J., 4138

Maller, J., 4138

Maller, J., 4138

Maller, J. B., 641

Maller, B., 641

Maller, B., 641

Maller, B., 413

Maller, F., 1158

Mandeville, S., 1506

Maney, C. A., 497

Mangold, R., 1053

Mancharia, M., 2952

Mantovani, G., 1341

Manyè, J. B., 664

Marchariava, E., 1448, 4304

Marchariava, E.

Markey, O. B., 1972
Markey, O. B., 1972
Markey, D. A., 3074
Markov, D. P., 844
Marro, G., 1159, 1507
Marsh, L. D., 3983
Marshall, E. M., 8758
Marston, W. M., 32
Marston, W. M., 32
Martin, D. S., 185
Martrille, D., 1456
Marty, E. W., 722
Marvin, H. B., 2008
Marrille, D., 1456
Marty, E. W., 722
Marvin, H. B., 2008
Marrille, D., 1456
Marty, E. W., 722
Marvin, H. B., 2008
Marrille, D., 1479
Marlow, A. H., 4832
Mangouin, P., 728, 1841
Mansaut, C., 4893
Manguin, P., 728, 1841
Mansaut, C., 4893
Masson-Oursel, P., 1279, 1608
Massur, E. O., 2281, 2282
Masters, H. V., 3777
Mathelsen, A., 944
Mathlew, J., 1974
Mathewe, J., 1975
Mathewe, J., 1974
Mathewe

Meignant, P., 1192
Meikiejohn, A., 4176
Meill, R., 2646, 5017
Meill, A., 2646, 5017
Meill, A., 2889
Meinertz, J., 4866
Meir, H., 3891
Meiby, B. O., 857
Meiltzer, E., 1848
Meitzer, H., 3895
Melsi, U., 2046, 2955
Mennard, P., 786
Mendes-Corren, A. A., 4950
Menesinl, G., 1844, 1846
Meng, H., 3853
Menger, C., 3644
Mengert, I. G., 463, 1603
Menninger, K. A., 3986
Menninger, K. C., 3986
Menninger, W. C., 3986
Menninger, L. A., 1405
Mensel, H. L., 3335
Mensel, H. L., 3335
Mensel, H. J., 3458
Merry, R. V., 498
Merry, R. V., 498
Merryanch, A., 3987
Mersbach, T., 4897
Messenger, H. R., 2997
Messenger, H. R., 2997
Messer, A., 1670, 2017, 4588
Mettlankov, —, 4803
Mettessel, M., 4241
Mets, P., 2668
Metsger, W., 1303, 2099, 4240
Meyr, W., 1975
Meyer, E., 584
Meyer, M. F., 4242
Meyer, M. F., 2438
Michelson, T., 2870
Midulla, C., 3721, 4521, 4522
Michelson, J., 2298
Michelson, T., 2870
Midulla, C., 3721, 4521, 4522
Michelson, T., 2870
Midulla, M., 2444
Miller, M., 2444
Miller, M., 2445
Miller, M., 4408
Miller, M., 4408
Miller, M., 2425
Minch, M., 2828
Michelson, T., 288
Mollitor, A., 4796
Michelson, M., 4898
Mollitor,

Möller, J. P., 2190
Molnar, A., 871
Molozhavl, S. S., 2954
Monachov, K. E., 2230
Monakow, C. v., 2373
Monash, L., 1207
Monatin, —, 689
Mondio, E., 4898
Mones, L., 114
Money-Kyrle, R. E., 243, 1056, 1757
Monjá, M., 961, 1671, 4682
Mönkemöller, —, 4490
Monrad-Krohn, G. H., 294
Monroe, M., 4177
Monroe, M. M., 4661
Monroe, W. S., 4587
Montague, W. P., 2, 3
Montague, W. P., 2, 3
Montague, W. P., 2, 3
Montassut, M., 1097, 1453
Montague, W. P., 2, 3
Montassut, M., 1097, 1453
Montague, W. P., 2, 3
Montassut, M., 1591
Montmasson, J. M., 1714, 2310, 4083, 4134, 4135
Moog, W., 4084
Moore, E. S., 1592
Moore, T. V., 1644, 3231
Mora, C., 3584
Moral, H., 1723
Morales, G., 3988
Moran, A. M., 876
Moreau, —, 276
Moreau, —, 276
Morgan, J. L., 2872
Morgan, J. E., 3392
Morgan, J. E., 3392
Morgan, J. E., 3392
Morgan, J. J. B., 295, 3415
Morgan, T. H., 4505
Morgan, T. H., 4505
Morgan, T. H., 4505
Morgan, T. H., 4505
Morrelli, G. E., 2819, 3989
Morto, P. R., 3893
Morto, P. R., 3893
Morton, H. M., 4683
Mosher, R. D., 808
Moss, F. A., 1882, 1409, 1849, 1850, 3077
Moss, F. K., 4679
Mouchina, E. A., 4550
Mouchina, E. A., 4550
Mourgue, M. R., 718
Mowrer, O. H., 4797
Mouchina, E. A., 4550
Mouchina, E. A., 4550
Mourgue, M. R., 718
Mowrer, O. H., 4797
Mouchina, E. A., 4580
Muller, M., 3815
Müller, A., 2900, 2998
Müller, D., 2233
Müller, E., 2470
Mukerfil, A. C., 1290
Müller, M., 3815
Müller, M., 3815
Müller, M., 3815
Müller, M., 2293
Murphy, G., 21, 1511, 2607
Murray, E., 4087
Murray, V. F., 3602
Murray, V. F., 3602
Murray, W. A., 2293
Murphy, G., 21, 1511, 2607
Murray, E., 4087
Murray, V. F., 3602
Murray, W. A., 2293
Murphy, G., 21, 1511, 2607
Murray, E., 4087
Murray, V. F., 3602
Murray, V. F., 3602
Murray, J. M., 4840
Murray, J. M., 4840
Murray, V. F., 3602
Murray, J. M., 4840
Murray, Oberhoff, E., 3683 Oberholser, 3334 Obermaler, H., 2874

Myssishchew, W., 1567 Myers, C. S., 1553 Myers, G. C., 4551 Myers, G. C., 465, 1598 Myers, H., 4979 Myerson, A., 1906, 2455 Myslivecek, E., 4809 Mysnikov, V. A., 2820 Nachit, S., 724, 1428
Nackt, S., 724, 1428
Nackt, S., 724, 1428
Nackel, O., 1162
Nagre, J. W., 203
Nagr, L., 1415
Nahrhaft, O., 1812
Nahrhaft, O., 1812
Nahrhaft, O., 1812
Nakayama, H., 2182
Nakayama, H., 2182
Nakasima, S., 4798
Nash, J. B., 4179
Nass, G., 2921
Nassri, R., 5082
Nathan, M., 1098
National Commission on Law
Observance and Enforcement, 787
Nattrass, F. W., 1851
Naundorff, E., 3587
Naut, D. M., 2683
Neall, H. E., 845
Necchi, L., 838
Neel, M., 2045
Necchi, L., 838
Neel, M., 2045
Necli, L., 838
Neel, M., 2045
Necli, L., 838
Neel, M., 2045
Neill, A. J., 1344
Neill, A. S., 4552
Neill, J. C., 2649
Nelson, M. J., 2577, 2578
Nemal, J., 1907
Nemes, M. M., 1415
Nemoto, M., 4764
Nemes, M. M., 1415
Nemoto, M., 4764
Nemes, E., 1514
Nemoto, M., 4764
Neunan, J., 1518, 4588
Newell, J. I., 374
Newens, E., 1514
Neuhaus, W., 3454
Neumann, J., 1518, 4588
Newell, J. I., 374
Newens, I. F., 2555
Newland, E. B., 883
Newman, E. B., 1008
Newman, H. H., 2262, 3557
Newmark, E. D., 451
Newton, F. H. J., 4200
Newton, I., 96
Nogwark, E., 4088
Nice, L. B., 1344, 1366
Nice, M. M., 1208, 1209, 1345, 1367
Nicsen, D., 549, 585
Nicole, J. E., 296
Nicole, J. E., 296
Nicole, J., 1695
Nolos, J., 1695
Nowotny, K., 1853
Nugent, R. J., 2097
Nylsen, R., 175, 1340, 4684
Nystrom, G. H., 406

4804, 4327

Padeano, G., 2377

Page, I. H., 1333

Page, K., 1167

Page, R. M., 4980

Paget, R. A., 500

Palatnik, —, 3603

Palasto, A., 3301

Pallestrini, B., 4305

Palmer, H. D., 3237, 3264

Pantelev, L., 1565

Papanti, I., 3434

Papes, J. W., 2684

Parcheminey, G., 3604

Park, D. G., 81

Parker, G. H., 3105

Parker, H. L., 3288

Parkinson, J. S., 4238

Parkinson

Oberndorf, C. P., \$225, \$900, \$0541, \$2, 68, 4685, 4685 \$04ell, C. W., 1244, 3760 \$04embach, K., 1245 \$04er, C., 2215 \$04ell, C. W., 1244, 3760 \$04embach, K., 1245 \$04er, C., 2215 \$04embach, K., 1245 \$04er, C., 2216 \$04embach, W., 2406 \$0

Phillips, N. R., 1457
Plaget, J., 2958
Plaget, J., 2958
Plaget, J., 2958
Plaget, J., 2958
Plaget, M. H., 5083
Picard, —, 727
Piccinino, F., 2319
Piccoli, G. A., 248
Pichard, H., 1080
Pichon, E., 4555
Picki, R., 3839
Piddington, R., 4982
Pieraccini, G., 4768
Pierantoni, L., 4247, 4480, 4495
Piéron, H., 550, 1674, 2544, 2792, 4600, 4601
Piéron, Mme. H., 2580
Pikier, J., 1306, 3859, 4244, 4248
Pillabury, W. B., 4440
Pinard, M., 4441
Pincus, G., 1016, 1017, 2731, 2732
Pinney, M., 3396
Pintner, E., 3792, 3794
Piolit, M., 2686
Pistiner, A., 1673, 3890
Pittin, W. B., 126, 501
Pitts, W. R., 2699
Pittsburgh Federation of Social Agencies, 376
Plattner, R., 1909
Plaut, P., 798, 1910
Pleasants, H., 3272
Plews, F., 1911
Ploscowe, M., 794
Podesta, H., 4249
Poffenberger, A. T., 181
Pohlen, R., 4191
Pohlman, A. G., 2100
Polack, —, 1307
Polak, A., 326
Polak, U. B., 3762
Polak, L., 2687
Pollak, E., 2140, 3991
Pollack, H. M., 1458, 3241, 3242, 4442, 4443, 4444
Polosker, I. L., 2882
Pomanowskaja, W., 177
Poplak, E., 2140, 3991
Pollock, H. M., 1458, 3241, 3242, 4442, 4443, 4444
Polosker, I. L., 2882
Ponthous, F., 989
Pomanowskaja, W., 177
Pomerat, C. M., 3548
Ponce, A., 3727
Porter, R., 4688
Popek, K., 4904
Popenoe, P., 642, 2263
Popova, O., 1505
Popova, O., 1505
Popova, O., 1505
Popova, A., 177
Poppelreuter, W., 283, 3248
Potthoff, E. F., 514, 1688, 2019, 2999
Pottier, P., 628
Post, L. A., 2107
Potter, H. W., 2345, 3248
Pottor, E., 127
Porter, R., 382
Portier, P., 628
Post, L. A., 2107
Potter, H. W., 2545
Poulssey, L., 1688
Popov, R., 4688
Popek, K., 4904
Popenoe, P., 642, 2263
Popova, O., 1505
Popova, O., 1505
Popova, O., 1505
Popova, A., 177
Poppelreuter, W., 1888
Portier, P., 628
Post, L., 1255
Pratt, J. L., 515
Pratt, J. L

Preuse, K. T., 378
Prevost, J., 827
Pressolini, M., 1725
Pribilla, M., 4094
Price, W. T. R., 3764
Pringle, R. W., 1636
Prinshorn, H., 2794
Pritchard, E. A. B., 3053
Pritchett, H. L., 2020
Privat, H., 4136, 4127
Propper, N. T., 3041
Prosturina, Z., 3715
Prost, -, 3994
Pulg, F., 4556
Purdy, D. McL., 98, 4250
Putchkowsky, M. A., 4157
Putnoky, F., 406, 407, 3325
Puusepp, L., 2824
Puyn, H., 1912
Pyles, M. K., 5018
Quagilo, —, 2050 Quaglio, —, 2650 Quastel, J. H., 1449, 4895 Quinan, C., 3302 Rabaud, E., 1751, 2065, 2237
Rada, M., 2959
Rademaker, G. G., 4251, 4306
Radloff, E. M., 4751
Ragian, Lord, 4095, 4096
Ragsdale, C. E., 1637
Raiford, T. S., 2076
Rajniss, F., 1415
Rakonitz, E., 3079
Ramsay, H. H., 3245
Ramus, C., 551
Rand, G., 70, 4658, 4659, 4660, 4661
Rand, L. S., 1697
Rangacher, C., 4954
Rans, O., 2546
Ranserbburg, P., 1459
Ranson, S. W., 142, 2238, 3501, 4270, 4271, 4905
Ransi, O., 2546
Ranserbburg, P., 1459
Ranson, S. W., 142, 2238, 3501, 4270, 4271, 4905
Ransi, S., 146
Rashevsky, N., 39, 128
Rasmussen, A. T., 1726
Rathbun, C., 3303
Rau, P., 207
Raven, A., 2487
Ray, W. S., 3367, 5019
Raymond, A. F., 1075, 3169, 4381
Rasran, H. S., 2036
Read, C. S., 4906
Rebert, G. N., 1913, 2876
Reckless, W. C., 4557
Redfern, A. R., 2825
Reed, S. L., 1249
Reder, C. W., 3765
Reese, M., 3268
Reeves, S. M., 3369
Reger, S. N., 4496, 4497
Regnault, F., 178
Reinsteiner, K., 964
Reichel, M., 1252
Reid, I. de A., 810
Reigbert, R., 2795
Reik, T., 1790, 3932
Reinhardt, H., 3340
Reinhardt, J. M., 1169
Reinhardt, M., 526
Reininger, L., 4806
Renwick, E. M., 5059
Renqvist, Y., 88, 2141, 8840, 3841
Renshaw, S., 43, 586
Renwick, E. M., 5059
Recy, A., 2006, 2745

Reymert, M. L., 44
Reymolda, B. C., 1914
Riabuschinsky, N. P., 2195
Ribsskog, B., 977
Ricchi, G., 3054
Rice, H. A., 1019
Rice, M. F., 484, 485, 486, 487, 483
Richard, G., 1170
Richards, E. L., 725, 3870
Richards, E. L., 725, 3870
Richards, E. L., 725, 3870
Richards, T. W., 693, 2450
Richardson, E. G., 587
Richardson, R. B., 1791
Richet, C., 619
Richardson, R. B., 1791
Richet, C., 619
Richardson, R. B., 1791
Richet, C., 729
Richardson, R. B., 1791
Richet, C., 8, 4493
Richardson, R. B., 1791
Richet, C., 2922
Ricker, C. S., 4493
Ridout, J. H., 155
Riedel, K., 502
Rietz, L., 4558
Rife, D. C., 2130
Riggall, R. M., 4907
Riley, H. A., 1093
Rinde, C. A., 4252
Ricchie, A. D., 2211, 4769
Ritter, E., 8730
Ritter, E., 8730
Ritter, E., 8730
Ritter, E., 1004, 4439, 4908
Rissolo, A., 147, 2142, 2143
Roaf, H. E., 965, 3457
Rosenda, G., 179
Roback, A. A., 2613, 4200
Robb, C. C., 290
Robb, E., 3872
Ribbins, A. B., 1757
Roberti, C. E., 148, 149, 300
Roberts, H. H., 2460
Roberts, H. H., 2460
Roberts, W. H., 796, 2651
Robinson, E. R., 21, 3436
Robinson, E. W., 2339
Robinson, F. P., 1633
Robinson, E. R., 21, 3436
Robinson, E. W., 2389
Robinson, F. P., 1633
Robinson, E. R., 21, 3446
Rochart, E., 346
Rochart, E., 346
Rochart, E., 346
Rochart, C. H., 3846
Rochart, E., 346
Rochart, E., 346
Rochart, E., 377
Rodert, C. H., 3846
Rochart, E., 348
Rochin, G., 3895
Robinson, F. P., 1638
Robinson, F. P., 1639
Robinson, F. P., 1639
Robinson, E. W., 2389
Robinson, F. P., 1639
Robinson, F. P

Rose, M. L., 1370
Rose, M. S., 3372
Rosenberg, H., 2144
Rosenblueth, A., 1348
Rosenblum, A., 3030
Rosenblum, A. S., 3342
Rosenblum, A. S., 3342
Rosenblum, A. & 3.342
Rosenblum, A. & 3647
Rosenblum, A. & 3647
Rosenblum, A. & 3698
Rosenthal, C. & 3098
Rosenthal, J., 3993
Rosenthal, J., 3893
Rosenthal, J., 3842
Rosent, J., 1461
Rose, J., 4210
Rossi, V., 271
Rottacker, E., 2614
Rotthschild, D., 3249, 4426
Rothschild, D., 3249
Rottiger, J., 372
Rounds, G. H., 181
Rounds, G. H., 1 Sacchi, R. W., 2006

Sacchi, U., 4740

Sachs, H., 1792, 3938

Sacristán, J. M., 3997

Sadler, L. K., 1212

Sacthre, W. S., 1212

Sacthre, H., 2926

Sager, O., 721, 4488

Sageret, J., 828, 1325, 3872, 4103

Sagin, K., 2198

Sagorowski, P. L., 1597

Sakellarion, G. T., 3854

Salewski, W., 3577

Salit, P., 4685

Salkind, A. B., 2061, 2062, Salmon, A., 3511, 4772 Salmon, A., 3511, 4772 Salmon, H. F., 1703, 1704 Schoen, H., 2713, 2714 Schoen, H., 2713 Samanta, M., 4692 Samborn, H. C., 4705 Sanders, M., 4506 Sanders, M., 4508 Schilver, H., 27, 2514, 2064 Schreder, T., 1465, 4844 Scholler, F., 205, 200 San, F., 308 Santangelo, G., 304 Schilt, M., 2713 Schilt, M., 2713 Schilt, M., 2713 Schilt, M., 2713 Schilt, M., 2714 Saunders, E., 8, 4627 Schilt, M., 2714 Saunders, E., 8, 4627 Schilt, M., 2714 Schilt, M., 2715 Schilt, M., 2715 Schilt, M., 2716 Schilt, M., 2718 Schilt, M., 2718 Schilt, M., 2618 S Salmarah, H. F., 1703, 1794
Saltmarah, H. F., 1703, 1794
Salvador, L., 8564
Samanta, M., 4692
Samojoff, A., 2199
Samson, L., 2461
Sanborn, H. C., 4328
Sanchers, G. L., 2795
Sander, F., 4026
Sanders, M., 4809
Sanderson, D., 2462
Sanders, M., 4809
Sanderson, D., 2462
Sanders, M., 4809
Sanderson, D., 2462
Sandor, F., 3080, 3688
Sangren, F. V., 890
Sano, F., 303
Santangelo, G., 304
Santayana, G., 3
Sapir, I. D., 2827
Sarasin, P., 249
Sarfatti, M., 799
Sargent, R. F., 918
Sastry, N. S. N., 4627
Saudek, R., 800, 4211
Saul, L. J., 3474
Saunders, E. B., 4447, 4448
Saya, M., 979
Scalstiti, M., 2711
Scarlett, H. W., 4603
Scates, D. E., 902
Sch., F., 250, 3934, 3935
Schaehter, M., 1462
Schaefer, H., 1698
Schäfer, G., 1463
Schager, R., 3339
Schairer, J. B., 4212
Schaeller, J., 3344
Schapiro, B., 729
Scheeffer, L., 2172
Schein, J., 2615
Scheller, H., 2063
Scherer, R., 3639
Schiller, P., 4104
Scheminsky, Fried., 2200
Schenek, C. M., 3648
Scheiff, P., 780, 1102, 1464
Schiller, P., 4139
Schiller, P., 780, 1102, 1464
Schilder, P., 3253, 3857, 4645
Schilder, P., 253, 3857, 4645
Schilder, P., 3253, 3857, 4645
Schiller, P., 4189
Schiller, P., 5254
Schilderup, H. K., 1528
Schilderup, H. K., 1528
Schilderup, H. S., 1524
Schilderup, H. S., 1056
Schilder, R., 3456
Schilder, R., 1276
Schmidt, F., 1598, 1676
Schmidt, F., 1598, 1676
Schmidt, F., 1159
Schmidt, F., 1598, 1676
Schmidt, F., 1598

Shen, E., 129
Shepherd, J. W., 2550
Sherman, M., 3137
Sherrington. C. S., 996, 3067
Shewhart, W. A., 2037, 2573
Shick, M. McD., 9136
Shinn, A. V., 5022
Shipnervich. W., 1567
Shipley, G. T., 3768
Shirley, M., 472
Shmarlan, —, 3603
Shower, E. G., 2102
Shrapovitakaya, M. L., 4773
Shuey, A. M., 208
Shujner, F., 3651
Shulman, H. M., 4108
Shushakov, A., 3847
Shuttleworth, F. K., 1257, 2381
Sicher, L., 1858
Sidgwick, Mrs. H., 4369
Siegel, C., 3819, 4956
Siekmann, W., 4405
Sigel, E., 4910
Sigg-Boeddinghaus, M., 252, 667
Silverberg, W. V., 1411
Silverman, Y., 2025
Silverberg, W. V., 1411
Silverman, Y., 305, 781, 732
Simonelit, G., 4213
Simonelit, G., 4213
Simonelit, G., 4213
Simonelit, M., 3514
Simonelit, G., 4213
Simone, F., 3668
Simson, P., 3678
Silnemus, A., 3846
Singer, E. A., Jr., 3
Sinemus, J., 1759
Sims, V. M., 504, 1640, 3398
Simson, P., 3608
Simson, P., 368
Simson, P., 368
Sinson, P., 3775
Sinemus, A., 3846
Singer, E. A., Jr., 3
Sinvitan, M., 3411
Siggren, T., 3133, 4002
Slogren, V. H., 366
Skaggs, E. R., 981
Skele, J., 2765
Skinner, B. F., 184
Skinner, B., 289
Smith, A. H., 2892
Skirl, H., M., 4159
Smith, M., 4159
S

Sorenson, H., 2027
Sorge-Bochmke, R., 1216
Sorokin, P. A., 2323, 2449, 4111
Soudek, S., 1083
Soukup, F., 3258
Souriau, E., 803
Southerland, G. F., 3515
Spaeth, L. M., 384
Spearman, C., 919
Spek, J. v.d., 503
Spence, K. W., 3438
Speransky, A. D., 3009
Spiegel, E., 3877
Spiel, O., 1451
Spielmeyer, —, 4505
Spielmeyer, W., 1104
Spielrein, J. W., 4196
Spooner, G. M., 2750
Spranger, E., 1217
Springmeyer, —, 4588
Squires, P. C., 3652, 4958
Saucharewa, G. M., 2875
Spranger, E., 1217
Springmeyer, —, 4588
Squires, P. C., 3652, 4958
Saucharewa, G. M., 2875
Stahl, R., 130, 131, 132
Stahl, R., 130, 131, 132
Stahl, R., 130, 131, 132
Stanley, D., 304
Stanley, L. L., 2751
Stargardt, —, 4113
Stark, E. K., 4641, 4642
Staub, H., 1173, 1799
Stauffer, M., 3376
Stauber, M., 3376
Stauber, M., 2365
Stebbins, I. F., 1106, 3259
Steterns, A. W., 805
Stebbins, I. F., 1106, 3259
Steck, H., 1107
Steckel, M. L., 2047
Steenbock, H., 4802
Stefanlin, A., 2653
Steggerda, M., 2719
Steck, H., 1107
Steckel, M. L., 2047
Steenbock, H., 4802
Stefanlin, A., 2653
Steggerda, M., 2719
Ster, W. C., 2242
Steichen, A., 48
Stein, H., 3010
Stein, N. E., 1218
Stein, W. H., 4667
Steinberg, M., 2388
Steiner, M., 2408
Steinberg, E., 2859
Steinherg, E., 2859
Steinherg, E., 3871
Stephen, A., 240
Steinhaus, H., 4695
Steinherg, F., 4118
Steiner, J. S., 745
Steinherg, M., 2388
Steiner, M., 2408
Steinher, J. S., 745
Steinherg, M., 2388
Steiner, M., 2408
Stevenson, G. H., 3260
Stevenson, G. H., 3

Stone, C. F., 204, 8580, 4787
Stopes, M. C. C., 3234
Storch, A. 179, 1910, 4114
Störring, G., 2601, 1910, 4114
Störring, G. E., 307
Stout, G. F., 552
Stovell, G., 2652
Strang, R., 1642, 2048
Strank, R., 1642, 2048
Strank, R., 1890, 2007
Strecker, R. F., 1058
Strecker, R. F., 1058
Strecker, R. A., 1108, 3264
Strecker, R. A., 1108, 3264
Strecker, R. A., 1108, 3264
Strecker, R. M., 1018, 3264
Strecker, R. M., 1028, 3264
Strecker, R. M., 1038, 3264
Strecker, R. M., 1028, 3264
S

Trimble, O. C., 51
Triplett, D., 591
Triplett, D., 591
Trollo, B. B., 737
Troland, L. T., 2619
Trout, D. M., 2885
Truche, -, 1417
Triper, H., 3401
Tryon, R. C., 212, 1878, 4605
Tsai, C., 4731
Tsai, L. S., 1374, 4329
Tschermak-Seysenegz, A., 3849
Tschermomordik, O. S., 8319
Tschimolossow, A., 1947
Tsvetkov, A. N., 2247
Tucker, W. S., 592, 4257
Tufts, J. H., 3
Tugendreich, G., 1600
Tumiati, C., 1100
Tumiati, C., 1100
Tumiati, C., 1100
Tumiati, C., 1100
Tumier, O., 478, 2070, 3004,
4118
Turetta, V., 2898
Turkewitsch, B. G., 1700
Turner, F. D., 1477
Turney, A. H., 892, 3418
Tusques, J., 1800
Tusskai, Ö., 1601
Tuttie, H. S., 1219, 1220
Tuttie, W. W., 187, 2722
Uchida, T., 2248 Tuttle, W. W., 181, 2722

Uchida, T., 2248

Uchida, H., 4822
Ufand, I. M., 2205, 2691

Uhl, W. L., 5052

Urbrock, R. S., 3517

Umer, F., 1802

Ulrich, K., 3518

Umstattd, J. G., 8408

Underwood, G. M., 4454

Unger, M., 4916

U. S. Adjutant General's

Office, 430

Unsworth, H. R., 738

Upjohn, E., 1375

Uphall, C. C., 3777

Upton, M., 1758

Urban, W. M., 3

Urbschat, F., 4662

Urechia, C. L., 1478, 1868

Uunadse, D., 2655

Vachet, P., 3039 Urechia, C. I., 1478, 1868
Usnadze, D., 2655
Vachet, P., 3039
Vaerting, M., 1175, 1985
Vahl, F., 1721
Valentine, W. L., 188, 555
Valentiner, T., 3083, 3349, 3404
Valery, P., 2069
Valette, M., 630
Valser, A., 4330
Valsalva, A. M., 2656
Van Alstyne, D., 2971
Van Bognert, L., 739
Vance, T. F., 850, 8026
Van den Berg, P. W. J., 3810
Van der Veldt, G., 982
Van der Ven, D. J., 809
Van der Veldt, T. H., 2886
Van Dijk, J. A., 2146
Van Donk, E., 4802
Van Essen, J., 3901
Van Gennep, A., 1529, 3892, 4119
Van Harreveld, A., 4308
Van Kleeck, M., 810
Van Loon, F. H. G., 4309
Van Ormer, B. B., 185
Vanuxem, M., 3268
Vart, P., 1948, 2497
[Varlous], 598, 395, 1415, 1864, 2471, 2552, 2620, 2972, 3045, 4159
Verro, M., 1415
Vatti, G., 2249
Vecclii, G., 2692
Velland, W. J., 2081
Veit, V., 4870
Vetts, L. E., 2978
Velecika, N. P., 4563
Velikovsky, L., 3499

Ventre, C., 3269
Vensmer, G., 4371
Veo, L., 310
Verhaeren, J., 4849
Verlaine, L., 631, 2250, 2728, 2757, 2758
Vermeylen, G., 311, 312
Vernet, M., 1827
Vernier, C., 2887
Vernier, C., 2887
Vernon, M. D., 431, 2888
Vernon, P. E., 2825, 3417
Verrier, L., 1034
Verrier, M. L., 632, 638
Verschuer, O. V., 33135
Verschuer, O. V., 33135
Verschuer, O., 1221, 4709
Vértes, J. O., 1221, 4709
Vértes, T., 1176
Vervaeck, L., 390, 4120
Vessle, P. R., 2894
Vialiefont, H., 1818
Viana, O., 3519
Viand, G., 684
Vickery, K., 1741
Vidler, A. R., 2472
Vidoni, C., 893
Vidoul, G., 812, 2478, 3654, 3772
Vierguts, R. F., 4121
Vigliani, E. C., 3486
Vignon, P., 3543
Vigotski, L., 2925
Vilenkina, R. G., 1558
Villacreses, J. C., 3564
Villiarceses, J. C., 3564
Villiarceses, J. C., 3564
Villiamor, I., 381
Vilter, V., 22551
Vincent, D. F., 52
Vinchon, J., 2326
Viola, G., 2724
Visani-Scozsi, P., 1063
Visitich-Young, P., 1177
Viteles, M. F., 1049
Viteles, M. S., 1559, 2809, 3691, 4985
Vivasan de Regny, P., 4215
Vilachos, O., 811
Vieugels, W., 4968
Vorsch, C. L., 3773
Vogel, K., 104
Vogeler, R., 189, 2725
Vogelsang, H., 2474
Vogt, O., 3560
Voft, G., 2188, 2189, 4830
Volborth, G. V., 3520
Volevich, R. V., 1112, 2800
Volkelt, H., 2622
Volkov, S. P., 3611
Volmer, A., 1194
Volobuev, P., 4564
Von der Muhlen, R., 3940
Voorsch, T. G., 2558
Voronov, N. N., 4966
Vorwahl, H., 479, 2475, 2974, 3158, 3159, 3311, 3312
Vyzotski, L. C., 4917
Vyzotski, L. C., 4917
Vyzotski, L. S., 1602 Vygotaki, L. S., 1602

Wachholder, K., 1350, 2206, 2207, 2208, 3066, 3878

Wadleigh, V. L., 3790

Waetsmann, H., 594

Wagner, A. H., 4510

Wagner, C. P., 740

Wagner, E., 1701

Wagner, H., 2759

Wagner, K., 4923

Wagner, M., 2036

Wagner, M., 2036

Wagner, M., 3613

Wafte, W. C., 3016

Walcott, E., 5027

Wald, G., 3451

Walker, C. B., 4732, 4733

Walker, D. A., 527

Walker, M., 3017

Wallaschek, R., 2889

Wallis, H. C., 3418

Wallon, H., 1680, 2516, 3350, 3468

Walls, G. L., 3114

Walsh, J. J., 3005
Walters, J. E., 894
Walthard, K. M., 967
Walther, A., 558
Walther, L., 438, 434, 832, 838, 2482, 3692, 4140, 4141, 4142, 4987, 4988
Wals, F. C., 3433
Wang, C. K. A., 920, 2049
Wannamaker, C., 811
Ward, A., 1222
Ward, E. F., 968
Warden, C. J., 213, 506, 685, 636, 2215, 2252, 3818, 3544
Waring, B. B., 3378
Warner, L. H., 1035
Warner, M. L., 5063
Warnshuis, P. L., 745
Warren, M. E., 5063
Warren, M. E., 5063
Warrenberg, R., 4007
Washburn, R. W., 3379
Washburn, R. W., 3379
Washburn, R. W., 3879
Wastenberg, R., 4007
Washburn, R. W., 3879
Wastenberg, R., 4007
Washburn, R. W., 3879
Wastenberg, R., 190, 191
Watson, B. W., 2483
Watson, F. R., 506
Waters, R., 190, 191
Watson, M. E., 2976
Wauthler, M. M., 4149
Wawrik, M., 2554
Way, E. F., 1309
Weatherhead, I. D., 2327
Webb, L. L., 3895
Weber, H., 257
Weber, W., 3655
Webster, H., 2890
Wechsler, D., 1648
Wechsler, H., 4123
Weinmann, K., 4258
Weidmer, —, 4122
Weimer, H., 4123
Weinmann, K., 4310
Weis, E., 258, 1064, 2395, 2832
Weiss, G., 2157, 5028
Weiss, B., 258, 1064, 2395, 2832
Weiss, S., 144
Weissenborn, F., 4250
Weila, L., 4008
Wells, L. M., 2845
Wells, L. M., 2845
Wells, M. H., 1178
Weila, E. F., 105, 106, 107
Wells, E. F., 150, 106, 107
Wells, E. M., 2581, 3032
Weils, J. H., 1036, 3802
Wenley, R. M., 3

Wentscher, E., 3820
Wentworth, H. A., 4660, 4697, 4698
Wenal, A., 4710
Werner, H., 2657, 4699
Werne, T. B., 3893
Wesley, E. R., 4173
West. C. J., 936
Westbrook, C. H., 3894
Wexberg, E., 3546
Wever, E. G., 1702, 1728, 2239
Weyer, F., 3546
Weygang, I., 2891
Weyr, H., 4872
Wheat, L. B., 2110
Wheeler, E. H., 2624
Wheeler, R. H., 2624
Wheeler, R. H., 3547
Wherry, R. J., 558
White, A. M., 1715
White, C. M., 2625, 3581
White, H. D. H., 2061, 2833, 3006
White, M. E., 480
White, M. R., 480
White, M. T., 3667
Whitley, M. T., 3667
Whitley, M. T., 3667
Whitley, R. L., 481, 1223
Whitlow, C. M., 5064
Whitman, R. C., 2265
Whitmer, C. A., 1310
Whitney, E. A., 3130
Wholey, C. C., 741
Wichert, F., 2693
Wiegand, F., 4670
Wiegand, F., 4832
Wile, R. S., 1065, 1742
Wile, U. J., 3273
Wileym, A. E., 392
Wildermuth, H., 456
Wildermuth, H., 456
Wildermath, H., 456
Wildermath, H., 456
Wildermath, H., 456
Wilkinson, B., 2892
Wilkinson, B., 2894
Wilson, M. D., 2366
Williams, E. C., 2722
Wilkinson, B., 2896
Williams, E. G., 1044
Williams, E. C., 3549
Wilson, M. O., 608, 1260
Winder, W. F., 4818, 4333, 4444
Windred, G. L., 3101

Winkelman, N. W., 1479
Winkler, H., 3160, 3736, 4161
Winnik, S. A., 1195
Winslow, C. N., 218
Winslow, E. A., 810
Winsor, A. L., 1743
Winsor, C. P., 3779
Winston, S., 1180
Winterstein, A., 304
Winterstein, A., 204
Winterstein, A., 2471
Wintsch, J., 4711
Wins, A., 1717
Wins, W., 1716
Winsen, B., 2976
Wirth, L., 395
Wirth, W., 2726
Wischnewsky, A. A., 2715
Wisdom, J., 556
Wishart, J., 519
Wistitsky, S., 3711
Wittmer, H., 1982
Witte, O., 4124
Witte, O., 4124
Witte, D., 259, 313, 1066, 3941, 4851
Witty, P. A., 29, 459, 342, 1501, 1604, 2517, 2556, 2893, 3582
Woolfahrt, S., 742
Wojcechowski, J., 5088
Wojtuslak, R. J., 214
Wolf, E., 2739, 3116
Wolf, H., 4736
Wolf, H., 4736
Wolf, H., 4736
Wolf, H., 4734
Wolfe, O., 4700
Wolfe, W. B., 2802
Wolff, S. C., 4457
Wolf, W., 2328, 4265
Wolff, D. L., 2804
Wolsky, A., 3117
Wolters, A. W., 52
Woltman, H. W., 743
Wood, C. C., 491
Wood, C. C., 3780
Woodsow, H., 3780
Woodsow, H., 3780
Woodsow, H., 2780
Worester, D. A., 1993
Word, M., 897
Wright, W., 897
Wright, W., 897

Wyss, W. H. v., 3614 Xanrof, L., 604 Xavier, —, 744

Yamaguchi, O., 2149
Yarmolenko, A. V., 3737
Yaskin, J. C., 1865, 3272
Yates, D. H., 2070
Yates, S., 2834
Yates, T. J. A., 4966
Yerkes, R. M., 1283
Yoder, D., 1181
Yoder, F. R., 2478
Young, J. C., 2835
Young, J. C., 2835
Young, J. Z., 2255
Young, J. Z., 2255
Young, P. C., 263
Young, P. C., 263
Young, P. C., 263
Young, P. T., 1312
Young, P. V., 4967
Yourman, J., 2518
Yuravlev, I. N., 4523

Young, P. V., 4967
Yourman, J., 2518
Yuraviev, I. N., 4523

Zachry, C. B., 4565, 4566, 4606
Zalkind, A. B., 3738
Zalushny, A. S., 4567
Zama, A., 572, 951, 1686
Zanker, A., 5629
Zannis, E. P. Z., 4458
Zarewskij, N., 4210
Zawirska, J., 3735
Zbinden, H., 396
Zeigler, T., 1559
Zeise, L., 3440
Zeise, F. R., 3501, 4270
Zelenin, D. M., 397
Zelenin, D. M., 397
Zelenin, D. M., 397
Zelenike, J., 4217
Zelony, G., 989
Zernike, J., 4217
Zelony, G., 980
Zernike, J., 4217
Zelony, G., 980
Zigler, L. H., 3276
Zielehen, T., 1377, 3161, 4568
Zielinski, —, 2398
Ziets, K., 960
Zigler, M. J., 3459
Zilahi-Beke, A., 4511
Zilboorg, G., 1113, 1988, 2399, 2836, 3277, 4459
Zillig, M., 983
Zimmerman, W., 3550
Zimner, O., 3850
Zimner, O., 3850
Zipes, A., 3123
Zipf, G. K., 4968
Ziveri, A., 1067
Zisek, F., 2574, 4102
Znamierowski, C., 4125
Znaniecki, F., 4126
Zorbaugh, H. W., 2558
Zuckerman, S., 2256
Zulliger, H., 264
Zurkuhlen, H., 1928
Zermühl, G., 4260
Zutt, J., 265
Zweifel, T. K., 4162
Zweig, A., 3042
Zweig, A., 3042
Zweig, S., 2071, 3943
Zwirner, E., 282, 4127
Zylman, P., 2267

SUBJECT INDEX

Abasement drive, 4812
Abdomen pain, 4691
Ability grouping, 859, 1996, 5033
in Austria, 3004
defense of, 5067
objections to, 2082
in hypophrenia, 3984
and industry, school, 5061
manual, 1000
mechanical, 910
spelling, lack of, 290
Abnormal psychology, reaction to, 4914
textbook, 4440
work-book, 295
Abnormality, capillaries in, 281
in school, 737
and vocational guidance, 1078, 1534
(See also Defect)
Abortion, law, 3288
Abstraction in Hymenoptera, 2250
Accident, causes, 435
eye, and work, 3456
individual factors, 1549
insurance, 4521
neurosis, 679, 3976, 4402
pedestrian in, 3663
and personality, 282, 4515
prevention, 816, 1184, 2923, 3670,
3674, 3676, 4522
industrial, 4183
and insurance, 3684
traffic, 3675
testimony, 4065
and traumatte neurosis, 1845
victima, reeducation, 4128
visibility in, 3678
Accommodation and depth perception,
581
distant, 3062
ergographic test, 4641 distant, 3052 ergographic test, 4641 fatigue, 4642 mechanism, 942 Accomplishment quotient, reliability, 2016 mechanism, 942
Accomplishment quotient, reliability, 2016
Accuracy of aiming, 2189
Achievement, gifted child, 865
and intelligence, 856, 892
teats, 5037, 5082
measures, 3398
school, and intelligence tests, 5082
parochial, 491
test, 869, 2537, 5045
review, 8757
and acholarship prediction, 2575
survey, 3380
teacher-made, 2018
Turkey, 5036
wrong-word type, 870
(See also Scholarship)
Achilles jerk, 187
Acidity, blood, in psychosis, 3165
Acoustics, bibliography, 596
psychological, 8055
(See also Audition)
Acrodynia, infantile, 298
Action current, 1330, 1732
analysis, 3891
auditory, 1332, 1728
beetle nerve, 4712
brain stem, 4713
characteristics, 2145
cortex, 3470
eye muscles, 4766
muscle, 2201
contraction, 3082
stretch, 2111
nerve, 2144
optic, 3471
in psychosis, 3956
respiration, 3516
aingle fiber, 3477, 4748
turtle, 138
Activity, child, 1977
dancing mouse, 3116
drive, 1375

and emotion, rat, 1868
extra-curricular, 1992
adolescence, 1976
vs. hunger drive, rat, 4331
mental and physical, 2072
motor, in mental work, 164
and parathyroid, rat, 2740
purposeful, 1592
and sympathetic, rat, 2727
and temperature, ant, 3088
and testis diet, goldfala, 2751
in volition, 972
(See also Mosility)
Actor, psychology, 4084
type, 4084
Acuity, auditory, 3450
bee, 78, 634
and brilliance, 575
psripheral, 943
in eye disease, 2650
and optic nerve, 1288
visual, anomalies, 3446
central influence, 39
and depth perception, 581
and fatigue, 3680
(See also Vision)
Adaptation, dark, 574
differential, 3451
and peripheral discrimination, 1310
economic, 2735
excitability, eye, 4662 Adaptation, dark, 574
differential, 3451
and peripheral discrimination,
1310
economic, 2735
excitability, eye, 4662
muscle, 2204
light, 3457
pain, 107
peripheral, 958, 959
social, 4080
visual, crustacea, 2212
(See also Vision)
Adding machine keyboard, 3830
Adding period, 4021
and interest, 973
in light, 3549
personality, 1065
after psychosis, 3598
in recovered schisophrenia, 4424
school, 1620
social, negro, 652
and speech, child, 4547
Adder, viewpoint, 1400
Administration, business, 2481
Adolescence, 1217, 2042, 2968, 2970,
3702, 4545, 4556
and speech, child, 4547
Adler, viewpoint, 1400
Administration, business, 2481
Adolescence, 1217, 2042, 2968, 2970,
3702, 4545, 4566
adjustment, daydreamers, 5027
arrests, 4108
association in, 4548
bibliography, 1562, 1596
body type in, 4277
character in, 478
color vs. form preference, 3730
constitution in, 4528, 4529
and development, 3696
crime in, 3296, 4014
delinquency, 2512
concomitanta, 4501
personality in, 3580
diary, 3720
disorganisation, 1197
eldetic imagery, 4704
and art, 2668
emotional stability, 3722
extra-curricular activity, 1976
female, 2959
group induence in, 4144
guidance, 1212

in industry, 4535
interests, 455, 1572
literary product, 4158
male, 2980
mental life, 4568
and motor skill, 5012
murder in, 4106
muscle power, 4990
negativism in, 400
pedology, 1602
pre-paychotic personality, 310
pulse and body type, 4526
reading interest, 1582
revoit, 1967
schinold aspects, 5002
self-estimate, 1200
sex in, 479
social attitudes, 4563
study, 1563, 1597
Germany, 1581
Russia, 1561, 1599
sulcide in, 1579
thought in, 1564
visual imagery, 3697
vital capacity, 4527
vocational choice, 2489
work, 1558, 4562
(See also Uhild, Youth)
Adrenal ablation and cortin, 1012
in hibernating, 1011
cortex and emotion, 112, 3461
and pain, 2715
Adrenalin and emotion, 2658
and pupil response, 3512
Adult differences, 2991
education, 5058
vocational guidance, 1949
Advertising, 2918, 4977
design, 2900
effectiveness, 3680
planning, 2901
results, 3689
Affect in paranola, 1095
(See also Emotion)
Affection, 1313
and blood glucose, 3980
disorder, 3182
and maternal over-protection, 2987
in memory, 119
and modality, 2660
test, 3022
After-image, 2081, 2082
black, 4649
peripheral negative, 906
Age difference in marriage, 772
of entrance, college, 2025
environment, scholarship, 1241
and ergograms, 4735
ralsification, 835
and handedness, 1583
and intelligence, 2044
In prediction, 2015
rat, 2230
and interest change, 425
and motor ablity, 1343
and performance, 428
Agression, 243
child, 3704
drive and war, 1057
Agnosia, 4245
review, 300
Agraphia, 1441, 1837, 2350
case, 2818
Agriculture, psychic effects, 3671
Alchhorn, appreciation, 2502
Aliming accuracy, 2189
Airplane pilot, test, 4811
Albinism, case history, 4807
Albuminuria and exercise, 4293, 4294
Alcohol effect, 3338
injury, heredity, 687
injury, heredity, 68

and prohibition, 3951
psychogenic, 2312
treatment, 602, 2391, 2396
Alexia, 1441, 1837
review, 4392
Algebra, error types, 5052
and geometry, 873
remedial teaching, 3402
retention, 2012
success prediction, 3754
test, 1610
Alliteration, 3278
Alternation, ambiguous figure, 3881
double, monkey, 194
Altitude, fatigue at, 4280
Altruism, child, 2770
Alsheimer's scierosis, 4426
Ambiguous figure, alternation, 3831
Ambition, 4355
Ambiguous figure, alternation, 3831
Ambition, 4355
Ambiguous figure, alternation, 3831
Ambition, 4356
Ambiguous figure, 2321
oer aropsia, 4688
Ameba, light stimulation, 2231
locomotion, 2322
phototropism, 3106
America, mind of, 2461
American Psychological Association, history, 3426
meeting, 532
New York branch, 539
Amnesia, 307
functional, 4892 meeting, 532
Amnesia, 307
functional, 4892
traumatic, 703
Amphibian, see Frog, Salamander, Toad
Amusia, 4876
Analysis, 556
dream, 669
Anamnesis, 3968
Anemia, mental concomitanta, 1457
psychosis, 1478, 3969
Anesthesia, 1747
action, 3568
galvanic reflex in, 4755
and hypnosis, 2782, 4817
neural, 1723
spinal, and labyrinth disturbance,
4305
unilateral, 598 and hypnosis, 2702, 2811
neural, 1723
spinal, and labyrinth disturbance,
4305
unilateral, 698
Anger, child, 1577
Animal architecture, 4795
behavior, 2215
color vision, 2218
conation and perception, 3107
cooperation, 622
courtship, 625
ecology, 2729
hypnosis, 4797
learning, 211, 2226
magnetism, 262
orientation, 2532
paychology, 631
in 200, 3085
paychosis, 2249
society, 1751
sounds, 8109
work possibilities, 623
(See also Amphibian, Annelid,
Arthropod, Bird, Ocelenterate,
Orustacean, Fish, Insect, Mammal, Mollusk, Protosoan, Reptile,
Vertebrate)
Animism, 4027, 4097
Annelid, see Barthworm, Leech, Worm
Anorexia, child, 1983
Ant behavior, 1854
colony, 3522
learning, 4315
study, 3547
temperature and activity, 3088
Antagonism, 4126
Antagonism, 4126
Antenna function, crab, 3001
Anthropology, 383
criminal, 4950
New Guines, 2428
and psychology division, N. R. C., 9
and statistica, 387, 4933, 4930
(See also Bastu, Owemony, Oulture,
Oustom, Ethnopsychology, Folklore, Leevieste, Magic, Mexicon,
Negre, Primitive, Nace, Ritual,
Totemism)

Anthropometry and fertility, 3654
Infant, 2731
Anticipation tendency, 90
Anxiety, case, 657
In dementia pracox, 1080
in epileptica, 3611
and heart, 3584
and religion, 4020
Ape, 2234
language, 2748
Apart's disease, 4391
Aphasia, language in, 2827
motor, 4405
optical, 2302
review, 309
and sensitivity, 2806
in typhoid, 2398
Apparatus, apparent movement, 1659
audio-frequency alternator, 8
audio-frequency, 1266
bandedness, 1336
beat grill, 6
knee jerk, 7
kymograph recording, 1277
maze, 46
elevated, 1249
midway, 35
stepping-stone, 5
unidimensional, 34
unidirectional, 33
microphone, 538
muscle attitudes, 4614
tension, 1281
oscillograph timer, 2584
phoneloscope, 1264
photoptometer, 1662
paeumograph, 1665
paychogalvanie reflex, 558
reaction time, 1671
recording, 4205
respiration, 4213
rotary switch, 1663
serial learning, 3089
sound clnema, 568
localisation, 51
measurement, 538
producing, 545
stereoscope, 14
stop-watch dula, 2919
strobophotograph camera, 4214
tachistoscope, 49, 52
tambour diaphragm, 4200
temporal finger maze, 154
test, driver, 3428
tonoscope, 55
tremor frequency, 50
visual discrimination, 205
motion, 2617
weighing animals, 3806
Apport, 4349
Apprehension, 4612
Apprentice selection, 1946, 4989
Appraxia, review, 309
Aptitude, mechanical, 910
motor, 2717, 3824, 4773
muscular, 1338
selection, Russia, 2548
special, 4110
test, 4976
dentist, 3317
(See also Abdity)
Aqueous humor chemistry, 4685
Architecture, art in, 3287
Aroa and intensity, vision, 4230

lapses, \$72
mean, defence of, 5087
preference in, 3742
problem solving, 3400
teaching, 2989, 2999, 4581
test, 860
(See also Multiplication, Number)
Army, psychiatry in, 1084
tests in, 411
Art, 1888
ability, heredity, 4339
appreciation and intelligence, 2848
research in, 4460
in architecture, 3287
and beauty, 2422, 2433
of child, 467
consciousness, 3627
and eidetic imagery, 2668
as occupational therapy, 291
origin, 4101
paleolithic, 367
and personality, 323, 4511
plastic, 373
primitive, 1159, 2848, 2845, 2865, 2871, 2874
and psychiatry, 2365
and psychopathology, 1485
and science, 2419
student, training, 4509
suggestion in, 231
work and vision, 4483
(See also Creation, Drawing, Estetics, Music)
Artemás, phototropism, 4781
Arteriosclerosis, brain, 2681
Arthropod, light stimulation, 2242
(See also Ascilus, Barnacic, Orab, Orustacces, Dophnic, Inacct, Spider)
Artist, advertising, test, 2904
Ascendance-submission modifiability, 1404
scale, 920
Artist, advertising, test, 2904
Ascendance-submission modifiability, 1404
scale, 920
Asceticism, 3159
Acellus, sex recognition, 2248
Asia, psychological expedition to, 319
Asphyxiation, herve, 137
Assignment and learning, 1612
In teaching, 3383
Assimilation, language, 4054
Association, 982
in adolescence, 4548
backward, rat, 3525
and chronaxy, 608
to common words, 2110
and cortex, 989
crab and sea-anemone, 2225
free vs. controlled, 2871
diagnostic value, 3466
and environment, child, 477
and intelligence, 4709
in language, 2894
in nervous system, 607
past vs. future, 120
peculiar, 4262
tost, 1317
stimulus familiarity, 5073
therein, 1389
Atonia and cerebellum, 2694
Artenopin, test of, 4836
Athetosis, 278
Athletic ability, 769, 4340
and scholarship, 2532
Atonium, 1389
Atonia and cerebellum, 2694
Arteropin, test of, 4836
Attention, 3001, 4711
and age, 4705
and constitution, 3063
growth, child, 3718
and intelligence, 3402
loas, 307
and muscle set, 998
organisation in, 3856
selectivity, 975, 1718
span, 3844
(See also Distraction)

Attitude, child, and cinema, 849, 3726
and culture, negro, 4117
employees, 2915
general vs. specific, 8858
toward gold, 1151
kinship, 4042
toward life, 4956
in mathematics, 3059
measurement, 5412
review, 3782
toward ministry, 4038
in observation, 1801
physicist vs. psychologist, 29
and prestige, 1867
prisoner, 343, 2427
toward prohibition, measurement
4937
race, of child, 4549 measurement, toward prohibition, measurement, 4957
race, of child, 4549
measurement, 2441
religious, 2432
sexual, 3914
sibling, 1214
social, 1511
change, 1918
of child, 4563
and statement, 1132
student, church schools, 1230
teacher, 494
test, Jewish, 3299
theory and measurement, 3157
and thinking, 980
war, 1167
and thinking, 980
war, 1167
Audiemee and recall, 970
Audiemeter, 26, 2596
Audition, 598, 1700
absolute, in child, 1291
absolute, 5450
race and sex differences, 2076
apparatus, 8, 3487
bone conduction, 568, 2095
colored, 947, 960, 4224
and cortex, rac, 4332
disorder, 4557
child, 946, 6489
experiments, conditions, 563
fish, 1020
fog signals, 578
fusion in, 4220 race, of child, 4540 experiments, conditions, 568. fish, 1020 for signals, 578 fusion in, 4220 impulses, frequency, 3474 infant, 1971, 3360 insulation in, 2100 intermittence in, 97 judgment of time, 1688 and labyriath pressure, 1694 localisation, 1212 loss in aviators, 2896 measurement, 2653 mechanism, 564, 567 movement in, 94 nerve pathways, 2672 and noise, industrial, 1195 phase and quality, 58 physiology, 1295, 4251 pitch sensitivity, 2102 rat, 2756 resonance theory, 2094 resonance theory, 2094 pitch sensitivity, 2102
rat, 2756
resonance theory, 2094
respiration during, 1667
and sound frequency, 589
test, in child, 1987
theory, 20, 550, 1681, 1684, 1702,
2091, 3441, 4228
Helmholts, 4280
threshold determination, 91
measurement, 594
and vision in spelling, 1235
and voice, 4248
(See also Acoustics, Best, Cochles,
Dest, Desiness, Bar, Fusion,
Loudness, Microphone, Noise,
Pitch, Sensa, Tone)
Authority, 1487, 1803, 1529
shuses, 1506
conflict of, child, 2735
and liberty, 1488
of science, 1279
Autism, see Fentary
Auto driving, 1193
distraction in, 4820
reaction time, 3688, 4517
speed judgment, 2079
Automatism and trauma, 1433

verbal, 715, 728
writing, 1836
Autotomy in Phasmids, 3758
Average, logic of, 2565, 4190, 4191
(See also Mean, Meddan)
Aviator, hearing loss, 2896
physic-pathology of, 391
selection, 1191, 1192
Axiom, Brentano on, 19 Baboon, social life, 2256
Background and nervous habits, child,
8728 size and shape, 4658
size and shape, 4658
size and shape, 3298
Balance, animal weighing, 3806
Balance, alimal reaction, 3092
Bantu marriage, 4966
Barracle, aliphatic acid stimulation, 4786
Barrier, fluid, in cyclothymia, 3240
Bat, vision, 3007
Beat in tones, 82
Beauty and art, 2422, 2433
experience of, 394
Bee, architecture, 3115
division of labor, 2241
homing, 207
learning, 197
nest making, 1351
planing, 4790
swarming, 3008
vision, 634
acuity, 78
Beetle, immobility, 2217
nerve system potential, 4712
Begging, social inheritance, 2481
Behavior, child, 2881
cinema effect, 863
differentiation, 4206
growth, 3733
integration, 2116
problems, diagnosis, 4536
treatment, 2969
sample, reliability, 1215
schedule, 1210
study, 3042
traits, 2926
Behaviorism, 3044
and heredity, 3130
purposive, 1679
theory of learning, 1737
Belief, 2864, 4069
falise, 392
and perception, 2080
unfounded, 4929
(See also Faith, Opinion)
Bergson, imagery, 2859
and psychoanalysis, 251
Bets, W., obituary, 3045
Bibliography, acoustics, 595
adolescence, 1562, 1596
college personnel, 4164
education, 1246, 3750
Ferreri, G., 2978
heredity, 1756
philosophy and psychology, 2583
psychology, 4608
of religion, 4098
social conditions, 376
student personnel, 3748
Bilaterality, motor, 3883
Bilingualism, child, 474
Bilaterality, motor, 3883
Bilingualism, child, 474
Bilogenetic law, 3036
Biography, autor, as psychiatric method,
2527
of psychologists, 2606
de Sade, 2273
Fechner, 2607
Fernald, W. B., 2626
Forrel, A. H., 2585
Gaiton, 2618
Golie, 2618
Golie, 2618
Biology, philosophy of, 553
physics textbook for, 4621
and social theory, 2164
vocabularly, 858
Biotypology, 2391
Bird behavior, 1356

color and sex cycle, 2216
communication, 3749
cortex and learning, 4702
fetus behavior, 3538
heredity of song, 4328
hypnosis, 4800
migration, 3545
position referes, 165
retina, 1305
rhythm, 2759
sex maturity, 1009
smell, 1038
song, 2738
testis hormone, 4785
visual perception, 3001
(See also Uhiok, Ohioken, Orow, Bove, Fowl, Owl, Peacook, Pigeon, Brith control, 3132
primitive, 1482
and psychosis, 3958
injury and hypophrenia, 2858
order and child problems, 1587
and hypophrenia, 1477, 3119
and mongolism, 3834
rank, problems, 446
rate, differential, 3559
Italy, 3558
(See also Fertility)
trauma und epilepsy, 302
Bisexuality, 232
Bisex, after-image, 4649
influence on vision, 4686
Blind, agencies for, 1697
in industry, 404
spot, normal variations, 4697, 4698
Blindness and delusion, 1810
dream in, 3562, 3563
embossed pictures in, 3463
image in, 1292
intelligence test in, 918
mimicry in, 4227
obstacle sense in, 1280, 3820
problems in, 1204
reading ability in, 3700
word associations in, 3442
Blood acidity, psychosis, 3168
Ca and nerve excitation, 2118
characteristics, cyclothymia, 3224
content and muscle work, 2178
and fatigue, 4287
glucose and affectivity, 3980
in mania, 4683
manufacture, nerve control, 3876
pH and respiration, 4751
pressure determination, 3492
with ephedrine, cyclothymia, 3237
exceptional children, 4537
methods, 158, 159
and nerve impulse, 3064
and paychotherapy, 1074
variation, 616
sugar in psychosia, 1440, 4895
supply of brain, 3068
sense organs, 650
(See also Circulation, Hypoply-cense)
Book-keeping machine tests, 422
Bourdon, B, autobiography, 2006
Boy, blography, 471
color preference, 110
delinquent, 4463
development, 2960
metabelism, 2932
news, self analysis, 4542
problems, 1349
collection, Corsell, 2885
collection,

in criminals, 2854
development, 2684
elements, 4721
and habitz, fish, 1021
and hypophysis, 3873
insufficiency, 2683
lesion and intelligence, 198
psychological diagnosis, 1814
and skill loss, 4269
and vision, dog, 2148
of murderer, 4505
paralysis, child, 3996
pathways, 2687
physiology, 3066
process, models, 128
respiration, 4267
sleep center, 3600
stem stimulation, 142
structure, 136
trauma, 3966
tumor and epilepsy, 1823
experimental, 1112
and nystugmus, 1740
and psychosis, 1474
and trauma, 3238
weight, rat, 3527
(See also Ocrebellum, Corpus
striatum, Cortes, Decembration,
Midbrain, Nerve system, Pincui,
Tholomus)
Bravery, country vs. city, 1889
Breast feeding and personality problems,
3855
Breathing and eye-movements, in stuttering, 4087
rate, singing, 804
(See also Respiration)
Brentano on axioms, 19
value theory, 4201
Brightness and acuity, 575
and blind spot, 4660
contrast, 75
paradok, 4240
threshold, movement perception, 78
vidion, rat, 1871, 3540
Budhism and psychoanalysis, 247
psychology, 4616
Bullodappine and support reactions,
4750
Burial, Egypt, 1507
Nigerla, 4949
Business administration, 2461
Butterfly, taste, 2263
Cachexia, mental symptoms, 1859
Cafein and chronaxy, 1721 Cachexia, mental symptoms, 1859
Caffein and chronaxy, 1721
Calculation errors, 2028
Calendar reform, 813
simplified, 3285
Campineery and neurological defects, 4673
Carmine Russia, 3653 simplified, \$285
Campinetry and neurological defects, 4673
Camping, Russia, 3633
Cancer psychosis, 1478, 1865
Capacity, vital, in adolescence, 4527
(See also Ability)
Capillary of abnormal, 281
and endocrinea, 1085
in epilepsy, 700
in hypophrenia, 4904
microscopy in hypophrenia, 4804
Capital and libido, 3637
Carbon dioxide, nerve action, 4717
Carbon monoxide poisoning, 3967
Cartying, 2155
Caste origin, termites, 3546
Castration in mammal, 4787
and retina, bird, 1805
rite, prehistoric, 2279
Cat, cerebral control of reactions, 3480
conditioned reflex, 4270
conditioned reflex, 4270
delayed reaction, 3526
digestion and tonus, 4270
delayed reaction, 3526
digestion and labyrinth, 3506
experimental catalepsy in, 4905
refers, righting reflex, 4338
homing, 195
labyriath reflex, 4800
learning, 208
new-born, rotation effects, 4318
pupil and brain stem, 142
pyramid lesion and rigidity, 4271

rat behavior, 2746
reflexes, 2288
spinal accessory nerve, 4384
Catalepsy, ergograph in, 1427
experimental, in cat, 4905
Cataract and vitamin G, 4661
Catatonia, 4411
antecedents, 1428
and drugs, 4418
experimental, 4383
and music, 3907
personality in, 4401
prognosis, 4380
reflexes, 1861
and respiration, 704
and sleep rhythm, 1421
symptoms, 4412
thought in, 4408, 4497
(See also Hohizophrenia)
Category theory, Jaenach, 1276
Category, Borney, 1276
Category, Jaenach, 1276
Category, Jae

achievement, 865
school success, 889
growth and development, 4092
of self idea, 3719
guldance, 1600, 5000, 5003
clinic, cases, 4559
record for, 2533
achool, 2547
theses, 4852
habits and mother attitude, 2933
hand and eye preference, 1963
handicapped, 2493
education, 2556
home, personnel, 4147
honesty, 1219, 1220
Hungarian, height-weight, 1568
hypophrenic, 1806
adjustment, 1226
contribution of, 4098
and social adjustment, 2944
work of, 5020
ideals, 1574
idiot, 3163
impressions and personality, 2772
instinct pathology, 3706
institutional, 2487
recreation, 3002
intelligence, 3020
and parent age, 3121
and personality, 916
and resistance, 1255
interest rhythms, 4558
as inventor, 4153
jealousy, 468
Jewish, personality formation, 4493
Language, 442, 1201, 1570, 3617, 4553
interest, 1571
written, 5030 interest, 1571
written, 5030
laughter, 456
provoking stimuli, 5010
leadership, 3894
learning to est, 3728
and verbalisation, 5018
lett-handed, 845
letter and number construction,
3363
magic, 1585 letter and number construction, 3363
magic, 1585
maladjusted, 1951
mathematical misconceptions, 5059
maturation, 472
mase behavior, 836
memory, 451
mental heaith, 1592
hygiene, 1580, 1508, 4551
in primary grades, 4584
mood stability, 5013
moral concepts, 2958
judgment, 837, 1962
motivation, 4534
motor activity, 2507
development, 1584, 3358, 3710, 3715, 3716, 3737
skill, 450
unrest, 2505
mountain, intelligence, 4197
murderess, 783
music capacity, 448, 850
mutism, 311
nail biting, 2973
neglected, aducation, 1565
negro, 2485
delinquent, 2496
hervous, 453
care of, 2490
habita and background, 3728
neurodynamic development, 3805
heurosia, 5007
incidence, 2948
new-born, sensory reactions, 3725
number judgment, 1284, 1588, 4145
nursing, and mother attitude, 2938
object relation, 4154
observation, 2017, 3354, 3736
only, 1222
organisation, Russia, 3633
over-protection of, 2937, 2946
and parent hostility, 1988
relation, 1955
and personality, 1974
personality, 465, 2770, 2795, 4531,
5021

difficulties, 2977
trenda, 4530
phonetics, 3732
physique, 1514
play, 2962, 2953
materials, 2971
pleasure words, 2947
premature, 1958
preschool, 1589, 2934
Intelligence tests, 913
social relations, 4564
primitive, 4163
private-school, growth, 1964
problem, 436, 447, 1221, 2510, 2518, 2520, 2928
and birth order, 1587
histories, 2975
personality, 2963
siblings of, 4991
solving, 1973, 3371
testing, 1947, 3371
testing, 1947, 3371
testing, 1947, 3476
psychiatric examination, 4558
psychotarty, 725, 1489, 1972
psychoanalysis, 841, 846, 1052, 1385, 1394, 8180, 3566
psychological observation of, 499
psychopathology, 3727
literary, 2974
and pediatrics, 834
Russis, 1599
of psychopath, 2504
psychopath, 2504
psychopath, 2504
psychopath, 2504
psychopath, 2642
reading, 848
interests, 444
materials, 466
redellious, 3729
referses, 3717
rejection by mother, 2936
religion, 814, 1979, 2935
retarded, contribution af, 4998
work of, 5020
rural vs. urban, 4151
school interest, 3761
seclusion, 1975, 1985
self awareness, 2516
set delinquency, 1982
development, 4029
perversion, 3141
questions, 1965
self awareness, 2516
set delinquency, 1982
development, 4029
perversion, 3141
skill, 454
leep, 480, 1981
and daylight time, 3368
habits, 5022
social attitudes, 1214
jealousy, 1213
skill, 454
sleep, 480, 1981
and daylight time, 3368
habits, 5022
social attitudes, 4503
behavior, 452
contacts, 3353
development, 4567
group, 2021
interests, 3853
development, 4567
group, 2021
interests, 3853
development, 4567
speech, 1608, 2850, 3701, 4157
and adjustment in, 4160
reactions, 3879, 4550
relations, 468
and society, 4524
sociology of, 4925
speech, 1608, 2850, 3701, 4157
and adjustment, 4547
defect and training, 5024
disorder, 312
and music development, 1960
speed and dexterity, 839
stroboscope, 508, 2945, 2954, 2961,
2962, 3707, 5079
form, 1087
mentality, 4568
trons, 2778
superior, adjustment, 4565
stroboscope, 508, 2945, 2954, 2961,
2962, 3707, 5079
form, 1087
mentality, 4568
thought, 3564
thought, 3564
thought, 3564
thought, 3564
thought, 3562
thought,

tool standardination, 1550, 1555
training, 438, 489, 543, 1207, 1968, 1980, 1990, 2503, 2509, 2941, 2950, 2967, 8359, 3584, 3569, 4536, 4531, 5051
errors, 3705
Russia, 1950
2-year-old, tests for, 5076
unstable, 838
visual apprehension in, 1984
vocabulary, 1198, 1199, 1208, 1209, 1594, 2957
vocation preference, 450
voice training, 1970
war effect, 449
welfare, 1196, 3551, 4533, 4159
and psychology, 5015
worker, 851
will, 2700, 8703, 4556
wish, suicide, 1041
work ability, 1557
(See also Adolescence, Boy, Girl, Infant, Pediatrics)
Childbirth in Manchat, 4918
Chimpansee, delayed reaction, 3542
field study, 627
gait, 2167
motor cortex, 2476
use of tools, 1361
China, philosophy, 4625
Chinese, Intelligence, 784
student, acculturation, 1880
China, philosophy, 4625
Chinese, Intelligence, 784
student, acculturation, 1880
Chiromancy, 241
Cholce, 3088
reaction apparatus, 13
Chorea, after-effects, 693
and epilepsy, 2376
fever treatment, 2265
minor, psychosis of, 3181
Chroma sensibility, 535
Chronognosia, 396
Chronomy, 144, 1725, 3874
and association, 608
and caffeln, 1721
eye-brow muscles, 1432
in fatigue, 1722
in lead poisoning, 3486
modification by drugs, 2196
muscular, 2205
and respiration, 2678
and copolamine, 4307
significance, 3480
sympathetic, 1329
and tonus, 3074
training of, 1720
turtle heart, 2737
vestibular, and emotion, 605
and work, 2691
Chronoscope, 48
readings and gravity, 4620
Chronoscope, 1916
in education, 4737
and rhythm perception, 939
(See also Religion)
Clives ealso Religion)
Cives ealso Religion
Cives ealso Tribanisation
Cives ealso Tribanisation
Cives ealso Tribanisation
Cives ealso Tribanisation
Cives etc., 470, 482
Clerk, test, 410, 482

Climacteric, \$158, 3207
dementia at, 709
neurosis, 4885
Clinic, child, 1980
guidance, cases, 4559
initividual psychology, 1853, 1858
in Italy, 812
social worker in, 2390
Clinical psychology and college personnel, 855
Clothing, emotional value, 845
Clown, significance, 1887
Cochlea, microphonic action, 2627
reflexes, 1340
Coeducation, 3599
Coelenterate, see Sea anemone
Coffee addiction, 4843
Cognition, 61
problem, 22
Cottus frequency, 4052
Cold incidence, child, 8356
and muscle excitability, 2194
College achievement and rural intelligence, 3648
age of entrance, 2025
athletes, beliefs concerning, 4574
attendance and social class, 1626
effects, 4174
cotrance requirements, 2987
tests, 4507
experimental, 4176
failures, remedial instruction, 1619
freshmen, reading, 1638
spelling, 492
girl, background, 4155
problems, 487
grades and personality, 2000
prediction of, 1622, 2528, 3745
honesty, 1160
intelligence growth, 921
and scholarship, 1248, 1249,
3006
mental hygiene, 2348
personality education, 4575
personnel, 894
bibliography, 4164
and clinical psychology, 856
rating, 2988
reading, 1618
retention, 866
scholarship and high school grades, 1226
selection, 4165
spelling, 867
student, family, 1179
problems, 2020
personality, 1404
social beliefs, 2423
speech habits, 2855
suicide, 4017
tabu, 3756
success and high school, 2529
prediction, 1617, 1644, 2024
tencher, training, 1635
tenching, 3750
student, popular, 1635
tenching, 3750
student, popular, 1636
congenity, 1404
social beliefs, 2423
speech habits, 2855
suicide, 4017
tabu, 3756
success and high school, 2529
prediction, 1617, 1644, 2024
tencher, training, 1635
tenching, 3750
student, popular, 1636
intervity, 935
blind spot for, 4660
blindness, 1307, 1691
congenity, 1496
decta of retina, 4252
va. forum preference, adolescent, 3780
and eye covering light, 3859
and eye cov

and Gestalt, 1298
and judgment, 2084
measurement, 585
in micropsia, 3845
mixture, 1297
average eye, 4234
data, 576
naming and word reading, 1712
perception, 3848
cells, 141
preferences, boys, 110
Japanese child, 773
in paychosis, 711
pressures, localization, 2689
primary, 65
saturation, 580
sensation, 4672
sensibility, 2641
and sex cycle, bird, 2216
on small surface, 4254
and sound, 966
stimulus and fovea excitation, 940
system, 4240, 4259
temperature, 567
theory, 4634
therapy, 4449
tooth, 1535, 1536, 1537, 1588, 1539, 1540
transformation, 2089
vision, 956, 965, 2077, 2078, 3049, 2838, 4236, 4246
in ametropes, 2003
animals, 2218
apparatus, 1265
binocular, 1290
color blind spot, 4698
fish, 1085
hemilanopsia, 4604
lemur, 2214, 3086
monkey, 2246, 3113
monochromatic, 4647
orthoptera, 1084
reflex in, 4218
test, 3682
theory, 576
tood, 209
and visual perception, 3848
(See also Spoctrum, Vision)
Colorimeter, disc mixture, 549
trichromatic, 4217
Communication, birds, 2749
communication, 2670
compensation, 4852, 4358
and inferiority, 4368
labyrinth, 4275
neurosis, 3976
vestibular, 3046
Competition, child, 1961, 2940
Competition, child, 1961, 2940
Competition, child, 1961, 2940
Competition, child, 1961, 2940
Competition, 4897
neurosis, 318, 2389, 3991, 4373
treatment, 1424
Comte, history, 2054
conte, history, 2054
conte, history, 2054
contents, 4403
and inferiority, 4308
of infant, 344
and learning, 3464
and motor analyser, 4207
and adjustment, 4463
and birth rank, 446
diagnosis, 1801
dilearce, 464
child, 2508, 2518, 2943, 3729
encephelitis, 677, 1462
and endocrines, 469
and handedness, 1742
and intelligence, 2027

problems and family size, 2402
research, 256
Conduction, bone, 275
rate, nerve, 8065
tone, 92
Cone frequency and intensity, fovea, 2637
Conference technique, 4513
Confession, 4910
and psychosia,1897
Confidence in work, 1939
Inchild, 1951
Inchild, 1961
In work, 2916, 3681
Conversion, 2497
Inchild, 1961
In work, 2916
Inchild, 1961
Inchild, 1961
Inchild, 1961
Inchild, 1961
Inchild, 1961
Inchil

coefficient, 519, 4187
error, 1252
reliability, 518
eignificance, 512
computation, 1250
chart, 4590
general factors, 1646
graphic, 3016
methods, 898, 4406
multiple, 3775
non-linear, 2032
partial, 3017
rank, 2038
Correspondence study grades, 2011
Cortex, action current, 3470
afferent fibers, 3487
and association, 989
and audition, rat, 4832
dog, 1008
function, 1331
influence of lecithin, 4835
and learning, bird, 4792
rat, 4326
localization, 2131
motor, chimpansee, 3476
rat, 3536
physiology, 2380
and relearning, 2738
representation of labyrinth, 3877
and sleep, 3571
vegetative centers, 2098
and vision, 4638
representation of labyrinth, 3877
and aleep, 3571
vegetative centers, 2098
and vision, 4638
rat, 4325
Cortin, 3970
in adrenslectomy, 1012
effects, 1018
and precoclous maturity, 1015
Connseling, student, 2000
Country, China va. America, 2402
vs. 61ty, 389
bravery, 1889
child, 4181
intelligence, 1651
community, 2462
family, 2443
futility, 216
intelligence, 3644
Japan, 2478
life, 1174
neighborhood, 1922
youth, thought of, 1596
Court, invenile, 4935
psychology in, 4079
ireatment of delinquency, 2839
woman in, 4107
Courtship, animals, 625
Covarlance, analysis of, 3008
Crab, antenna function, 3091
chemical senses, 2229
drug action, 2728
nerve impulse, 3469
system, 2245
rotation, 4891
and sea-anemone, association, 2225
Cramp neurosis, 1819
writer's, 271
Crayfish, learning, 1022
nerve system, 2224
rettina pigment rhythm, 2213
Creatine in labyrinth spasm, 3495
Creatine, 1819
writer's, 271
Crayfish, learning, 1022
nerve system, 2224
rettina pigment rhythm, 2213
Creatine in labyrinth spasm, 3495
creation, 4482
interary, 747
and rest, 4134
Crime, 1926, 2434, 2862, 3283, 3978,
4478, 4983
adolescent, 3296, 4014
anthropology, 340, 1131, 4050
and law, 1904
biology of, 2424, 2450
brain and heredity, 2854
causes, 748, 749, 794, 810, 1149,
1102, 1176
and treatment, 1150
child, 753, 1135, 1959
Feru, 2050
and relearning, 1819, 4871
index, 1916, 2465
Italian law, 2878

juvenile, 2839
law and anthropology, 385
medical reports, 3664
motives, 1118
and nativity, 745
and neurosis, 3965
Oriental, in California, 4021
of passion, 4090
personality in, 805, 1114, 3638,
4022, 4078
prevention, 320, 4039
problems of, 3623
and paychiatry, 4404, 4506
and paychoanalysis, 644, 1047, 1894
and paychology, 369, 2474, 4079
and paychosis, 4367
and responsibility, 3305
review, 1500
and responsibility, 3305
review, 1500
and season, 1145
sex, 4123, 4476
and social sense, 1171
statistics, 1155, 1879, 1928
status, 2307
study, 350, 357
Europe, 2466
Germany, 755
Italy, 325
Russia, 792
tendency, 317
theories in law, 1136
treatment, 321, 332, 1492, 1369,
2877, 3306, 4464
and paychology, 3655
and unemployment, 4088
women, 2448
youths, recidivists, 4015
(See also Convict, Court, Delinguemcy, Imprisonment, Law,
Lynching, Prison, Punishment,
Recidivism, Robbery, Steeling,
Triberti,
Criminal, abnormal, 390
procedure, law, 787
rehabilitation, 4480
Criticism, 3872
child, 5023
Critique, individual psychology, 2313
Crow, exploratory activities, 3537
Crown prince, character of, 3138
Cruetty, origin, 4095
test, 3631
Crusteca, eye adaptation, 2212
visual pigment, 1086
(Seo also Ariemta, Balanus)
Culture, 132
and attitudes, negro, 4117
changes, language, 3647
configuration, Indian, 2404
confilet and delinquency, 316, 387, 395
contact, Africa, 4061
and education, 4118
Indian, 2870 configuration, Indian, 2404
conflict and delinquency, 316, 387,
395
contact, Africa, 4961
and education, 4118
Indian, 2870
and personality, 3154
relationships, 4980
sense in, 4019
survivals, negro, 4055
Curriculum, 502
Curre fitting, 3018, 3776, 4594
of growth, 3779
Custom, 1664
India, 746
marriage, 3310
Cutaneous, see £kis
Cyclothymis, 1835, 2830, 3271, 4427,
4875, 4886
blood characteristics, 3224
bromide treatment, 3275
care in, 4438
concept history, 2360
constitution, 3195, 3198
and delirium, 1803
delusion in, 3169
emotion in, 3270
and motility, 3253
emergy direction in, 3232
ephedrine, blood pressure, 3237
fluid barrier, 3249
glands and activity, 3246
hallucination in, 4331
history, 3208
izcidence and correlation, 3241
integration after, 3202
interval incidence, 3242

learning in, 4404
mechanisms and psychotherapy, 3219
metabolism in, 293
in negro, 3221
paranoid trend, 2823
pathology, 3218, 3239
and psychoanalysis, 3235
psychogenesis, 3168
psychomotor manifestation, 4398
and psychoneurosis, 3187
recovery factors, 3264
recurrence, 4442
review, 3958
Rorschach test in, 3217
schisoid mechanisms, 4385
and schizophrenia combinations, 3220
treatment, review, 3203 treatment, review, 3203 in veterans, 3227 visceral function in, 3201 in veterans, 3227
visceral function in, 3201

Dalton plan, 862

Baphais, phototropism and geotropism, 2730

Dark adaptation, 574

Daydreamer, adolescent adjustment, 5027

Deaf mute child, 4162
 cutaneous reactions, 3047
 education, 2978
 responsibility, 377
 testimony, 121
 vision and eldetics in, 955
 mutism, 2965

Deafness, 2103
 acquired, 4495
 vs. congenital, 4247
 in adults, 2955
 care in, 84, 2646
 in child, 2955
 and training, 3698
 frequency, 370
 vibration sense in, 4674
 voice intensity in, 4244

Death associations, child, 5001
 cause and psychosis, 1426
 instinct, 2776

Debt law, 3626

Deception, emotion in, 597
 exposure methods, 4074

Decerebration and retention, 624

Defect, mental, capillary microscopy in, 4904
 study of, 4854
 types, 3587
 (See also Abnormality)

Defective child, problems, 4917

Defense mechanisms, 3925

Definition, psychological, 3038

Deformity and inferiority feelings, 3160
 and mental development, 4161

Delayed alternation and cortex, rat, 3536
 reaction, eat, 3526
 monkey, 3542
 rat, 1365

Delinquency, adolescence, 2512, 4108, 5002
 boy, 4463
 causes, 2830, 4160, 4501
 child, 966, 443, 1178, 2414, 2500, 4084, 4148, 4557 5002
boy, 4463
causes, 2830, 4160, 4501
child, 366, 443, 1178, 2414, 2500,
4034, 4148, 4557
and negro, 2408
treatment, 1116, 1125, 1127,
1157
and urbanisation, 1177
and color conflict, 387, 395
and eldetics, 983
emotion in, 2415
and environment, 1119, 1169
first offense, 4036
girl, 1631, 3382, 5008
habitual, 391
and home conditions, 4947
and hypophrenia, 2374, 3256
girl, 5008
Italian law on, 2878
moral knowledge in, 349
negro child, 2495
personality, 3580
prediction, 1210, 2849
prophylaxis, 2491

records in, 3260
sex, of child, 1982
social factors, 1917
situation is, 3374
status, 385
and unemployment, 1181
woman, 2821
(See also Crime)
Delirium and cyclothymia, 1808
tremens, analysis, 2800
Delission, 4809
in blind tabetic, 1810
cenesthetic, 717
in cyclothymia, 3100
and dream, 1776
feelings in, 3596
hallucination in, 4416
and intuition, 4000
periodic, 1846
of persecution, 1809
poisoning, 2395
Dementia, acquired, review, 4879
climacteric, 700
with cyllepsy, 1446
infantile, 3801
paralytica, handwriting, 3802
presentie, 280, 1436
Demonology, 363
Dengue psychosis, 727
sequelae, 1821
personalization, 1407, 2791
in Proust, 3576
psychoanalytic literature on, 4845
Depression in cancer, 1865
constitutional, 1097, 3281
economic, problems in, 409
and parenthood, 2836, 3277
and senility, 4447
states, 2372
suicidal, 4872
time sense in, 1860
Depth perception, telescope, 581
vision, 1695
rat, 3108
Desertion, family, 375
Designing ability, heredity, 1757
Desire, integration of, 4208
Determinism, 2862
Development, adolescence, 3606
age, 4543
boys, 2960
and illness, 475
laws, 3895
motor, child, 3710, 3715, 3716
speech and music, 1960
woman, 219
(See also Growith)
Deviation, standard, of logarithmic distribution, 4593
Devil, 658, 775
Desterity, 999, 1000
and speech, child, 830
tests, 3888
Destrality in rhinits, 2711
Diagnosis and difficulty, test, 4184
errors, 2267
Diaphragm, tambour, 4200
Diary, adolescent, 3720
Dichromat, blue excitation curve, 4663
Dictionary, construction, 58
Engilet-German, 24, 980
improvement, 800
Differences, individual, 156
Differentiation of behavior, 4206
Differences, individual, 156
Differences, in

Discontant in civilisation, 1918
Discrimination, contrary, rat, 1870
paripheral, 1810
siae, dove, 213
time, rat, 2210
twilight peripheral, 1290
velocity, chicken, 2236
Discussion in teaching, 3768
Discase and intelligence, 4194
organic, psychogenic counterfeits,
3272
and psychogenesis of, 741
(See also Illuses)
Discrimination, adolescence, 1197
Dissociation, 3989
of personality, 2803, 4907
Distance set, visual, rat, 2897
Distraction, 3882
driving, 4520
typing, 314
(See also Aitention)
Disuse and forgetting, 4263
Divrale anuresis, 4989
Division, long va. short, 5056
Divorce, 783
incidence, 4083
(See also Marriage)
Dissiness, heredity of, 1755
Doctorates, American, 936
Chicago, 924
Dog, conditioning, 3515
cortex, 1008
heart rate and thyroid, 1029
larynx center, 4718
maternal behavior, 1027
olfaction, 3104
pattern discrimination, 1864
strychnine and reflex epilepsy, 3473
vision and brain lesion, 2143
Dogfah, cardiac inhibition, 3900
Dominance in development, 160
Dove, mourning, 1367
size discrimination, 213
Drama, esthetics of, 3632
psychology in, 4491
Drawing, child, 1573
with closed eyes, 2966
and intelligence, 2842, 5080
in psychosis, 3987
Dread, 3851
Dream, 2809
analysis, 252, 667, 669, 2286
in antiquity, 1059
of blind, 3562, 3563
concepts, 4854
(see also Nightmare)
Drever, J., autoblography, 2606
Drinking in high school, 3064
Driver, activity vs. hunger, rat, 4331
hunger and activity, 1375
Driver, auto, certification, 3662
selection, 3665, 3670
test apparatus, 3428
Drowning, ear in, 3612
Dr

mitragynine, 4825
inuscle, 2288
nerve, 148
psychosis, 2522
vision, 65
and motility in schizophrenia, 4434
and reflexes, 2148
and sleep, 2295
and temperament, 1390
(See also Adremalia, Alcohol, Bulbocospnine, Onficine, Offees, Histomine, Moscal, Narcosis, Peyote)
Dunlap, K., autoblography, 2606
theory of habit control, 4744
Duration, visual, limen, 3827
Dwarf, ear, 3056
Dyspareunia, case, 1413
Dystonia, 285 Ear, characteristic tone, 3452
and drowning, 3518
of dwarf, 3056
evolution, 564
and eye, comparative anatomy, 4733
histology and auditory acuity, 3450
mechanism, 587
operations, 86
oto-vestibular lesions, 2905
and space perception, 4222
treatise on, 2656
(See also Tymponum)
Earthworm, segmentation, 4789
Earthworm, segmentation, 4789
Eating, child, 445
Echinoderm, galvanotropism, 1031
Echinoderm, galvanotropism, 1031
Echolalia, 728
Ecology, animal, 2729
Economic adaptation, 2735
crisis and vocation, 4132
status and social information, 1642
success and intelligence, 1134
Economics, fantasy and will in, 4468
and mental hygiene, 4419
and suicide, 2400
of wages, 4100
Ecaema, psychogenic, 2769
and psychotherapy, 4556
Eddy, Mary Baker, blography, 2071
Edison scholars, personality, 2790
Education, 182, 2767, 4569, 4583, 4586
abnormal boy, 1586
accident victims, 4128
adult, 5058
Association, activities, 3767
backward child, 2534
and belief, unfounded, 8746
bibliography, 1246, 3759
character, 497, 1998, 2524, 2535, 2540, 2551, 3740, 3764, 4181
and physical, 4179
child, 5011
errors, 3705
of 2-7, 1990
cinema in, 4580
college, 4165
experimental, 4176
and culture, 4118
dwarf child, 2534
efficiency, 5047
after encephalitis, 2937
and elugunics, 642, 2258
federal relations, 1607
gifted child, 2534
efficiency, 5047
after encephalitis, 2937
and eugenics, 642, 2258
federal relations, 1607
gifted child, 2536
history, 4578
in hypophrenia, 2521, 3164, 8174
idealism in, 1991
and illness, 716
individualised, 5062
in industry, 3837
infant, 1206
of instinct, 1837
in Italy, 875
journals, 3392
leaders, 1613

consciousness, 665 ideal, 1777 ism, 1040 ideal, 1777
Egotism, 1040
Eidetic imagery, 1326, 1848, 3463
adolescent, 4704
and art, 2688
and type, 3868
Eidetics and delinquency, 983
and vision in deaf mute, 955
Ejaculation, premature, 729
Ejasticity and fatigue, 2186
Electric change recorder, 1206
organ, Torpedo, 3084
shock, optimum, 3433
Electromyogram analysis, 3801

Elevator control, 410
Embryo, see Fetss
Emotion, 598, 1816, 2104, 3058
and activity, rat, 1308
adjustment, 2777
and adrenal cortex, 112, 3461
and carbohydrates, 3513
child, 3367
and chronaxy, vestibular, 605
and circulation, 4737
control, training, 3384
in cyclothymia, 3270
in deception, 507
delinquent girl, 2415
and discutrbance, 4911
child, treatment, 2960
and endocrines, 4310
expression of, recognition, review, 3460
and galvanic reflex, 109
and gastric secretion, 3057
in history, 2417
insight test, 3854
James-Lange theory, 2788
judgment from photographs, 1818
maturity test, 2052
measurement, 115, 1817
and motility, cyclothymia, 3258
and muscle tension, child, 1956
and perception, 2771
physiological concomitants, 3852
and pressure, 118
problems and breast feeding, 3855
and production, 1942
in paychosis, 2349
and pupil response, 3512
and reason, 4609
stability, adolescent girl, 3722
child, 5013
states, 1815
study, methods, 2661
test, 4811, 5087
theory, 1703, 2659
in training, hypophrenia, 2371
types, 108
and urine pH, 1708
worker, 4973
(See also Affect, Anger, Feer, Feeling, Grief, Hate, Laughter, Love, Rage, Terror)
Employee attitudes, 2013
Employment, child, 1232
states, 1835
and urine pH, 1708
worker, 4973
(See also Affect, Anger, Feer, Feeling, Grief, Hate, Laughter, Love, Rage, Terror)
Employee attitudes, 2013
Employment, child, 1232
states, 1845
and urine pH, 1708
worker, 4973
(See also Affect, Anger, Feer, Feeling, Grief, Hate, Laughter, Love, Rage, Terror)
Employee attitudes, 2013
Employment, child, 1232
states, 1815
and berrous system, 1848
nervy adole Ressolime, 1887
parkinsonism, 1484
post-puerperal, 785
per-epidemic, 3952
review, 4004
Rossolimo method in, 1082
and schisophrenia, 719
sequelae, 1818, 1862
vibration sense in, 2907
Endocrines and activity, 3648
and errous system, 3478
and nicritating mebanne, 1848
and vocational guidane, 3772
Energy change in tissue, 620

consumption and contraction speed,
2102
control, training, 2384
and cortin, 2170
direction in cyclothymia, 3232
and instinct, 2272
of nerve, source, 3488
output, measurement, 4980
psychic, 3439
in race, 2177
requirement. mental effort, 4736
source of muscle, 3889
utilisation in walking, 4756
and vocational guidance, 610
Engineer, job analysis, 3339
qualifications, 3344, 4516
tests, 399
vocational guidance, 1997
English, basic, 318
tests, 389
woman, 4855
Environment, age, scholarship, 1241
and associations, child, 477
and character, 3911
of child, 4533
communist, 3946
and delinquency, 1119, 1169
and herdity, 1268, 2267, 3128, 3557, 5069
and personality, 3972, 4531
adolescence, 2059
child, 4146
and reflex action, 3501
Epidemic, psychic, 2882
Epilepsy, 294, 308, 1473, 2815, 4809
anxiety in, 3611
and birth trauma, 302
and reflex action, 3501
Epidemic, psychic, 2882
Epilepsy, 294, 308, 1473, 2815, 4809
anxiety in, 8611
and birth trauma, 302
and rest performance, 3022
Ephedrine blood pressure, cyclothymia, 3237
and reflex action, 3501
Epidemic, psychic, 2882
Epilepsy, 294, 308, 1473, 2815, 4809
anxiety in, 8611
and birth trauma, 302
and resembling, 2387
constitution in, 2398
constitutional, 1451
cure, 2833
in dementia, 1466
diet treatment, 706
incidence, 2369
as inbibition, 1461
Jacksonian, 3192
and narcolepsy, 2385
and parent alcoholism, 3589
personality in, 2347
psychogenesis, 2351
reflex, 4898
and strychnine, dog, 3473
and schizophrenia, 1090, 3247
seizure, 3609
statistics, 1458
and spychocanalysia, 5923
Equilibrium, control, 3503
diadence, 2363
interpercentile ranges, 3777
and labyrinth, 1734
(See also Labyrasth)
Ergesthesiometer, 4614
Ergogram and age, 4735
Erforgraph in catalepsy, 1427
seizure, 3609
statistics, 1458
and strychnine, dog, 3473
and schizophrenia, 1090, 3247
seizure, 3609
statistics, 1458
and spychocanalysia, 5923
Equilibration, review, 3449
test, 4311
Equilibrium, control, 3503
difference, 2053
interpercentile ranges, 3777
in psychology, 2026
chol, 416, 508
cytographical, 4189

Escape act, motivation, 1383
Esthetica, 2422, 2433, 2446, 2889
of drama, 3832
Judgment, 1890
of Kant, 4072
mathematical approach, 328
(See also Art, Beauty)
Estimation, visual, 3445
Ethics, 2410, 2879, 4937
biological, 4927
child, 2958
judgment, graduate students, 2406
in personnel, 831
and psychology, 355, 1899
reason and will in, 3895
(See also Character, Morality)
Ethnopsychology and psychoanalysis, 223
Eugenics, 3132
in America, 2268
and education, 642, 2258
and neurology, 3560
positive, 658
and psychiatry, 1422, 1754
Eunochism, 2335
Euphasia, 37
Euphoria in tuberculosis, 2303
Evidence, circumstantial, 2437
Evolution, 35, 4805
of man, 1498
of mind, 41, 2505
social, 4047
Examination, conference on, 2543
doctorate, 3763
psychiatric, of child, 4553
in psychosis, 3588
subjectivity, 1640
true-false, scoring, 521
Excitability, muscle, and adaptation, 2204
fiber, 1350
nerve, 2689
subjectivity, 1640
true-false, scoring, 521
Excitation, electrical, of nerve, 2119
vs. inhibition, 4272, 4273
nerve, 2676
Exercise and albuminuria, 4298, 4294
heart rate in, 3075
and mental hygiene, 1067
physical, 3072
Exploration activity, crow, 3587
heart rate in, 3075
Experiment in Geneva school, 5039
in social psychology, 4931
Experimenter, reliability of, 4701
Explanation, child, 3714, 3739
Exploration activity, crow, 3587
hehavior, rat, 4321
Experiment, 1360
and reading disability, 2551
disease, peripheral acuity, 2650
disorder, hallucination in, 938
dominance, 1386
and reading disability, 2551
disease, peripheral acuity, 2650
disorder, hallucination in, 938
dominance, 1386
and reading disability, 2551
disease, peripheral acuity, 2650
disorder, hallucination in, 938
dominance, 1386
and reading disability, 2551
disease, peripheral acuity, 2650
disorder, hallucination in, 938
dominance, 1386
and reading disability, 2650
disorder, hallucin

in typing, 1729
in writing, 3615
muscle, action current, 4766
and fusion training, 4700
innervation, 2151
nerve atrophy, 964
topography, 2652
nystagmus, 2169
and poetry, 1806
of rabbit, 4638
refiex, 2191, 4777
and labyrinth, 4286
paths, 3485
reptile, 629
rest, 3944
rotation, 4291
strain, 4675
structure and vision, 3535 structure and vision, 3535 temporal and nasal as 4659 asymmetry, 4659
tonus relations, 3079
vision, fatigue, 4641
wink, 1346
(See also Corneo, Nystagmus, Optio,
Pupil, Retina, Vitreous)
Eye-ball movement in wink, 3076
Eye-town muscles, chronaxy, 1432
Eye-nose reflex, 3893 Eye-ball movement in wink, 8076
Eye-brow muscles, chronaxy, 1482
Eye-nose reflex, 8893
Face expression, 180, 1735, 3894, 4295
Fact, 1677
Factor analysis method, 517
general, 3007
Inertia, in psychotics, 4003
theory, 31, 526, 912, 919, 4605, 5077, 5083
correlation, 1646
critique, 2566
in psychosia, 3231
uniquenese, 3787
Factory personnel, 824
Faculty inbreeding, 5054
Fairy tale, influence, 5014
Faith, 1888
lack of, 396
Fakir, performances, 4061
Falling, infant response, 5006
Familial neurosyphilis, 695
Familiarity in mase learning, 196
Family, 4050
adjustment, 4040
attitudes and personality, 4370
Chinese, 374
concomitants, crime, 388
desertion, 375
extinction, 640
form, 2443
Indian, 3640
influence, child, 1952
jealousy, 468
law, 2887
mental hygiene, 1852
primitive, 384
problems, college student, 2020
readings, 382
resemblance in scholarship, 3652
size and child problems, 1587
and conduct problems, 2492
social work, 2467
status, 3290
of student, 1179
work, 322
(See also Father, Home, Marriage, Mother, Parent, Sibling)
Fantasy, 248
child, 5009
and economics, 4468
erotic, 655
and neurosia, 265
(See also Daydream)
Farm labor, efficiency, 3321
Farmer, organization membership, 1363
Fashion and mental hygiene, 4828
Father, attitude toward, 2785
Fatigue, 2906
of accommodation, 4642
ergographic test, 4641
and acuity, visual, 3680
and blood, 4287
chronaxy in, 1722
and connective tissue, 2186
at high altitudes, 4280
in industry, 2912

measure, 3077, 4804
mental, 4702
muscle, 3496
action in, 2180, 2200, 2183, 2208
muscular, 2165
in neurasthenia, 1453
and stimulation frequency, 4294
and stomach function, 4302
and sympathetic nerve, 2138
tests, 2900
and work, 3677
in workers, 4774
(See also Rest)
Fear, 659, 3861, 3925
in encephalitis, 3585
therapy, 3853
therapy, 3853
therapy, 3853
fechner, biography, 2607
Feelling, 4875
in delusion, 3596
theory of, 111
and thought, 974
tradition, 3861
Female saxuality, 4821
(See also Women)
Ferrari, G. C., autobiography, 2606
Ferrility and anthropometry, 3554
biology of, 4387
correlates, 4386
decline, 1038
differential, 1037, 1758, 3559, 3903, 3909
homogamy in, 643
Italy, 3558 correlates, 4336
decline, 1038
differential, 1037, 1758, 3559, 3903, 3909
homogramy in, 648
Italy, 3558
of mobility, 4343
urban and rural, 216
(See also Birth rate)
Fetishism, 1447, 2867, 3141, 3937
Fetus behavior, bird, 3533
chick, 4794
cat, righting reflex, 4333
conditioning, 5019
respiration reflexes, 2700
Fever therapy, paresis, 738
and treponema, 4859
Field brightness and blind spot, 4660
effect on size and shape, 4658
perimetry for form, 4661
structure and difference limen, 4225
and visual movement, 2075
Figure and ground, 3829, 3831
Filing and weight discrimination, 2924
Fire as ceremony, North Queensland, 4960
symbolism, 3918
Firefly, flashing, 3110
Fish, association, 2750
audition, 1020
brain and habits, 1021
cerebellum, 2754
color vision, 1035
Dipnot, larynx, 3507
drug action, 2728
form vision, 3102
HCl stimulation, 4778
mase learning, 1752
ossicle function, 683
pupil mechanism, 2255
retina, 2254
movement, 1024
sex and schooling, 4799
taste in, 3099
time sense, 1010
vision, 1748, 3899
(See also Catfah, Dogfah, Flounder, Goldfah, Shate, Torpedo, Trout)
Filcher and color theory, 4634
Filorescence of eye media, 4668
Fiy, chemical sense, 192
orientation, 3101
taste, 2290
Flying, physiology of, 4523
Folk-lore, Africa, 2847
Holland, 806
national, 1874
and religion, 397
study, 1368
Food, child, 445, 3372

choice, rat, 3529
learning, child, 5728
selection, child, 5026
(See also Diet)
Foreign service, 421
Forei, A. H., blography, 2585
Forgetting, 4770
child, 1221
and conditioning, 3404
and disuse, 4268
experiments, 135
rest in, 8879
school, 1228
test, 4770
(See also Learning, Memory, Recall, Referation)
Form vs. color preference, adolescent, 3736
discrimination, 1746 (See also Levinny, Rotentian)
Form va. color preference, adolescent, 3730
discrimination, 1746
field, effect on size and shape, 4658
perception, 578, 944, 951, 1296, 1689, 2629
child, 470
disability, 4245
in indirect vision, 3834
peripheral, 572, 1685
and practice, 2101
vision, fish, 3102
Foves excitation and color stimulus, 940
intensity and cone frequency, 2037
Fowl, social behavior, 1032
Frans, S. I., autobiography, 2606
French vocabulary learning, 3766
Frequency distribution, 3012, 3013, 3014
moments of, 901
as law of learning, 2742
curve, division, 510
Freshman scholarship, prediction, 4169
Frend, biography, 2071
birthday comments, 4
comment on, 3942
influences on, 3916
and Lombroso, 3935
memorial tablet, 925
psychoanalysis of, 3930
publications, 646
viewpoint, 1400
Friendship, child, 840, 3718, 4904
Frog, bladder reflex, 3530
cutaneous reflexes, 4327
hibernation, 1369
muscle efficiency, 2152
elasticity, 2166
thalamas function, 2680
Fague in adolescence, 2964
hysterical, 4865
after trauma, 4394
Functional ammesia, 4892
Gait, chimpansee and man, 2167
Gaiton, biography, 2618

Gait, chimpansee and man, 2167 Gaiton, biography, 2613 Gaivanic reaction and labyrinth, pigeon, 3502 Galvanic reaction and labyrinth, pigeon, 3502
response and emotion, 109
Galvanotropism, Paramecium, 4779
Generalisation, spelling, 1639
(See also Abstraction)
Genetics, 3905
(See also Abstraction)
Genetics, 3905
(See also Heredity)
Genius, 524, 2308, 2761, 4462
and heredity, 2762
and instability, 3632
and psychopathy, 1463
versatility, 673
Geography interest, child, 1208
and algebra, 878
prediction, 838
test, 1611
Geotropism, Daphnia, 2730
guinea pig, 1753
rat, 200, 202, 1016, 1017, 2731, 2732
smail, 199
German psychologists, meeting, 535
word frequency, 3391
Gestalt, 578, 933, 1298, 1686, 2599, 2601, 3817, 4628, 5618

completion test. 1858
and contrast, 1303
defects, 2018
and meaning, 534
and motor theory, 3427
precursors, 3034
and purposive behaviorism, 1679
theory, 1737, 2624, 3818
(See also Conjouration)
Gesture, child, 3366
language, 4124
sex, 3512
symbolic, 2787, 8150
Giddings, F. H., sociology of, 777
Girl, adolescent, emotional stability, 3722
college, background, 4155
problems, 487
delinquent, 1631, 3982
defective, 5008
emotion in, 2415
parental conditions, 4947
intelligence and ability, 2045
iibido growth, 4889
proletarian, 2950
reading, 4156
social psychology, 1966
vocational adjustment, 1932
Giand action and sympathetic nerve, 4730
pituitary lesions, 4732
therapy in psychosis, 3955
(See also Endocrines, Parathyroid, Pituitary lesions, 4732
diasses, contact, 45
Glossolalia, 1523
Grother, evelopment, 4475
and spectrum, 4231
Godies, 4487
Gorilla life, 4530
wild, 4753
Godifish, brain stem potential, 4713
testis diet, 2751
Godness, 4447
Gorilla life, 4530
wild, 4753
Gradient, axisl, 146
physiological, 3426
Grading and intelligence score, 1995
by normal curve, 2541
psychotic behavior, 3190
Grammoles, 4467
Grading and intelligence score, 1995
by normal curve, 2541
psychotic behavior, 3190
Grammar, errors, 2029
Graph, comparison by, 3010
Graphology, 3621, 3625, 3628, 4080
of digits, 3635
and psychoanalysis, 786
in psychosis, 2816
relaxation determinations in, 800
(See also Handeriting)
Grasping, infant, 2496
Group action and unconscious, 1783
effect, recall, 970
influence in adolescence, 4144
intelligence test 10's, 3790
judgment of, 963
pairing of, 4997
primary, 4045
test standardisation, 5085
work in school, 408
(See also Handerium)
Grasping, infant, 2496
Group action and unconscious, 1783
effect, recall, 970
influence in adolescence, 4277
of attention, 4

of libide, girl, 4839
motor, of child, 3737
in personality, twins, 4348
private-school child, 1964
rat, 1858
rate, in pairing, 4997
of self idea, 3719
(See also Development)
Guidanes, child, 1600
high school, 4172
in learning, 191
mase, 190
record for, 2538
in school, 2547
secondary, 2006
vocational, 1948, 3390, 4570
Guilt, 659
feelings, 3926
mobilisation, 2299
and social behavior, 1049
Guinea pig, geotropism, 1758
thyroid and learning, 3089
Gustation, see Taste
Gynecology, psychological aspects, 4874
Habit control, Dunlap theory, 4744

Guinea pig, geotropiam, 1738
thyroid and learning, 3089
Gustation, see Taste
Gynecology, psychological aspects, 4874
Habit control, Dunlap theory, 4744
goal reaction as, 166
interference in learning, 2209
loss, 1746
nervous, and background, 3723
and personality, 2780
and will, 1342
(See also Learning)
Hair graying and shock, 4367
Hallucination, 1848, 1857, 3605
blology of, 718
cenesthetic, 1445
in cyclothymis, 4891
in delusion, 4416
in eye disorder, 938
mechanism, 684
paychosis, 1838, 4864
peduculiar, 4425
and suggestion, 2789
verbal-auditory, 4899
and visual field, 2088
Hamlet, neurosis, 1902
Hand and eye preference, 1963
Handedness, 1836
and age, 1583
and attention, 1715
bimanual, 3404
and character, 4202
child, 845
and conduct disorder, 1742
heredity, 8131
in Palestine, 4274
and speech, 1345
disorder, 1003
and stammer, 4762
and stutter, 4043
(See also Destrality)
Handleap, child adjustment, 2493
and personality, 4872
vocational, 1985
significance, 3686
Handwriting, automatic, 1836
character judgment from, 1527
in dementia, 3802
errora, 327
and hypnosia, 2800
Indian, 1140
legibility, 883
M de Guerin, 3651
manuscript, 496, 2553
of numbers, 4502
pathological, 2411, 3649
Philip II, 3642
print vs. cursive, 1239
siant in, 3493
of stutterer, 3648
"stuttering" in, 4044
(See also Graphology, Writing)
Happiness, 3602
In marriage, 4059
Harvest customs, 4091
Hate, 659
racial, 4946
Head shape and constitution, 3509
Hearing, see Audition

efficiency, posture, 2690 inhibition, phylogeny, 3900

nerve control, 3483
rate in exercise, 3075
refex, 1005
and thyroid, dog, 1029
(See also Cardiac)
Heat grill, 6
Height, child, Hungary, 1568
and mental traits, 3894
Hematopolesis, nerve control, 3876
Hemianopia, 2644, 4678
Hemianopia, 2644, 4678
Hemilegia, 4894
Heredity, alcohol injury, 687
of acquired characters, 3134
of art ability, 4389
of athletic ability, 4340
and behaviorism, 3130
bibliography, 1756
catationia and music, 3997
and character, 2764
of color blindness, 215
and crime, 2401, 2405
of criminals, 2854
of cyclothymia, 3231
In defective group, 3556
designing ability, 1767
disease, 2261
dissiness from heights, 1755
and environment, 1268, 2267, 3128, 3557, 5069
epliepsy, 3126
of fertility, 4843
and genius, 2762
of geotropism, rat, 1016, 1017
handedness, 3131
of hypophrenia, 2264, 2344, 3125, 3129, 3138, 3268, 4448
and intelligence, 2763
and learning, 3555
of mase ability, 1373
of mechanical ability, 1387
of mechanical ability, 1387
music ability, 1377, 3118, 4335
nerve disease, 739
optic nerve atrophy, 964
and personality, 3908
psychic anomalies, 2257
psychopathy and sterilisation, 730
and psychopathy, 5124
psychosis, 1101, 1423, 2259, 3123
Recklinghausen's disease, 3228
review, 2260
schizophrenia, 689, 2386, 3978, 4417
scholastic ability, 3552
song, bird, 4328
statistics in, 3904
and taste, 4643
deficiency, 3050
temperament, rat, 3860
tremor, 3122
twin resemblance, 3558
twinning, 1759
twins, 5135, 3551
(See also Eugenics, Genetics, Twins, Triplets)
Hermaphroditism, 3149
human, and intersexuality, 4740
Heymans' law, vision, 75
Heymans, G., autobiography, 2606
Hibernation, 1025
and adrenalectomy, 1011
frog, 1369
High school, adjustment, 588
citizenship, 881
and college scholarship, 1225
subjects, popularity, 1229
tests, 1656
Histamine in psychosis, 3216
History of cyclothymic concept, 2300
emotion in, 2417
of psychology, 3800
A. P. A., 3425
Aristotie, 2055
Bets, W., 3045
Comte, A., 2054

cyclothymia, 3208
Eddy, Freud, Mesmer, 2071
Farabi, 546
Höffding, 4619
Iowa laboratory, 4624
Itard, 2056
Müller, J., 4607
Plato, 1273
Guintilian, 1267
Eussell, B., 554
Taine, H., 2062
Titchener, 922
Vincland laboratory, 1805
vitalism va. mechanism, 547
von Frey, M., 3432
Weiss, A. P., 13
test, 483, 3882
vocabulary, 1237
Höffding, H., autoblography, 2606
paychology of, 4619
Home conditions and delinquency, 4947
Homeecatasis, 2164
Homicide, causea, 1172
detection, 4082
motivation, 4041
motive, 1912
in U. S., 3281
Homing, bees, 207
cat and pigeon, 105
pigeon, 4820
(See also Orientation)
Homogramy in fertility, 643
toad, 3348
(See also Mais selection)
Homogramity and stability, 508
in statistica, 2574
Homosexunlity, 676, 1044, 1762, 2304,
2582, 2783, 3158
feminine, 685
in literature, 750
post-encephalitie, 1102
paychoanniysis of, 2326
therapy, 1707
(See also Transvestism)
Honesty, child, 1219, 1220
college, 1160
vs. loyalty, 2866
test, 368
(See also Lying)
Hookworm effects, 476
Hormone, cerebral, 2188
and energy, 2170
male, 4296
testis, review, 4785
Hornet, mentality, 1028
Hopital, educational and vocational
work, 3204
Hostility, child-parent, 1988
Hue and intensity, 98
and sensibility, 585
Hume on human nature, 3037
Humor, 248
(See also Wit)
Hunger, 2702, 2786
vs. activity drive, rat, 4381
drive, 1875
Hygiene, mental, 1430, 1826, 1830, 1847,
2830, 2504, 2817, 2028, 2900,
3194, 3276, 3008, 4005, 4011,
4882, 4407, 4409, 4409, 4439,
4582, 4407, 4409, 4409, 4439,
4582, 4407, 4409, 4409, 4439,
4582, 4407, 4409, 4409, 4439,
4582, 4407, 4409, 4409, 4439,
4582, 4407, 4409, 4409, 4439,
4582, 4407, 4409, 4409, 4439,
4582, 4407, 4409, 4409, 4435,
4582, 4407, 4409, 4409, 4435,
4582, 4407, 4409, 4409, 4435,
4582, 4407, 4409, 4409, 4435,
4582, 4407, 4409, 4409, 4435,
4582, 4407, 4409, 4409, 4435,
4582, 4407, 4409, 4409, 4435,
4582, 4407, 4409, 4409, 4436,
4686, and precial education, 2346

in hypophrenia, 1843
infant, 1560
in 15aly, 1100
journal, 3085
and special education, 2346

vocational, 2897
in work, 4519
Hymenopiera, abstraction in, 2250
Hypersheeda, control, 560
Hyperthesia, 4345
Hypertonia and cordotomy, 2824
Hypnagogic states, 1772
Hypnosis, 1061, 1063, 1788, 4814
and anesthesia, 2782, 4817
animal, 4797
(See also Immobility)
bird, 4800
chronic, 4437
and circulation, 4737
and conditioning, 4813
and handwriting, 2800
practice in, 1781
review, 263
and aloep, 3137
and suggestibility, 660
susceptibility, and personality, 648
therapy, 2292
in alcoholism, 1832
(See also Mesmer)
Hypochondria, 707, 1068, 2350
and paranoia, 1431
Hypoglycemia, 3178
behavior in, 710
Hypophrenia, 680, 3189, 3258, 3587,
4398, 4904
ability in, 3984
adjustment in, 1106, 1226, 1839,
2486, 2511
association in, 4548
and birth injury, 2358
and birth order, 1477, 3119
care in Germany, 4853
child, and mase behavior, 836
and constitution, 1469, 1470
and crime, 1519, 4871
and delinquency, 2374, 3256
girl, 5008
education in, 2521, 3164, 3174
emotion in training, 2371
England, 3505
games in, 722
Germany, 2368
heredity, 2264, 2344, 3125, 3129,
3138, 3268, 4446
idiot, 3162
incidence, 2363, 3300
institutional care, 287
intelligence change, 3274
and mental hygiene, 1843
and microcephaly, 2361
mortality in, 3185
music in, 1425
and paresis, 3248
parole in, 3250
problem, 3245
program, 3209
race differences, 3262
reading in, 3170
and repression, 5016
research, 2383, 3166, 3590
Rorschach test in, 3947
sex abuse in, 4022
social adjustment, 2944
factors, 726
sterilization, 641, 1070, 3136
stigmata, 3170
and repression, 5016
research, 2383, 3166, 3590
Rorschach test in, 3947
sex abuse in, 4022
and trauma, 1470
and sex, 179, 731
Hypothalamus function, 3490
Hypophysis and brain, 3873
and sex, 179, 731
Hypothesis, 3865
in learning, rat, 4325, 4324
hypoth Icterus and emotion, 1448 Idea, grasshopper, 3543

perseveration, 3467
and thought, 117
Ideal, adolescent, 2959
child, 1574
Identification, 2282
In psychoanalysis, 2801
Identify, personal, 645
Idiocy, 472
amaurotic family, 3255
juvenile, 4002
psychology, 4866
Idiot, behavior, 1804, 3162
development, 3168
education, 2387
vs. infant intelligence, 520
problem solving, 678
Illness and development, 475
and education, 716
imaginary, 1098
(See also Discase)
Illumination, color temperature in, 567
and eye strain, 4673
in micropsia, 3845
mill, 3325
and sight, 4679
tooth, 1539
in weaving, 406, 407
(See also Lighting)
Illusion, 944, 1848
checkerboard, 369
cigarette, 83, 105, 106
of double, 1834
moreument, 2647
tactual, 3454
as neurosis, 3594
Poggendorff, 3648
reversible perspective, 64
due to rotation, 4226
and space-time, 949
subliminal stimulation, 60
visual, 962, 3443, 4255
weight, 2655
Image, after, 953
in biladness, 1292
tactile, 4645
visual, sise, 4635, 4636, 4646
Imagery, 123
adoiescent, 3697
Bergsson, 2859
eldetic, 3463
Imagination of touch, 3857
Immigration, 3906
and psychosis, 266
Immobility, beetle, 2217
owl, 2240
Immortality, 3419
Immunity, conditioned, 4803
Implication in logic, 129
Impotence, 1782
and hypophysis, 731
psyche, 3139
sexual, 3301
and and psychosis, 266
Immobility, beetle, 2217
owl, 2240
Immortality, 3419
Immunity, conditioned, 4803
Implication in logic, 129
Impotence, 1782
and hypophysis, 731
psyche, 3139
sexual, 3301
and and psychosis, 266
Immobility, beetle, 2217
owl, 2240
Immortality, 3419
Immunity, conditioned, 4803
Implication in logic, 129
Impotence, 1782
and hypophysis, 731
psyche, 3139
sexual, 3301
and and psychosis, 266
Immobility, beetle, 2217
owl, 2240
Immortality, 3419
Immunity, conditioned, 4803
Implication in logic, 129
Impotence, 1782
and hypophysis, 731
psyche, 3139
sexual, 3301
and and application of, 4051 psychic, 3139
sexual, 3301
and spina bifida, 3229
test, 3292
treatment, 2796
Imprisonment, future of, 4051
Inbreeding, faculty, 5054
Incendiarism, 4540
Incendiarism, 4540
Incendiarism, 4540
Incentive, child, 1961, 4534
effects, 1738
indirect, 617
in learning, chick, 2755
review, 612
school, 506
(See also Motive)
Incest, 1799, 4096
and totemism, 4031
Inclination, 4083
Incontinence, urinary, 4855
Index, Btol. Zenth., 3421
India, psychoals care in, 4001
Indian culture, 2870
family life, 3640
handwriting, 1140
moral education, 1516
music, 1892
philosophy and Royce, 1668
social life, 1921
Tierra dei Fuego, 4471
Individual differences, 2477, 2992
adult, 2961
muscle work, 902

and school, 3404
teaching, 3397
paychology, 218, 228, 1541, 1761,
3148, 4350, 4508
America, 4357
Congresa, 4830
critique, 2775
and medicine, 4413
and pediatrics, 5029
school, 4347, 5043, 5049
and tests, 4558, 4564
vs. understanding psychology,
4629
Individuality, 1660, 4928
and education, 4182
Industrial psychology, 4978
Industry and ability in scholarship, 5061
adolescence in, 4555
bilind in, 404
education in, 3337
human factor in, 1553
mental hygiene in, 528
neurosis in, 1811
personnel in, 403, 825
precious metal, 3543
problems, 420
psychology in, 433, 484, 1182, 1559,
2899, 3323, 3661, 3692, 4143,
4972, 4985
Germany and Russia, 1940
and management, 818
readings, 416
Russia, 2902, 3350
relations in, 4070
(See also Employee, Pactory, Job,
Laborer, Unemployment)
Inertia factor F, psychosis, 4003
mental, 1468
Infant, anthropometry, 3731
audition, 1971
body startle, 5005
conditioning, 844
education, 1206
vs. idlot intelligence, 520
intelligence, 2047
test, 3783, 4699
memory, 3711
mental hygiene, 1569
prebension, 2496
race differences, 462
rederae, 4996
study, 1575
tone reaction, 2360
vertical movement response, 5006
(See also Child)
Infantilism, endocrine base, 3586
Inferiority and compensation, 4368
feelings, 3927, 4859
and deformity, 3160
organ, 3146
Information test, technical, 3743
Inheritance, ase Herredity
Inhibition, 981, 996, 3882
cardiae, phylogany, 3000
in color contrast, 3448
epilepsy as, 1461
vs. excitation, 4272, 4273
marriage, 3294
nerve, 1719
of response and recidivism, 1895
retroactive, 125, 3062
in schizophrenia, 4437
speech, 4916
time, 4748
wedensky, 2182
Initiation, primitive, 4068
lajury to self, 2440
lansert, color vision, 1034
eye, 3117
light reactions, 2219
nervous system, 1007
physiology, 7102
sensitivity, 628
(See also Ast, Bee, Beetle, ButterAy, Coterpillar, Firefly, Fly,
Grusshopper, Hornet, Hymenopters, 5317
light reactions, 2219
nervous system, 1007
physiology, 7102
sensitivity, 628
(See also Ast, Bee, Beetle, ButterAy, Coterpillar, Firefly, Fly,
Grusshopper, Hornet, Hymenopte

Insight, 2009, 3796
personality, 1798
rat learning, 4314
Inspection processes in industry, 4143
Instability and genius, 3583
Instinct, 1664, 2707, 2721, 2723, 4800
development, 4800
education of, 1837
and energy, 2272
language, 2836
pathology, child, 3706
and perversion, 1042
in psychotherapy, 1454
theory, 2708
use of term, 3517
wat, 4745
Institution, nature of, 1481
Instruction form effects, 1707
Insulin excess, psychosis of, 4912
Insurance, accident, 4521
prevention related to, 3684
unemployment, 1181
Integration, 3303
of desire, 4209
Intelligence, 1947, 8796
and ability, girla, 2045
and achievement, 856, 5087
and age, 2044
In prediction, 2015
rat, 2230
and aptitude, 2532
and attention, 3462
behavioristic recount, 3785
and brain lesion, 193
child, crippied, 2517
and parent age, 3121
Chinese, 734
concept of, 1230
and conduct, 2027
country vs. city, 1651
child, 4151
critique, 3791
dangers, 1321
delinquents, 4501
and disease, 4194
distribution of, 5085
and drawing, 2842
and economic status, 2929
and environment, 3022
European stock children, 2763
function, 2064
grouping by, 305
growth, 3784
in college, 921
and height, weight, 3804
high school, 1656
infant, 2047
vs. idiot, 520
and learning, 2666, 3061
mase, 2716
low, and economic success, 1134
Mexico, 1624
motivation, achievement, 302
nountain child, 4197
and music, 782
ability, 1024, 1925
nature, 2108
negro, 2445
vs. white infants, 462
in parests, 308, 732
and physique, 440
Polish children, 3780
primates, 352
recolumn, 2644
and problem solving, 3881
quotient, change, 905
hypophrenia, 3774
contribution in test standards, 3031
optivalence, 906
significance, 523
students, 3029
race differences, 1822, 2426, 2444
rating and personal equation, 2043
and reading, 5040
ability, 2579
and reasoning, 4198

and reflexes, 5074
reformatory women, 1891
and resistance, child, 1255
rural, 3643
and scholarship, college, 1248, 1249
score and grades, 1995
sex difference, 364
social differences, 4196
information, 1642
and special skills, 5080
and speech usage, 876
and superstition, 608
and technopsychology, 2925
test, 1256, 1654, 1657, 2578, 2951, 3019, 3020, 3021, 3024, 3026, 3788, 4004, 4006, 5075, 5075, 5081, Army Alpha, 3002
in blindness, 918
college, 1652
entrance, 4597
correlation, 3414
criticism, 3792
critique, 3418
Dearborn, reliability, 2040
infant, 3783, 4599
and language, 3793
movement, 2041
non-verbil, 1253
Norway, 3027
Otis, 915
Plutner-Paterson, 5070
preschool, 913
review, 3794
and scholarship prediction, 1622, 3745
and scholarship prediction, 1622, 3745
and scholarship prediction, 1622, 3745
and scholarship sediction, 1622, 3745
and vision, 67
and will, 1504
Intensity and area, vision, 4230
and vision, 67
and will, 1504
Intensity and area, vision, 4230
and vision, 67
and distance, vision, 70
and hue, 98
and loudness, sound, 4238
of noise, 2098
and pitch, 4200
sound, 529, 561, 1287
threshold, vision, 937
va. time in stimulation, 4738
tones in beating, 82
vibrato, 4504, 4507
vision, 2086
of voice in deafness, 4244
Intent, legal, 339
Interest and ability, vocational, 823
adolescence, 455, 1572
arithmetic, child, 1202
change with age, 425
geographic, of child, 1591
of sociologista, 1991
vocational, 491, 842
in work, 364
youth, 2883
Interest and ability, source, 3744
loss, school subjects, 2557
measurement, 673
reading, adolescence, 1582
rhythm in, 4558
scales, validation, 4602
school, 3761, 4585
sex difference in audition, 97
Interpretation, 556
Interexuality and hermaphroditism, 4778
interpretation, 556
Interexuality and hermaphroditism, 4792
interpretation, 556
Interexuality and hermaphroditism, 4792
Interpretation, 556
Interpretation, 556
Interpretation, 556
Interpretation, 556
Interpretation, 556

Introspection, 1709
elimination of, 85
Introversion, 1060
chemical theory test, 3148
convicts, 4920
and reaction, 3580
and superstition, 503
test, 917, 3415, 5084
(See also Estroversion)
Intuition, 1709
delusional, 4006
Invention, 1930
biology of, 3931
individual, 1123
and unconscious, 1714
Inventor, child as, 4153
Inventory, behavior traits, 2926
Investigation, objection to, 3890
police, 4112
Involution, 3158
melancholia, 2375
neurosis, 4885
psychoses, 3207
Iowa laboratory, history, 4024
Irrationalism, 528
Irritability in psychasthenia, 1822
(See also Estatability)
Itard, biography, 2056
Jealousy, child, 468 (See also Escitability)
Itard, biography, 2056

Jealousy, child, 468
sibling, 1213, 5025
Jew, attitude test, 3299
background test, 3298
and music, 4499
personality formation, 4493
student, 2996
psychology of, 381
Job analysis, 427, 3829
efficiency expert, 3319
engineer, 3839
(See also Industry)
Journal, Oharacter and Personality,
4211
mental hygiene, 3985
Journalism, psychology of, 1190
Judd, C. H., autobiography, 2606
Judgment, 3860
absolute vs. relative, 69
of area, 1701
of character, 2483
and color, 2084
of emotion from photographs, 1818
esthetic, 1890
ethical, graduate students, 2406
of expression, 1735
of groups, 963
influences on, 3465
of interpolated weights, 81
learning by, 1323
moral, 1962
number, in child, 1284
personality requisites, 4049
self, 4265
of size, 4239
child, 4145
of speed, automobile, 3679
of time, touch vs. audition, 1688
visual, 4229
Jump, 170
Jung, viewpoint, 1400
Justice, biological, 1282
Key, musical, characteristics, 4053
Keyserling, appreciation, 548 Key, musical, characteristics, 4053 Keyserling, appreciation, 548 Kindergarten for primary children, 4584 Kinesthesis, 2074 Kinesthesis, 2074
in mase, rat, 4317
and plano, 4648
review, 3459
and thought, 4761
va vision in localisation, 586
Kinship, 4077
attitudes, 4042
Kleptomania, 714
Knee jork apparatus, 7
in distance runners, 4752
and neuroticism, 615
rabbit, 2221
Knowledge in instinct, 3887
modes of, 3809
and prejudice, 756

problem of, 4210 theory of, 3816 Kymograph recording, 1277 apparatus, 4205 Kymograph recording, 1277
apparatus, 4205

Labor problems, 408
Laboratory, Balkans, 1929
Bologna, 929
Tsing Hua University, 2588
Vineland, 1805
Yale, 1283
Laborer, casual, 3291
Labyrinth calorisation, 104
and cereballum, 4715, 4716
chick, 1366
chronaxy, and emotion, 605
compensation, 4275
cortical representation, 3877
and digestion, cat, 8506
dissociated reactions of, 3046
disturbances and spinal anesthesia,
4305
and equilibrium, 1734, 3503
in flounder, 2743
function, tests, 4311
and galvanic reaction, pigson, 3502
lesion, sequelae, 4439
in neurological patients, 4387
and nystagmus, 3510
and ocular reflex, 4286
pigeon, 210
pressure and hearing, 1694
reaction, 2182
in traumatism, 4283
reflex, 4289
cat, 4306
paths, 3485
sense, review, 3449
and space sense, 2630
spasm, creatine in, 3495
(See also Eysilforium)
Language, 331, 1664, 1885
acculturation, 3647
of ape, 2748
in aphasia, 2827
assimlation, 4054
associative interference in, 2894
auxiliary, 318
child, 442, 474, 1201, 1570, 3701,
4555
development, 3617
frequency in, 4968
of gesture, 4124 auxiliary, 318
child, 442, 474, 1201, 1570, 3701
4555
development, 3617
frequency in, 4968
of gesture, 4124
instinct, 2856
and intelligence test, 3793
interaction of, 2969
interest, child, 1571
international, 1185
learning, 4492, 4572
in parkinsonism, 2331
psychotic, 1471
simplification, 1156, 1164, 1166
study in remedial training, 3401
style, 4469
and thought, 4261
written, of child, 5030
(See also Conversation, Speech)
Lapse, arithmetic, 872
writing, 2799
Larynx center, dog, 4718
inferiority, 1907
innervation, 4719
lung fish, 3507
paralysis, 331
(See also Voice)
Latency period, boys, 2501
Latin, retention, 2007
and acholarship, 2528
study, 2523
Laughter, 1405
child, 456
pathological, 1460
provoking stimuli, child, 5010
sex, sleep, 3248
Laurence-Biedl syndrome, 2832
Law, child court, 1178
and criminal anthropology, 1004
procedure, 787
of debt, 3626
decisions, 1148, 4060
family, 2887
and the insane, 744
intent in, 339

Italian penal, 2878
of marriage, 3295
origins, 4037
penal theories, 1136
and psychiatry, 4506
and psychology, 352, 752, 1551,
2458, 3652, 3253, 4079, 4461,
4958 and paychology, 352, 752, 1551, 2458, 3652, 3283, 4079, 4461, 4958
en psychopathy, Holland, 288
of psychopathy, Holland, 288
child, 3694
student, 491
traits, 3622
Learning, 134, 598, 977, 1711, 3060, 4264
and age, 1947
animal, 211, 2226
ant, 4315
and assignment, 1612
backward, rat, 2222
and brain lesion, 193
cst, 208
child, 450, 457, 1221
of concepts, 2670
and conditions, 2710
consigurational, in chick, 2244
conditions, 3710
consigurational, in chick, 3710
consigurational, 3710
consiguratio habit interference, 2200 and heredity, 3555 incidental, 3835 in insects, 197 and intelligence, 2606, 3061 and interpolated activities, 3062 of judgment, 1828 and length, 152 mase, 174, 1362, 1375 guidance in, 190 human, 168 and intelligence, 2716 rat, 4784 turtle, 3541 verbal, 2667 mirror drawing, 4767 part-whole, 1822 and personality development, 4531 physics of, 39 pleasant vs. unpleasant, 2105 poetry, 185 and proprioception, 2669 punishment in, chick, 2755 rat, 2742 backward association, 8525 and delayed punishment, 635 hypothesis in, 4828, 4324 insight, 4314 review, 4798 and relearning, mase, 212 research on, 2664 in schisophrenia, 4404 serial, apparatus, 3039 sociology of, 2028 studies, 1708, 2663, 4701 technique, 126, 501 temporal mase, 154 theories, 1737 and thyroid, guinea-pig, 3080 types of, 1679 and verbalisation, child, 5018 vision in, rat, 4316 vocabalary, French, 3768 whole and part, 471, 4706 (See also Diesse, Forgetting, Frequency, Habit, Memory, Fractice,

Primacy, Recall, Recency, Retention, 8ktll, Training)
Leech, reactions, 198
Legend of Tell, 360
Legibility of handwriting, 863
type, 342
(See also Reading)
Legitimacy, Africa, 4926
Leiaure, adolescent, 491
(See also Recreation)
Lemur, color vision, 2214, 3086
Letion, frontal, and grasp reflex, 3508
Letter skills, child, 3368
Levirate, Pawnee, 4075
Liberty and authority, 1486
Libido, 2297
evolution, 259
growth, girl, 4839
status, 4842
aymbola, 3918
type, 3017, 4820
Library use by students, 5040
(See also Reading)
Life, 38, 3420
attitudes, 4956
duration, psychosis, 3569
history, statistical treatment, 2418
phases, 2061
Light adaptation, 3457
adjustment to, 3549
and bird maturity, 1009
effect, 2083
on muscle, 2706
engineering, 2640
from eye coverings and color, 3839
impressions, peralstence in cinema, 59
mechanism, firefly, 3110
perception cells, 141
reaction, Balanus, 3092
insects, 2219
sensitivity, 4639
stimulation, 4682
ameba, 2231
arthropods, 2242
Mya, 2739
rabbit, lack, 2085
theory, 96
ultra-violet, 582
(See also Ultra-violet, Vision)
Lighting, 2908
(See also Illumination)
Lilith neurosis, 4851
Limen, difference, and field structure, 4225
differential, taste, 957
two-point, 2997
visual duration, 3827
Literature, 4959
of adolescent, 4158
character in, 1490
determinants, 4475
and eye inferiority, 1011
harmful, 4482
motivation, 750
Oedipus complex in, 1058
and psychology, 359, 747, 757, 1871, 1902, 1930, 4084
(See also Novel, Poetry, Reading)
Lithophagy in psychosis, 734
Localization, auditory, 1812
cortex, 2131
nervous system, 985
ocular, 4291
pressure, 2639
sound, 100, 562, 577, 592, 1294, 4257
touch, 3053
fingers, 2631
visual vs. kinestletic, 586
Locomotion, ameda, 2282
Locomotion, ameda, 2282
Locomotion, ameda, 2282
Locomotion, ameda, 2309
implestion in, 1030
implestion in

Lombroso and Freud, 3935
Longevity and presbyopia, 4695
Loudness and intensity, sound, 4233
reduction, 2092
and sound localisation, 592
Lova, 338, 341, 3147, 4934
power in, 2470
Loyalty vs. honesty, 2866
(See also Character)
Lung capacity and body type, woman, 4276
and pressure, 2712
(See also Respiration)
Luys' body, lesions, 806
Lying, 1784
concomitants, 3151
pathological, 4379, 4886
(See also Character, Howesty)
Lynching, 4090
Machine operator, selection, 4518 Lynching, 4000

Machine operator, selection, 4518

Magic, 4067
and art, 367
of child, 1585
garden, 2851
Nigeria, 4951
"tying", 4085
(See also Superstition, Witch)
Magnetism, animal, 262
Maladjustment, see Adjustment
Malaria, see Fever
Male dread of woman, 4826
Maingering and schizophrenia, 701
Mammal, castration, 4787
vision, 2227
(See also Anthropoid, Ape, Baboon,
Bat, Cat, Chimpansee, Dog,
Echidna, Gorille, Guinea pig,
Lomur, Monkey, Mouse, Mustelid,
Primate, Rabbit, Raccoon, Rat)
Man, development, 3318
evolution, 1498
as organism, 2065
place of, 4215
sciences of, 8480
study of, 932

Management and industrial psychology,
518
Mania, analysis, 3979
blood in, 4863 Management and industrial psycho 818

Mania, analysis, 3979
blood in, 4863
causes, 2394
Manic depressive, see Oyolothymia
Manual, statistics, 2564
Marketing analysis, 418
Marks, college, stability, 3765
reliability, 2630
school, 860, 2022
variation, 1245
(See also Grades)
Marriage, 762, 1130
age difference in, 772
church on, 807
customs, 3310
Bantu, 4966
Egypt, 4092
a defence, 4942
disharmony and over-protect
2949
fitness for, 304
baseliness 4050 disharmony and over-protection,
2940
fitness for, 304
happiness, 4059
Marie Antoinette, 3043
Indian, 3640
inhibitions, 3294
law, 3295
and nativity, 1128
primitive, 384
problems, 1526
propinguity before, 4924
and religion, 2472
and sex, 3624
hostility in, 2886
(See also Divorce, Family, Monogamy)
Massage and psychotherapy, 1086
Mastication and salivation, 1748
Masturbation, 1789
pseudo-, 4999
and toothache, 4848
Mate selection, 2463
and propinquity, 4924
toad, 3648
(See also Homogamy) and over-protection,

Maternity behavior, dog, 1027
rat, 3528
feeling, 769
Mathematics, attitude in, 3059
concepts, child, 5050
and physics, 2522
sex differences, 4106
teaching, 5042
(See also Algebra, Arithmetic,
Logarithm)
Matriarchate, 380
Maturation, child, 450, 472
rhythm in, 4558
Maturity, bird, 1009
scholastic, 5050
and stature, 2506
Mase ability and vision, 1873
behavior and brain lesion, 198
child, 886
difficulty, 151
drive, 1375
elevated, 1269
errora, rat, 1374
experiment, reliability, 1750
forms, comparison, 167
habit retention, rat, 1745
Hampton Court, 46
learning, 174, 1362
and dlet, rat, 2736
familiarity effect, 106
fish, 1752
guidance in, 190
human, 168
and intelligence, 2716
multiple choice, 2607
rat, 4784
and retention, 2660
turtle, 8541
midway, 85
reliability, 212, 3488
retention and kinesthesis, rat, 4817
stepping-stone, 5
stylus, tension in, 1281
temporal, 208, 447, 154
unidirectional, 33, 34
vision in, rat, 4316
Meanl, 6, H., social philosophy, 302
Mean, logarithmic distribution, 4598
Meaning, 556
and Gestalt, 534
and perception, 573
Measurement of attitudes, review, 8782
blokinetic, 620
of complex, 4631
of interest, 973
of noise, 2072
of opinion, 907
of reading ability, 4962
of sin temperature, 4776
of trade skill, 4988
(See also Test)
Mechanism va. vitalism, 547
Median, 500
distribution, 3407
Medicine, aptitudes, 1988
contribution of Puccinetti, 2434
and psychology, 1378, 1551, 3592,
4533
individual, 4413
Mediumship, 1068, 4846
case, 1410
Meeting, A. P. A., 632, 1672
New York Branch, 539
on examinations, 2648
German psychiatriatz, 2648
Mechanism va. vitalism, 547
Mediumship, 1068, 4846
case, 1410
Meeting, A. P. A., 632, 1672
New York Branch, 539
on examinations, 2645
German psychiatriatz, 2648
German psychology, 400, 817
Western Association, 537
(See also Ompress)
Meiancholia, death instinct in, 2776
involutional, 2375
long-time, 4903
pancreatie, 675
presenile, 286

Melanism and background, axolotl, 2251
Meloc, life history, 1357
Memory, 978, 2067, 4708
affective, 110
child, 451
devices, 2107
electrochemical theory, 4703
hyperamesic, 4846
in infant, 3711
loss of, 307
and modality, 127
and pleasantness, 1704, 2105
reading, 601, 602, 1227
sex difference, 2665
span and cube test, 2414
studies, 1708, 2668, 4707
types, 1710
visual, sex difference, 599
(See also Amnesia, Forgetting,
Hyperamesia)
Menibra disease, bone conduction, 275
treatment, 274
Menopause, mental reactions, 4448
and psychosis, 2807
Menstruation concemitants, 2271
and coordination, 2701
perseverance in, 2287
Mental aptitudes, 4773
hygiene of cardiacs, 4910
nursing, 4902
science, theory, 1076
Mescal addiction, 277
Messmer, blography, 2071
Metabolism, boy, 2952
in cyclothymia, 298
May, 2719
nerve, 1833, 2147
system, 8878
in psychosis, 3191
and training, 183
Metaphysics, see Philosophy
Method in psychology, 20
quantitative, 2586
Methodology, viewpoint in, 1152
Mexican immigrant, 1139
intelligence, 1624
Microcephaly and hypophrenia, 2361
Microphone, 538
action of ear, 559
Micropsia, color and illumination in, 3846
Microphone, 538
action of ear, 559
Midhrain and rage mechanism, 4882
Midhrain, 551, 2747
blrd, 3545
Milliarism, correlates, 650
Milliner, test, 1543
Milliarism, correlates, 650
Milliner, test, 1543
Milliarism, correlates, 650
Milliner, test, 1543
Mindray, attitude toward, 4088
and psychistry, 4901
Mirror drawing, 4757
reading, 806
requency distributions, 901
hypophenism, 604
primary function, 2595
levels, 548
and matter, 552
mechanism, 604
primary function, 934
atudy of, 4682
Mindray, attitude toward, 4088
and psychistry, 4901
Mirror drawing, 4757
reading, 806
requency distributions, 901
third, distribution, 4596
Mongolism and birth order, 2334
heredity, 1406
Mongolism an

cortical afferent fibers, 3487
delayed reaction, 3542
double alternation, 194
lesion and grasp reflex, 3508
social relations, 3538
tool using, 8087
Monogamy, 343
Monotony in work, 3691
Mood, 4875
stability, child, 5013
Moral education, 4588
judgment, 1062
child, 837
knowledge tests, 349
sense, convicts, 4100
Morality, 1142, 2768
education, Indian, 1815
primitive, 4089
and paychosis, 4889
repression in, 3309
test, 2884
of youth, 2976
(See also Ethics)
Morgan, C. L., autoblography, 2606
Mortality in hypophrenia, 3185
psychosis, 3599, 3982
Mother attitude and breast feeding, 2938
and child habits, 2933
and marriage discord, 2949
and daughter relationships, 4155
resemblance in scholarship,
a552
image, 3147
mouse, behavior, 2745
over-protection, 2937, 2946
rejection, etiology, 2936
in religion, 3289
unmarried, intelligence, 785
Motility and drug in schizophrenia, 4484
and emotion, cyclothymia, 3253
pyramidal system in, 147
(See also Ariotity)
Motion study, 533, 4129
Motivation, 3498, 4299
child, 4584
intelligence, achievement, 892
rat, 1359
Motive, 1274, 4767
homicide, 1494, 1912
rat, 2252
review, 612
train wrecking, 1884
(See also Incentive, Reward)
Motor ability, 3070, 3324, 4773
and age, 1848
and constitution, 3497
sex differences, 1736
activity, child, 2507
in mental work, 164
analyser, 4297
bilaterality, 3883
control, child, 450
cortex in chimpansee, 3476
development, child, 1584, 3710, 3715, 3716, 3737
effect, pain, 2648
efficiency, 491
and sterooscopy, 57
manifestations, cyclothymia, 4393
skill, 2717
alolescence, 5012
sex difference, 3073
suggestibility tost, 4868
test, 156, 172
sex difference, 3078
suggestibility tost, 4868
test, 166, 172
horse, 406
aparatus, 3454
auditory, 94
continuity in mase, 174
in form perception, brightness threshold, 78
and suttering, 1733
in therapy, 167

types, \$500
visual, apparatus, 2617
effects, 4637
and field structure, 2075
Movie, see Cimema
Müller, J., biography, 4607
Multiplication, learning, 896
Murder, 2838
in adolescence, 4106
by child, 793
without motive, 1494
(See also Homicide)
Murderer, 2490
brain of, 4505
psychiatry of, 4490
Muscle action, 962, 994, 2157
current, 2201
in fatigue, 2180, 2185, 2200, 2208
pigeon, 2148
resonance theory, 3521
antagonists, innervation, 2128
aptitude, 1338
blochemistry, 4763
chronaxy, 2303
contraction, 2172, 2197, 2207
and action current, 3082
heat, 2190
drug effects, 2288
efficiency, frog, 2152
elasticity, 2166
end-organ response, 4750
energy source, 3889
excitability and adaptation, 2204
and blood serum, 2160
and coid, 2194
in solutions, 2158, 2159
and temperature, 2161
types, 4771
and urea, 2162
eye, innervation, 2151
fatigue, 2165, 3496
fiber, action current, 3477, 4748
excitability, 1350
flexion, 2187
function, 2158
heat, 2174
innervation, 4765
ion permeability, 2171
light effect on, 2706
mechanism, Pecten, 2211
and merve stimulation, 2874
oxygen consumption, 2173
of Pestes, 4769
plasticity reflex, 2199
power, adolescence, 4990
rigor heat, 2202
set and attention, 998
skeletal, and sympathetic nerve, 4725
spindle response in contraction, 4760
tension apparatus, 1281
and emotion, child, 1956
tic, audible, 733
tonus, 3311 spindle response in contraction,
4760
tension apparatus, 1281
and emotion, child, 1956
tic, audible, 735
tonus, 3511
and chronaxy, 3074
training, 162, 2176, 4753
Treppe, 4300
vapor pressure, 2181
work and blood content, 2178
effect on, 2698
and will, 178
(See also Tonus)
Music ability, 1924
child, 448, 850
heredity of, 1377, 3118, 4335
and intelligence, 1925
Africa, 4056
and centronia, 3997
composition, 3001
cast European, 371
education, 751, 797, 2447
and education, 754, 764, 763, 788, 790, 803
in hypophrenia, 1426
Indian, 1892
and intelligence, 782, 5060
and Jew, 4499
key characteristics, 4058
in mental hospitala, 1001
negro, 2449
and physician, 1528

pitch, absolute, 4093
primitive, 2460
in prison, 4115
and psychology, 767, 4023
review, 3645
rhythm, 1509
school, 5051
skills, 2880
and speech development, 1980
toaching, 771
test, 908, 2014, 3657, 2425, 3616
and achievement, 1905
in typing, 614
vibrato, 1525, 4241, 4466, 4489,
4496, 4497, 4500, 4508, 4507,
4508, 4510
vocabulary, 781
(See also Art, Piane, Singing,
Vibrato, Violin)
Mustelid, sense physiology, 2238
Mutism, acquired, 4495
in child, 311
Mys, photo-receptors, 2228
Myopla, genesis, 4676
and optic nerve, 2652
Mysticism, 768, 1486, 1497, 2524
in psychosis, 1465
(See also Religion)
Mythomania, 3920
Myxedema and syphilis, 1817
Nall biting, child, 2073 Nail biting, child, 2973
Narcolepsy, 742, 2833, 2948
and epilepsy, 2335
treatment, 1816
Narcosis, 2781
addiction, 1791
ergograph in, 1427
and nerve conduction, 4781
in psychosis, 681
(See also Blood)
National Education Association, activities, 3767
Nationalism, 1927
Nationality crossing and intelligence, 2763 Nationalism, 1027
Nationalism, 1027
Nationalism, 1027
Nationalism, 1027
Nationalism, 2763
Nativity and crime, 745
and effort, school, 911
Necrophilia, 2275, 3984
Necturus, cardiac inhibition, 3900
Need and satisfaction, 2068, 4481
Negativism in adolescence, 460
Negro, 356
achievement, 491
attitudes and culture, 4117
case work, 1914
child, 2485
delinquency, 2403, 2495
and color, 652
culture survivals, 4055
cyclothymia in, 3221
intelligence, 2445
leaders, 1180
music, 2449
religion, 4070
Neighborhood, country, 1922
Nephritis in child, 3167
pseudo-, in marriage, 1856
Nerve action, 2125, 2127
currents, 1832, 2144
and temperature, 2113, 2114
theory, 988
and ultra-violet, 4266
asphysitation, 187
block, 2149
cells, sensory, in cord, 2686
centers, light and color, 141
change under CO, 4717
chemistry, 1833, 2673
conduction, 2139
decrement, 2130
and narcosis, 4751
rate, 3065
control, heart, 3483
hematopolesia, 3876
nutrition, 177, 3890
stomach, 3484
eurrent, frequency, 2677
track, 140
turtie, 138
discharge, sensory, 4714
disease, heredity, 739

peripheral, review, 3961
textbook, 1861
disorder, 1812
concept, 278
from gas poisoning, 3166
dispositions, reptilee, 2784
effect, sex organs, 2137
elements in toxic psychosis, 149
toxin effects, 148
endings, hand, 145
Pachnian body, 4729
energy, source, 3488
excitation, 1725, 2876, 2689
and blood Ca, 2118
electrical, 2119
fiber, structure, 4722
force, 550
functions and oxygen, 2682
impulse, 2123
auditory, frequency, 3474
and blood pressure, 3004
caterpillar, 1744
crustacean, 3460
differences, 984
and neurosis, 4723
rate, 1718
rythm, 3475
inhibition, 1719
irritability and gases, 2098
lesions, optic, 4673, 4726
from strontium, 2674, 2675
mediating taste, 2648
metabolism, 2147
and muscle action, 2146
stimulation, 3874
narcotized, 2115
optic, 2652
atrophy, 964
and peripheral acuity, 1288
oxygen consumption, 139
pathology, 1465
vestibular reflex in, 4288
pathways, 1726, 2687
auditory, 2672
vestibular reflex in, 4288
pathways, 1726, 2687
auditory, 2672
vestibular reflex in, 4288
pathways, 1726, 2687
auditory, 2672
vestibular reflex in, 4288
pathways, 1726, 2687
auditory, 2672
vestibular reflex in, 4288
pathways, 1726, 2687
auditory, 2679
potential changes, 4713
and depressants, 4720
processes and conscious states, 4243
pyramid termination, 2692
refractory period and temperature,
2112
regulation, water economy, 2183
resistance, optic, 4221
specificity, 150
spinal accessory, cat, 4384
stimulation, 2121, 2126, 2138
supply, antagonists, 2128, 4728
muscles, 4765
sympathetic cardiac, 986
and fatigue, 2138
and gand action, 4730
and muscle, 4725
apsetificity, 150
spinal accessory, cat, 4384
stimulation, 985
and gand action, 4730
and muscle, 4725
pharmacology, 2728
in pregnancy, 2122
syphilis, 1681
vegetative, 2140, 2296, 3479
and consciousness, 2019
cortical afferent fibers, 3487
franking in, 2136
functions, 2685
insect, 1007
integrative action, 201
localization, 985
and mental activity, 2185
nature of, 3472
pharmacology, 2728
in pregnancy, 2122
syphilis, 1681
vegetative, 2140, 2296, 3479
and central, 2129
visceral, 2134
the

Neurasthenia, 1453, 4395, 4870
traumatie, 4967
treatment, 1418, 4877
and work, 1487
and work, 1487
and work, 1287
Neurology congress, 2628
and eugenics, 3600
and orthopedics, 1443
Russia, 3603
of senlity, 2875
signs, 606
textbook, 148, 1727
Neuron basis of conscioumess, 2058
and organism, 2597
Neurosis, 2848, 2805, 3179, 4376
accident, 679, 3976, 4402
child, 5097
choice of, 4420, 4455
cilmacteric, 4885
compulsion, 4873
conflict, 4422
and crime, 3963
diagnosis, 4403
factors in, 4414
and fantasy, 265
genesis, 2329
of Hamiet, 1902
illusion as, 3594
incidence, child, 2948
industriai, 1811
Lillith, 4851
and nerve impulse, 4723
obsessional, 724
occlusal, 4822
olfaction in, 3910
origin, 1768
prevention, 3194
and respiration, 3886
review, 4885
sex, 2386
symbol, 4366
therapy, 4450, 482
traumatic, 1844, 2904
in industry, 1845
prophylaxis, 4913
vascular, 276
affecting voice, 3610
(See also Compulsion, Hypockondria, Hysteria, Inferiority, Neurasthenia, Obsession, Phobia, Payechaethenia)
Neuroticism, 3193, 3995
and knee jerk, 615
and reaction, 3530
test, 3786
Newspaper reading, 415
Neymann-Kohlstedt test, 5084
Nietssche, blography, 3422
Nightmare, 358
(See also Dream)
Noise control, 4512
effects, 4009
industrial, and audition, 1195
intensity, 2098
measurement, 568, 2072
Normality of skull measures, 4591
test, 511
Nose and eye reflex, 2893
and genitale, 3155
Notonecta, rheotropism, 3103
Novel, 4958
Novel, 4958
Novel, 4958
Novel, 4958
Novel, 4958
Novel, 4958
Nurser, 2686
comparative study, 1206
Nursing, mental, 4902
and mother attitude, 2838
priving of, 4360
versing, 2545
Nurser, 2680
versing, 2545
versing, 2546
versin

vestibular, 2198 young cat, 4318 young cat, 4818
Obitnary, Bets, W., 3045
Troland, L. T., 4209
Zwaardemaker, 4202
Object relation, child, 4154
Objection to investigation, 3690
Objectivity, essay examination, 1640
Obscenity, attitude toward, 3914
Obscenity, attitude in, 1301
in child, 5017
order and frequency, 2602
psychological, child, 499
reliability, 1215
theory, 516
types, 3804
Obscacle sense in blind, 3826
Occlusal neuroses, 4822
Occultism, 229, 289, 240, 1062, 2868, 2895, 4856, 4838
concepts, 4058
method, 3575
and paranois, 712
primitive, 1154
testimony in, 3561
(See also Apport, Claircoyance, Mediumship, Spectre, Telepathy)
Occupation psychosis, boller-makers, 3331
therapy, 280, 2820, 3107 (See also Apport, Clairvoyance,
Mediumship, Spectre, Telepathy)
Occupation psychosis, boller-makers,
3331
therapy, 280, 2830, 3197
art as, 291
and group solidarity, 3177
hospital, 2992, 3204, 3260
New York state, 4444
proposals, 3983
in psychosis, 297
sublimation in, 3990
(See also Vocation)
Odor, intravenous, 2073
(See also Ottaction)
Oedipus conflict, 1398, 2274, 2291, 2321,
4840
and character, 2320
in literature, 1058
Olfaction, dog, 3104
in neurosis, 3910
silkworm, 4798
(See also Smell)
Oligophrenia, see Hypophrenia
Onanism, see Mastarbatton
Opinion, change, 4941
measurement, 907, 1153
and statement, 1132
atudent, on college teaching, 886
(See also Belief)
Optic chiasma lesions, 4732
nerve, action carrent, 3471
perception of space, 4680
system, stimulation, 2090
tract lesions, 4678
(See also Eye, Vision)
Oral outlet, poetry as, 647
Organism and neurone, 2597
Organism and neurone, 2597
Organism to maility, test, 2921
in attention, 3856
personality, 4940
Oriental crime in California, 4921
(See also Chinese)
Orientation, 3904
(See also Chinese)
Orientation, 3904
(See also Homing)
Orthopedics and neurology, 1443
Oscillograph timer, 2584
Ossicle function, fish, 633
Ostetits deformans, psychosis in, 4881,
4900
Overlapping courses, 1627 overlapping courses, 1627
Overlapping courses, 1627
Owly immobility, 2240
Oxygen and blood pH, 4751
consumption, nerve, 139
in seed growth, 4803
Oyster, chemical stimuli, 4701

Pacinian body, nerve endings, 4729
Paganism, popular, 2421
Pain, 4238
adaptation, 107
and adrenal secretion, 2715
and blood pressure, 175, 1285, 4684
control, 500
motor effect, 2648
pathways, 4896
physiology, 565
psychic, 4993
psychogs-lic, 1824
reaction time, 3830
sense, absence of, 3954
in spinal accessory, cat, 4334
visceral, 4691
Palilaila, 728
Parallax in vision, 4644
Parallelism and physics, 1681
Paralysis, cerebral, in child, 3996
glosso-pharpingeal, 4734
periodic, 2345
periodic, 2345
periodic, 2345
periodic, 2345
and physichondris, 1481
induced, 3971
mechanism, 1025
electric stimulation, 4779
movement, 2247
Paranoia, 684, 2829, 3214, 4875
case, 235, 4860
graphology of, 2215
and hypochondris, 1481
induced, 3971
mechanism, 1095, 3565, 3567
senile, 688
and spiritism, 712
states, 3992
Paraplegia and schisophrenia, 1456
and spinal refexes, 269
Parapsychology, see Ocoultiesm
Parastism, leech, 198
Parathyroid and activity, rat, 2740
Parent age and child intelligence, 3121
education, 4525, 4532, 4533, 4561, occupation and college attendance, 1626
(See also Pamily)
Parenthood and depression, 2836, 3277
Paresis, 282
fever therapy, 4859
hallucination in, 4381
and hypophrenia, 3243
intelligence in, 305, 732
malarla therapy, 738, 1459
and trauma, 1853
treatment, 277
results, 4410
Parkinsonism and encephalitis, 1434
experimental, 4353
language in, 2381
Rossolimo method in, 1082
traumatic, 2814
Parole in hypophrenia, 3259
intelligent guidance of, 2849
Parricide and Tell legend, 300
Passion, crimes of, 4009
Patenity, Africa, 4026
feeling, 769
Pathogenesis of mental disease, 705
Pathology, constitutional, 1452
cyclothymia, 3218
and heredity, 4894
in lying, 4886
social, 4948
Patier discrimination, dog, 1364
Peccock, ourting behavior, 3539
Pectes, muscle, 2211, 4769
Pedestrian in accident, 3003
Pedilatrics, 2928
and beliet, 2079
and psychiatry, 1954
depth, wit

and emotion, 2771
external, 3825
form, 951, 1296, 1686, 1689, 2101,
2629, 3834
in periphery, 572
object of, 2638
position, 2074
and sensation, 61
space, 962, 4654
optical, 4680
parallax, 4644
tests, 2416
and time, 95
stages, 3833
theory, 1304, 1683, 2615, 3821
unconscious, 60
visual, 103
in birds, 3901
weight, 1308
of words, 806
Performance and age, 428
Perimetry, color fields, 2078, 4252
form field, 4661
Periodical list, education, 3392
Periphery, acuity, 943
in disease, 2650
and optic nerve, 1288
adaptation in, 953, 953
discrimination, 1299, 1310
form perception in, 572, 1685
vision, 3834
Persecution delusions, 3596
Perseverance in menstruation, 2287
Persistence of light impressions, cinema, 59
test, 2049
Personal equation in intelligence ratings, 2043
Personalism of Stern, 927, 928
Personalism of Stern, 927, 928 Personal equation in intelligence ratings, 2043
Personalism of Stern, 927, 928
Personalism, 238, 1382, 1402, 1600, 1778, 2276, 2798, 4344
and accidents, 4515
adjustment, 1065
adolescent, 2959
and art, 323, 4511
Baudelaire, 2307
and body type, 2718
in catatonia, 4401
chess player, 235
child, 465, 2770, 4530, 4531, 5021
and impressions, 2772
and college grades, 2038
and conditioned reflex, 1731
criminal, 805, 1114, 3638, 4022, 4073
culture, 1416, 3154, 4846 dora value and the state of the education, college, 4575
of Elisabeth, 1043
and environment, 3973
child, 4146
and family attitudes, 4370
and habit, 2780
and heredity, 3908
and hypnotic susceptibility, 648
ideal, newboy, 4642
identity of, 645
influences on, 1409
insight, 1798
and intelligence, 1650
child, 916
of Jesus, 796
Jew, 4498
student, 2996
mechanism, 1330
modification, 1040, 4203
observation, child, 2795
of organisation, 4940
and parent-child relation, 1974
and physics, 1675
pleasing, 1775

of Poe, 2275
and population, 4016
principles, 4198
problem and breast feeding, 3353
child, 2963
of Proust, M., 757, 758
and psychosis, 310, 1105
rating, 4847
and reaction, 3530
requisites, judgment, 4049
research, 256
rigid, in psychosis, 3233
schisoid vs. syntoid, 4432
in schisophrenia, 1075
and scholarship, 3053
in society, 653, 1480
and speech, 4953
structure, 531
study, 1773, 2797
methodology, 3140
and stutering, 4479
superior, 4360
testing, 2306, 3574
review, 3798
and thyroid, 1004
type, 3917, 3924
in attention tests, 3462
religious, 3656
of Villiers de L'isle Adam, 4453
and voice, 4881
and will, 609
withdrawing, 3361
of woman, 2311
(See also Ascendance, Character,
Temperament)
Personnel, college, 894
bibliography, 4164
leaders in, 3748
ethics in, 831
in industry, 403, 824, 825, 1553,
4518
management, 423, 3326
police, 1189, 1194
reting scale, 2983 chies in, 3748
chies in, 331
in industry, 408, 824, 825, 1558, 4518
management, 423, 3826
police, 1180, 1194
rating scale, 2983
selection, 3071
work, functions, 2984
Perspective, 4235
Ferversion, 4332
instinctive, 1042
Peyote intoxication, 4819
Phase and quality, sound, 58
Phenomenology, 544
Philosophy, 16, 1262, 2598
bibliography, 2583
contemporary, 2, 3
determinants, 3818
of Farabi, 546
of Hume, 3037
of Klages, 2604
and pedagogy, 2017
psychology of, 2602
reconstruction, 3035
of Russell, B., 554
and science, 27
and science, 27
and type, 3811
Phobia, 1855, 2818, 2825, 2834, 2835, 4388
and psychotherapy, 3266
Phoneloscope, 1264
Phone

vocation choice, 2321
Physics and mathematics, and psychology, 2624
test, 591
textbook, 4621 test, 801
test, 801
test, 801
test, 801
testbook, 4621
Physiognomy, 1002
Physiology of audition, 4251
of brain, 3066
of consciousness, 1263
of flying, 4523
of lasects, 2752
and psychology, 1272
textbook, 158
Physique, child, 1514
education of, 1385
and intelligence quotient, 440
training, 1341
Piano and kinesthesis, 4648
Pigeon, endolymph movements, 210
gregariousness, 2753
homing, 195, 4320
labyrinth and galvanie reacti
nerve-muscle action regariousness, 2758
homing, 195, 4320
labyrinth and galvanic reaction, 3502
nerve-muscle action, 2146
Pilisbury, W. B., autobiography, 2606
Pilot, physiology, 4523
(See also Avisior)
Pineal tumor, 4880
Pitch, absolute, 4093
in conversation, 3636
and intensity, 4260
sensitivity, 2102
and vibrato, 4485, 4489, 4504
and vowel, 4228
(See also Audition)
Pituitary and growth, rat, 1353
lesions, 4732
Plant orientation, 3550
(See also Phycomyoes)
Platyhelminthes, see Ourcuria
Play, animai, 4782
bee, 4790
chiid, 2953
materials, child, 2971
versatility and sociability, 1604
Pleasantness and memory, 1704, 2105
Pleasure, 1890, 3802
words, child, 2947
Pneumograph, 1665
Poe, personality of, 2275
Poetry, 2892
creation of, 2927
and eye, 1896
as oral outlet, 647
Poisoning, gas, effects, 3166
Police personnel, 1189, 1194
investigations, 4112
Policeman, test, 412
Policomyelitis, review, 3171
Polish children, intelligence, 3789
Politices and psychoanalysis, 1045, 1006, 4046
and technopsychology, 3629
Polyandry, Pawnee, 4075
Population and personality, 4016
Positivism, 22
Posture and sympathetic, 3078
temperature, and heart efficiency, 2699
during work, 4768
Potency, lack of, in women, 3519
Power in love, 2470
and social urges, 1706
Practice, child, 450
distribution, 1716, 1717
effect on differences, 3408
tests, 1258
and form perception, 2101
in hypnoda, 1781
in rating, 2042
and speed of work, 1986
Prayer, 2857
Prediction, delinquency, 2849
differential, 2024
geometry, 888
scholarship, 3745, 4180
college, 1225, 3765
elementary school, 2575
statistics, 2037
success, algebra, 3754
college, 1622, 1644, 2528
sconomic, 2293 galvanie reaction,

high school, 2015
scholastic, 4160
teaching, 3755

Preference, 3083
color vs. form, aflolescence, 3730
problem solving, 3742
Prehension, see Grasping
Preference, 3083
and knowledge, 756
race, 324, 348, 2413, 4084, 4090
Pressolvention, 1158
Pressolvention, 1158
Pressolvention, 1159
Pressure and emotion, 113
localization, 2639
and nerve impulse, crab, 3469
and tissue deformation, 2628
Prestige and attitude, 1867
Primate, delayed reaction, 4822
intelligence, 3524
mentality, 1376
sex behavior, 1030
Primitive art, 1158, 2843, 2845, 2865,
2871, 2874, 4101
Australia, 1168
birth control, 1482
child, education, 4163
concept of supernatural, 4058
culture, 2404
education, 2436
family, 384
life, 4471
mind, 362
music, 2460
procreation concepts, 4078
psychology, 319, 1923, 3641
psychotherapy, 3162
religion, 314, 378, 2408, 2452, 2846,
4089, 4097
ritmal, 4085, 4066
secret societies, 2890
society, 1770
and supernatural, 1154
therapy, 372
thought, 1508
woman, 380
(See also Anthropology)
Prison, cinema in, 4122
corrective, 4120
music in, 4115
officers, education, 4105
psychiatry in, 4470
regime, Hussia, 4096
research, 4104
sex in, 1909
socialization of, 2872
treatment, 1157, 4480
(See also Oriss)
Prisoner, adjustment, 2412
attitudes, 343, 2427
intelligence, 3444
mental life, 1147
psychology, 1146
religion, 1161
Probability, 2571, 3405
theory, 518
(See also statistics)
Prisoner, adjustment, 2412
stitindes, 343, 2427
intelligence, 3444
mental life, 1147
psychology, 1146
religion, 1161
Probability, 2571, 3405
theory, 518
Probation, 347
association, rearbook, 2471
Problem-free situation, rut, 3896
Procreation concepts, primitive, 4078
Production and emotion, 1042
study, 821
Probation, 1482
Property sentiment, 2489

crab, 3469
rat, 1358
and space localisation, 4653
Prosperity and suicide, 2439
Prosperity and suicide, 2439
Prostitution, 2475
causes, 1631
psychology, 3144
religious, 3284
Protanopia, kinetics of, 4655
Protozoa, see Ameba, Paramaciam
Proust, depersonalisation in, 3576
psychology of, 1871
Pseudo-connism, 4999
Psychalia, 3995
Psychasthenia, irritability in, 1822
Psychiatry, 682, 1419, 2388
in army, Russia, 1084
and art, 2365
autoblography 2277
child, 725, 1430, 1972
clinical, 3998
and crime, 4494
diagnostic errors, 2367
early Greek, 3173
education in, 267
in England, 1444
and eugenics, 1422
history of, 2399
and law, 4506
manual, 3607
in ministry, 4901
out-patient, 4906
and pediatrics, 1954
in prison, 4470
professional opportunities, 3244
psychology laboratory in, 1077
and psychology, opinions, 766
Russia, 3603
in school, 2379
social work in, 299
and statistics, 301
teaching, 1081, 2988
and teaching, 1099
test limitations, 601
testbook, 1083, 2354
treatise, 3613
viewpoint in, 2831
(See also Psychocis)
sychoanalysis, 254, 258, 663, 1400, 1414, 1765, 1771, 2318, 3922, 3933, 4354, 4816
and anthropology, 3154, 4048
and Bergson, 251
brief, 1883
Bruckner on, 221
of Buddhism, 277
of chess, 1396
child, 841, 846, 1052, 1385, 1394, 3180, 3566
clinical, 3915
consequences, 1055
continuous, 3929
and crime, 644, 1047, 1894
critique, 3670, 3577
of customs, 4114
and cyclothymia, 3235
and folk psychology, 223
in France, 3893
of Freud, 3893
of radicalism, 1066

Rankian, 4850
and religion, 245, 1802
resistance in, 671
in schizophrenia, 1113, 4452
of self, 3932
and sociology, 1050
speech diaturbance in, 4841
status, 2268
in Switzerland, 246
as system, 3581
technique, 1412, 1702, 2253, 3821
and vocational guidance, 253
(See also Ambivalence, Amsiety,
Ego, Libido, Ocdipus, Psychotherapy, Repression, Resistance,
Sadism, Super-go, Symbol, Transference, Unconscious, Wish)
Psychogenesis of disease, 741, 3272
of lilness, 1098
Psychologist, directory, 4623
physics textbook for, 4621
abnormal, 692
textbook, 1850
anthropology division, N. R. C., 9
applications, 1261
atomistic, 3423
of Bentley, 2625
bibliography, 2583, 4608
as biology, 1674
boundaries, 1276
Buddhist, 4618
in Catholic school, 3773
child welfare work, 5015
in China, 2588
consciousness in, 4026
crisis, 4611
critique, 2621, 4207
dectorates, 936
and education, 1687
educational, 1662
in Hungary, 1608
and engineering, 1947
and ethics, 355
examinations, 923
experimental, 3083, 3803
readings, 556
review, 3808
social, 4931
textbook, 4617
framework, 28
history of, 1
of idiccy, 4866
in India, 4627, 4637
integrative, 32
introduction, 1670, 2587, 2614
and law, 3652, 4461
lectures, 21, 2591
and literature, 350
and logic, 4199
materialist, 23
and medicine, 3592, 4353
method, 20
opposition to, 4212
and physics, 2624
opopular, 225
pre-scientific, 3814
principles, 3424
and professions, 1551
pseudo-, 2070
and psychiatry, opinions, 766
and psychoanalysis, 36
radio lectures, 3501
and religion, 336
and school essays, 5060
schools, 47, 2059
vs. science, 3818
social, 2338, 4021
and sociology, 1881
solipsism in, 54
status, 557, 1680, 2608, 3807
study manual, 1270
system, 4622
teaching, 44, 211
test, true-false, 1234
treatise, 2394
treads, 933, 1666
values, 17
of work, 4988
Psychometrist, certification, 3431
Psychoneurology in training, 3230

Psychoneurosis, 2822
Psychopath, attitude toward, 4862
child of. 2504
personality, review, 4883
Psychopathology, 296
child, 3709
review, 3254, 3000
Psychopathy, 4445
child, 1442
constitutional, 268
Dutch law, 288
and senius, 1463
and heresity, 3124
prophylaria, 3608
in soldier, 3212
Psychophysica, absolute method, 2632
difference limen, 4225
law, 1645
rank order, 2039
Psychophysiclogy, principles of, 2610
Psychosis, 541, 1849
adolescent, 2512
affective, in children, 3210
amytal therapy, 3583, 3598, 3602
anatomy in, 4415
of anemia, 3040
animal, 2249
in Argentina, 683
basis, 3176
behavior, grading, 3190
and birth control, 3053
blood acidity, 3163
sugar in, 4895
and affectivity, 3080
body chemistry in, 1333
and brain colloid, 4377
of brain tumor, 1474
bromide in, 740
calcium in, 3211
cancerous, 1478
care in India, 4001
case study, 4884
chemical factors, 3196
child, 1218, 2813, 3601
treatment, 1096
classification, 3062, 3081
color preference in, 711
and conditioning, 4915
and corresponding age, 2810
and crime, 300, 4397
and death cause, 1426
after dengue, 727
drawing in, 3987
drug effects, 1390
emotion in, 2349
of ergotin, 2261
examination in, 3588
family care in, 270
galvanic reflex in, 3081
gland therapy, 3055
and handwriting, 2916
and heredity, 1423, 2259, 3123
histamine in, 3216
and immigration, 206
incidence, 736
induced, 292, 3260
inertia factor in, 4003
of insulin excess 4012
involutional, 3207
law of, 303
legal intervention in, 744
life tables in, 3599
in Massachusetta, 3213
and morably in, 3882
mutual influence of disease in, 4421
incupation, 1854
parhodense, 736
induced, 292, 3260
inertial factor in, 4003
of insulin excess 4012
involutional, 3207
law of, 303
legal intervention in, 744
life tables in, 3599
in Massachusetta, 3213
and menopause, 2807
metabolism in, 3191
and morals, 359
and morphology, 1455
mortality in, 3082
parhode, 1854
parhode, 1854
parhode, 1854
parhode, 1854
parhode, 1854
parhode, 1859
parhode, 1854
parhode, 1859
parhode, 1859
parhode, 1859
parhode, 1859
parhode, 1859
parhode, 1859
parh

recovery, 2593
and religion, 2873
research, 2840
rigid personality in, 3233
and senility, 4875
social factors, 4868
treatment, 1069, 1079
values, 3949
structure, 3251
suickide in, 285
symptomatic, review, 4000
toxic, 697
and nerve elements, 149
traumatic, 723, 2388
treatment, 1107, 1818
in twins, 1101, 3972, 4341
(See also Oyolothymia, Delirium,
Delusion, Demessia, Desgue, Depression, Dissociation, Encephalitis, Epigeps, Involution, Mania,
Melanchoile, Paranoia, Paresia,
Parkinsonism, Psychiatry, SchizoParkinsonism, 3202, 3219
hypochodria, 1068
instinct in, 1454
limitations, 3263
and phobin, 3266
music, 1091
and phobin, 3266
primitive, 3152
(See also Psychoanalysis)
Puberty, 1801
characteristica, 3738
phases, boys, 3712
religion in, 1598
Puccinetti, medical contribution, 3484
Puerperium and psychosis, 1467
schizophrenia, 4590
Pulse and constitution in adolescence,
4526
in emotion, child, 3867
and education, 344
in learning, chick, 2755
and education, 3622, 3823, 3824
Purpose, 542, 1679
Pyramid lesion and rigidity, cat, 4271
system in motility, 147
termination, 2692
Pyromania, 1216, 3974 Quackery, 4858
Quartile, distribution, 3407
Question, child's, 3857
Questionnaire reliability, 093
on sex behavior, 4938
technique, 1257 Rabbit, light stimulation lack, 2085 reflex, 2221 vision, 4633 Raccoon, washing of, 4782 Race and activity, child, 1977 attitude, child, 4549

measurement, 2441
consciousness, 1877
differences, 281, 1491, 4121
auditory acuity, 2076
hypophrenia, 2802
infants, 462
intelligence, 1882, 2426, 2444
perseveration, 4954
taste deficiency, 3050
hatred, 4046
heterogeneity, Mexico, 705
mixture, 3619
East Indies, 370
Nordic, 1121
prejudice, 324, 348, 2418, 4064, 4090
problem, 652
psychology, 1168, 1516, 2435, 2473, 4480
relations, 3298
rest, temperament, 3892
Radiate, see Echinoderm
Radicalism, 4004
and psychoanalysis, 1066
Radio in education, 1614
personality, 4981
Rage, mechanism and mid-brain, 3482
Range, interpercentile, error of, 3777
Rank, distribution, 3410
order method, 2039
Ranking, properties of, 4595
Rat, activity and parathyrold, 2740
age and intelligence, 2229, 3525
behavior of cat, 2746
taskiess situation, 3896
brain lesion, 193
weight, 3527
brightness vision, 1371, 3540
cerebral control of reaction, 3489
contrary discrimination, 1370
cortex and audition, 4322
and learning, 4326
curbing of, 4296
delayed reaction, 1865
depth vision, 3108
distance perception, 2239
effort and satisfaction, 4329
emotion and activity, 1368
exploratory behavior, 4921
geotropism, 200, 1016, 1017, 2731, 2732
growth, 1353
habit interference, 2209
hunger vs. activity drive, 4331
and inclined plane, 202
kinesthesis in mase retention, 4817
learning, 2742
and delayed punishment, 635
and diet, 4312
deficiency, 4316
famillarity in, 196
hypothesis in, 4323, 4324
insight, 4314
mase, 4784
review, 4793
maternal behavior, 3523
mase, elevated, 1269
errors, 1374
motivation, 1359, 2252
motor cortex function, 3586
orientation, 636, 4313
proprioception, 1538
refiex latency, 1023
relearning, 204
retention, 1745
rotation, 2358
time discrimination, 2156
transfer of training, 1749, 3528
vision brain areas, 3536
in mase, 1378, 4316
purple, 3458

vitamin and sterility, 1340
Rating personality, 4847
practice, 2042
scale, 1795
personnel work, 2983
reliability, 3797
techniques, 904
Ratio, generalised, 2567
Rationalisation, work material, 4987
Raven symbolism, 224
Reaction control, animals, 3480
delayed, in primates, 4322
rat, 1353
formation, 1411
multiple, 4754
past va. future, 120
and personality, 3580
speed, normal va. abnormal, 3690
subjective, 12
time, 87, 1317, 2726, 3080
apparatus, 1671
and attention load, driving, 4520
pain, 8580
in selection, 1548
simple and complex, 3688
test, 3071, 3514
auto driver, 4517
types, 4298
Reading, 418, 2888
ability in blind, 3700
blinocular training, 4904
child, 848
college, 1618
comprehension, 491
disability, 2519, 2554, 2985, 4177
and eye defects, 2531
efficient, 501
eye movementa, 2993
formulas, 2376
harmful, 4482
high school, 2526
in hypophrenia, 3170
interest adolescent, 1582
child, 444
and intelligence quotient, 2579
lists for children, 2881
materials, child, 466
memory, 601, 602, 1227
mirror, 806
retention, 774
numerais, 1918
pre-puberty, 4168
remedial instruction, 1638
retention, 774
numerais, 1918
pre-puberty, 4168
remedial instruction, 1638
retention, 774
numerais, 1918
pre-puberty, 4168
remedial instruction, 1638
retention, 774
numerais, 1918
pre-puberty, 4168
remedial instruction, 1638
retention, 604, 4068
apeed and comprehension, 4902
table of contents, 424
tactual, 498
in ungraded classes, 2542
(See also Book, Legibility, Letter,
Library, Literature)
Reason and emotion, 4608
and speech disability, 4068
speed and comprehension, 4902
rat, 4326
(See also Abstraction)
Reoâl, group effect, 970
and presentation order, 971
sex difference, 600
symmetry in, 4087
word, 4710
Recidivism, 4013
Recompliciton of monton, review, 8460
sex, in Aseilus, 2248
Record for guidance, 2583
of delinquent, 3380
second, 3002
social aspecta, 3184
South Carolina, 2494
(See also Abstraction)
Recâl aspecta, 3184
South Carolina, 2494
Recâles action and sphedrin, 3501

of spinal cord, 2067 arc, 2610 arc, 2010
cort, 3429
bladder, of frog, 3530
carotid sinus, phylogeny, 8900
cet, 2238
of child, 3717
cochies, 1340
in color vision, 4218
concept, 184
conditioned, 618, 619, 2226, 8520,
4272, 4273, 4297
child, 3695
and hypnosis, 4513
in hysteria, 721
to micturition, 2163
model, 171
and personality, 1731
and psychosis, 4915
technique, 2605
and time relations, 4764
turtle, 206
vegetative, 4279
contraction in spinal animals, 4758
cornea, 2248
cutaneous, of frog, 4327
and drugs, 2148
epilepsy and strychnine, dog, 3473
eye, 2191, 4777
factors affecting, 3504
fexor, 906
galvanic, 1317, 1339, 1732, 2704,
2705, 3597
in anesthesia, 4755
apparatus, 558
child, 2458
in cyclothymia, 3270
and hypoglycemic index, 3980
in psychosis, 3081
and fonus, 4282
grasp, and frontal lesion, 3508
heart, 1005
imitation by drug action, 2206
of infant, 4998
and intelligence, 5074
labyrinth, 4289
cat, 4306
largugeal, 3068
latency, rat, 1023
musele plasticity, 2190
massi, and temperature, 3068
necesses, 3583
nutritive, 3890
ocular, and labyrinth, 4298
patellar, in distance runners, 4752
pharyngeal, 3608
Piotrowski and malleelus, 2108
plantar, 3069
position in birds, 165
and avance, 3725
nose-eye, 3583
nutritive, 3890
ocular, and labyrinth, 4296
patellar, in distance runners, 4752
paths, vestibulo-ocular, 2485
pharyngeal, 3608
Piotrowski and malleelus, 2108
plantar, 3069
position in birds, 165
and avance, 3505
in rabbit, 2221
respiration, fetal, 2700
righting, fetal, 3708
shate, 4750
time and action current, 3056
wint, 1739
Reform maia, 2317
Refraction curve, 4253
Regeneration, 3426
visual purple, rat, 3458
Regeneration, 4268
visual purple, rat, 3458
Regeneration, 4268
visual purple, rat, 2458
Regeneration, 4268
visual purple, rat, 3458
Regeneration, 4268
visual purple, rat, 3458
Regeneration, 4268
visual pur

experimenter, 4701
marks, 2030
mass, 151, 212, 1750, 3438
observation, 1215
questionnaire, 903
rating scale, 3797
test, essay vs. objective, 504
motor, 172
teacher, 2018
and variability, 3411
Relief, social, attitudes toward, 2860
Religion, 2857, 2885
and anxiety, 4020
attitudes, 2432, 4038
and the brain, 4102
census, 791
child, 814, 1979, 2935
concepta, 1510
deity idea, 1120
oducation for, 3769
experience, 1888
and folk-lore, 397
genesis, 2873
Indian, 2452
and mental hygiene, 1517
mother in, 3280
negro, 4070
orign, 1518, 2453
personality in, 3656
primitive, 314, 378, 2408, 2846,
4035, 4089, 4097
prisoner, 1161
prostitution in, 3284
and psychology, 386, 396, 1512,
1513, 1530, 1551, 2840, 4018,
4473
bibliography, 4008
and psychosis, 2373
and psychotherapy, 654, 2456, 2895
in puberty, 1598
of scientists, 29
and sex, 2327, 2472
status, 3297
surviving medieval, 315
and temperament, 670
of youth, 2976
(See also Buddhism, Church, Concersion, Faith, Ministry, Mysitolom, Prayer, Theology)
Repetition, behavior, 3933
Report, school, 5655
Representation, visual, 3842
Repression and hypophrenia, 5016
in morality, 3303
in psychoanalysis, 3932
Report, school, 5655
Representation, visual, 3842
Repression and hypophrenia, 5016
in morality, 3303
in psychoanalysis, 3932
Report, school, 5655
Representation, visual, 3842
Repression and hypophrenia, 5016
in morality, 3303
in psychoanalysis, 3932
Report, school, 5655
Representation, visual, 3842
Repression and hypophrenia, 5016
in morality, 3303
in psychoanalysis, 3932
Report, school, 5655
Respensation, 4287
sociology, 2552
hypophrenia, 3590
in learning, 2664
mental hygiene, 4443
personality, 256
psychosis, 2340
social science, 2438
Resemblance, mental vs. physical, siblings, 3120
Resistance, in analysis, 671
and intelligence, child, 1255
in nerve, 4221
and intelligence, child, 3667
and catatonia, 704
and catronaxy, 2678
control, 180, 1340, 2725
in determine the scale of the sca

in stammering. 2852
in testimony, 976
(See also Freathing, Ling)
Response, equivalence, 1737
Responsibility, 2832
in crime, 3305
and maternal over-protection, 2987
Rest, 3843, 3843, 3993, 4136
and creation, 4134
eye, 3944
in forgetting, 3879
and mental hygiene, 3904
pause, 3820
effect, 2922
race, temperament, 3892
in solitude, 3880
in work, 4141
organisation, 4138
Restlessness, 244
Retention, 204
aligebra, 2012
child, 1221
college, 886
and decerebration, 624
and interpolation, 3062
and kinethesis, ret, 4317
Latin, 2007
mirror reading, 774
rat, 1745
test, reading, 400
typewriting vs. substitution, 3863
(See also Forgetting, Memory)
Retina of birds, 1305
changes with age, 4693
differential dark adaptation, 3451
discrimination, 1290
fish, 2254
movement, fish, 1024
pigment rhythm, crayfish, 2213
records, 1286
of snakes, 3114
and sympathetic, 2120
Reverle, see Fastesy
Review, achievement tests, 3757
alexia, 4392
aphasia, apraxia, agnosia, 309
attitude measurement, 3782
character tests, 3798
conation, animal, 3107
cord disease, 4007
creative thought, 122
cyclothymia, 3958
treatment, 3203
dementia, acquired, 4879
encephalitia, 4004
equilibration, 2449
experimental psychology, 3808
heredity, 2290
hypaotium, 263
intelligence tests, 3794
motive, incentive, 612
music, 3645
hereris, 4883
perception, animal, 2107
peripheral nerve disease, 3061
pollomyelitis, 3177
parkopathology, 3254, 3999
rat learning, 4798
recognition of emotion, 3460
achisophrenia, 4429
symptomatic psychoola, 4000
tast and smell, 3447
testis hormones, 4785
touch and kinesthesis, 3459
twin resemblance, 3558
Revoit, adolescent, 1967
Reward, 4299
in animal learning, 2755
and punishment, 1947, 3112
(See also Motive)
Recording, 2458
in music, 1509
Reveries, 4308
in music, 1509
Reveries, 4308
in music, 1509
in erve impuise, 3475
perception and circulation, 330
retinal pigment, erayfish, 2213
in therapy, 157

in vision, 1608
work, 1547, 1958
Rigidity, decerebrate, 1328
in man, 4727
and pyramid lesion, cat, 4271
Ritual, primitive, 4035, 4006
Robbery by youths, 4014
Robin, behavior, 3531
Rod, retinal, in snakes, 3114
Rorschach test in cyclothymia, 3217
in hypophrenia, 3947
in trauma, 3234
Rossolimo method in parkinsonism, 1082
Rotation of crab, 4801
cycs, 4291
effects, newborn cat, 4318
rat, 2223
Rousseau Institute, 4610, 5084
Royce and Indian thought, 1668
Rumor, transmission, 4944
Run, 170
Sadism, 2272, 2272, 2024, 2027 Royes and Institute, 4010, 3007
Royes and Indian thought, 1668
Rumor, transmission, 4944
Run, 170
Sadism, 2278, 2275, 3934, 3937
and homicide, 4041
oral, 3938
Salamanahip, 1560, 2918
Salivation and mastication, 1748
Sampling, 4592
from correlated observations, 2563
Satisfaction, maximum, of rat, 4329
of need, 4481
Saturation and colorimetric purity, 580
Savagery, rat, 3580
Scale, attitude, 1132
home economics teachers, 1613
shop teachers, 861
socio-economic status, 1124
(See also Test)
Schizophasia, 1472
Schizophrenia, 289, 690, 720, 1080, 1093, 1828, 1835, 2370, 2815, 2828, 3205, 3222, 3225, 3240, 3948, 3957, 4437, 4459
and body type, 4888
case, 1429
character disturbance in, 708
concepts, 4908
conflict in, 3964
cyclothymia combinations, 3220
drug and motility in, 4434
and encephalitis, 719
environment, 1076
and epilepsy, 1090, 3247
hallucination in, 4821
heredity in, 689, 2836, 3978, 4417
infective, 1475
inner life, 4456
language in, 1471
learning in, 4404
and malingering, 701
motor disturbance, 284
and obsession, 1051
onset and prognosis, 1109
organic aspect, 1104, 1840
with paraplegia, 1456
personality in, 1075
prognosis, 1108, 2809
psychotherapy in, 1113, 4428
puerperal, 4590
recovered, 4424
review, 4429
scotomisation in, 2867
sodium amytal in, 1072
sulphur treatment, 2808
symptoms, 2355, 4423
test, 1111
ietany in, 300
therapy, 1089, 4452
thought in, 1437, 4878
and clerk ability, 3001
and industry, 5061
and age, environment, 1241
and acthetics, 2532
and clerk ability, 3001
and industry, 5061
and conduct, 2027
an

gifted child, 889
and height, weight, 3804
and latelligence, 3648
college, 1248, 1249, 3006
and Latin, 2528
and library use, 5040
and parental vocation, 1240
and parental vocation, 1240
and parentality, 5053
prediction, 1622, 1644, 2575, 3745, 4180
and reading ability, 1638
sex difference, 3771, 4175
and status, 2998
and teaching success, 482
(See also Achievessent)
School, abnormality in, 737
adjustment, child, 1620
admission test, 4171
behavior, 834
continuation, 1232
correctional, 1125
disability, 2985
discipline, 880
experimental, 5034, 5039
fallure and therapy, 4451
forgetting, 1228
group work, 493
guidance department, 2547
interest, 4586
marks, 860
variation, 1245
maturity, 5050
mental hygiene, 1503, 1609
music, 5051
nursery, 1605
private, and hypophrenia, 3886
psychotechnics, 2986
report, reform, 5055
subjects in character training, 3764
interest loss, 2557
tests in, 2580
week, five-day, 3752
(See also Education)
Schooling and sex, fish, 4799
Science and art, 2419
authority of, 1279
categories, 2000
and church membership, 1501
criteria, 3813
in education, 3388
general tests, 3758
mental, 2063
via physical, 2069
and philosophy, 27, 4630
postulates, Russia, 3041
study, sex difference, 1641
and superstition, 1231
tolerance in, 3435
trends, 2066
viewpoint in, 1152
Sclerosis, 4378
Alsheimer's 4426
multiple, 2826
parenchymal, 699
Scopolamine and chronaxy, 4307
Score scatter, determinants, 527
Scotomisation in schizophrenia, 2867
Sea alsemone and crab, association, 2225
Sea-sickness, 161
Search process, 2842
Sclusion, child, 1978, 1985
Secret, psychology of, 4810
society, primitive, 2890, 4066
Segmentation, earthworm, 4789
Selection, apprentice, 1946
artice, 1926
driver, 3665, 3670
mate, 2468
student, 1617, 2997, 4165
Russia, 2548
testa, 2576
and react

Self abasement drive, 4812
accusation, 4019
analysis by newsboys, 4542
awareness, child, 2516
control, 1837
direction, 1023
education, 2803
estimate, adolescent, 1200
ides, growth, 3719
injury, 2440
judgment, 4265
knowledge, 926
mutilation, 2841
punishment, 3872
ratings, 1798
training, 2057
Semen, magic, 4844
Senlity, 3156, 3573
paranola in, 038
problems, 1401
and psychosis, 4375
retina changes, 4693
Sensation, 1800, 2657, 3796, 4248
analysis, 25
basis, 4232
of brown, 4672
in culture, 4019
in grasshopper, 3548
neonate, 3725
and perception, 61
and stimulus, 3832, 3850
tactile and visual, 950
of tension, 3840, 3841
theory, 3821
time, 961, 2099
measurement, 948
in radio, 1533
Sense datum, 4612
nere discharge, 4714
organs, blood supply, 636
Rebidno, 1018
importance, 4222
and sex, 3093
physiology, mustellds, 2233
subjectivism in, 3849
Sensitivity, 2589
achromatic, 2886
and aphasis, 2906
color, 2641
insect, 628
light, 4638
touch, 967
Sentiment, 3058
Sez, 341, 3147, 4934
abuse of hypophrenics, 4032
and scitivity, child, 1977
in adolescence, 470
attitudes, 3914
behavior, 1898
primate, 1030
spider, 3090
study methods, 3630
crime, 4123, 4476
cycle and color, birds, 2216
delinquency, child, 1982
difference, association, 2671
auditory acuity, 2076
intelligence, 364
interest, 2980
library use, 5040
mathematics, 4166
memory, 600, 2665
visual, 599
motor skill, 1786, 3078
scholarship, 5771, 4175
science study, 1641
drive, control, 621
education, 1629, 1630, 3005, 3300,
3784
and charactes in psychosis, 3955

and guilt, 1049
hormone, review, 4785
hostility, 2886
and hypophysis, 179, 721
impotence, psychic, 3139
woman, 3519
impulses, 1787
inidelity, 2863
law on, 3300
life, 3314
church on, 507
Greece, 3339
woman, 340, 358, 776, 2891,
4821
love, 2324
and manganese, rat, 4802
maturity, bird, 1000
precocious, 1015
neurosis, 2386
organs, lanervation, 2137
and nose, 3155
perversion, 686, 4352
mallromania, 3141
in prison, 1126, 1909
problem, 779, 1886
psychology, 1175
questions, child, 1065
recognition, Assius, 2248
reform, 3304
congress, 1405
and religion, 2827, 2472
and schooling, fish, 4799
and sense organs, 3093
sleep, laughter, 3248
and society, 370, 1403, 4832
speech, 3280
superstition, criminal, 778
theory, 4354
traums, 1398
youth on, 2407
(See also Biserusilty, Ossiration,
Occisuostion, Courtship, Dysparounia, Erotism, Eshibitionism,
Petishism, Homoscauality, Impotence, Isoset, Issterocauality,
Masturbation, Memogause, Menstrustion, Neorophilia, Pedophilia,
Pervorsion, Polescy, Prostitution,
Virginity)
Shape, size and field, 4658
Sherington phenomenon, 4308
Shock, electric, vestibular effects, 2905
emotional, 702
and hair graying, 4367
Shorthand, teaching unit, 1993
Shyness, 261
Sibling attitudes, 1214
jealousy, 1213, 5025
number and vocation choice, 4993
of problem child, 4991
relations, 4370
resemblance, mental vs. physical,
3120
scholarship, 3552
Sign, neurological, 606
Signals, optic and acoustic, 3060
Silgnals, optic and temperament, 2812
reaction, genetic, 3047
gland extract, 1692
reflex, frog,

sense and space perception, 2007
(See also Pais)
temperature and comfort, 968
measurement, 4776
threshold, 945
Skuli measures, skewness in, 4591
Slate modification, 2215
Sleep, 956, 1053, 2294, 2330
and blood chemistry, 2298
center, 3600
child, 480, 1981, 5022
and daylight time, 3568
and cortex, 3571
and drugs, 2295
and hypnosis, 3137
and liver, 2285
preliminary states, 1772
rhythm and catatonia, 1421
sez, laughter, 3248
states, 1039
value, 1046
Slug, locomotion, 1006
Smell, 954
in bird, 1083
and taste, review, 3447
and touch, 941
(See also Olfaction)
Smoking, abandonment, 1768
in high school, 5084
Snail, activity factors, 1355
geotropism, 199
rheotropism, 3095
Snake, retinal rods in, 3114
Snobbishness, 1040
Social ability, 2593
information, 1642
in play, 1604
activity, 4467
adjustment, 4080
camp, 1163
hypophrenia, 2944
and personality, 453
aspecta, hypophrenia, 726
occupational therapy, 3177
attitude, 1511
child, 4563
measurement, 3412
behavior, child, 452
disturbance, 1438
fowl, 1032
and guilt, 1049
bellefs, college students, 2423
change, attitudes, 1918
conditions, bibliography, 376
contacts, child, 353
development, child, 4667
differences, intelligence, 4106
evolution, stages, 4047
factors in delinquency, 1917
in psychosis, 4868
group, child, 2021
Bah, 2750
pigeon, 2753
influence in problem solving, 4955
information, high school, 1642
inheritance, begging, 2431
institution, 2442
intelligence test, 2048
interests, child, 1557
haboon, 2258
Indian, 1021
pathology, 4048
phenomena, 4067
and reform, 3659
textbook construction, 326, 2468
reactions, child, 3879, 4560
relations, 833, 1899, 2766, 4045
child, 463, 3713, 4564
and teacher, 2939
in lostitution, 2443
nestitution, 2443
net ligence test, 2048
reactions, child, 3379, 4560
relations, 833, 1899, 2766, 4045
child, 463, 3713, 4564
and teacher, 2939
in lostitution in dellinquency, 3374

status and delinquency, 385
scale, 1124
student, 1626
women's occupations, 3644
structure, New Guines, 2428
theory and biology, 2164
Gliddings, F. H., 777
Mead, G. H., 862
training in school, 5044
values in psychosis, 3949
work, 1129, 2454, 2467
children's, 851
in clinic, 2890
education, 1094
interviewing, 811
psychiatric, 299
and psychosis, 1069, 1079
theses, 4852
(See also Cooperation, Group)
Seciety, 763, 4472
animal, 1751
and child, 4524
forces, 4481
ideal, 4922
primitive, 1170
for Psychical Research, 4369
psychoanalytic development, 661
and sex, 4832
Sociology, approach, 4948
causation in, 217
definition, 2469
educational, 3894
research, 2552
genetic, 4925
German, 4967
and psychology, 1881
status, 1883
students, interests, 1901
of teaching, 2028
urban, 334
causation in, 217
chefinition, 2469
educational, 3894
research, 2552
genetic, 4925
German, 4967
and psychology, 1881
status, 1883
students, interests, 1901
of teaching, 2028
urban, 334
calculation, 1886
Solitude, rest in, 3880
Sommambulism, 2278, 2803
Song of birds, 2733
heredity, 4328
Sorting arrangement, 408
Soul, 3894
Sound analysis, 584
cinema, 583
and color, 969
conditioned response to, 3515
filtering, 4242
frequency, andible, 589
intensity, 529, 561, 1287
and loudness, 4233
localisation, 100, 562, 577, 592, 1294, 4227
apparatus, 51
measurement, 533, 590
phase and quality, 58
producing apparatus, 545
voice, 1141
(See also Astition, Timbre)
Southern Society meeting, 11, 531, 2611, 3812
Space localisation and proprioception, 4653
perception, 95, 962, 4222
growth, 4654 Southern Society meeting, 11, 531, 2611, 3812

Space localisation and proprioception, 4653
perception, 95, 962, 4222
growth, 4654
parallax, 4644
tactual, 3837
tests, 3416
visual, 4680
sense and labyrinth, 2680
thinking test, 3340
and time effects, 1690
and time effects, 1690
and time effects, 1690
Span of attention, 3844
Spanish-speaking child, tests, 3795
Special classes, reading in, 2542
Species, origin of, 4615
Specificity vs. generality in attitudes, 3858
Specter appearances, 4256 3558 Specter appearances, 4856 habits, 1395 Spectrum, reversed, of Goethe, 4231 Speech, 1144, 4013 and adjustment, child, 4547 analysis, 4114

aptitude, 4119
child, 1603, 3701, 4157
correction, U. S., 1496
development, 2850
disorder, 364, 808, 1520, 2853
child, 312, 946
and handedness, 1003
in psychoanalysis, 4841
and training, 2459
child, 5024
and expression, 4127
extempore, 4088
and handedness, 1345, 4762
implicit, 131
inhibition, 4916
mastery, 4103
movements in stuttering, 329
and music development, 1060
and personality, 4953
and reading disability, 4068
respiration during, 1687
sex, 3286
sounds, 789
studies, error sources, 1900
stutterer, 4043
and thought, 4076
training, 1915
child, 4150
Turkish, 4113
underworld, 4081
usage and intelligence, 376
(See also Language, Stammering, Stuttering, Voochslary, Voice)
Speed and dexterity, child, 889
discrimination, chicken, 2226
judgment, automobile, 3679
of reaction, normal vs. abnormal, 3699
of reading, 4962
regulation, disks, 48
of work, 2917
reshman, 492
difficulties, 1502
disability, 290
generalisation, 1639
rymbolism, 3938
Spina bifida and impotence, 3229
Spinal animals, reflex contraction, 4758
Sprue psychosis, 3612
Stability and homogeneity, 508
Stammering, 330, 1484, 1872
after emotional shock, 702
and handedness, 4762
respiration in, 2852
Startle, infants, 5005
Statement and opinion, 1132
Station and neuroticism, 615
Statistics, 513, 899, 1282, 2578
in anthropology, 387, 4923, 4930
in bloiday, 5065
statement and opinion, 1132
Station and neuroticism, 615
Statistics, 513, 899, 1282, 2578
in anthropology, 387, 4923, 4930
in bloidy, 5065
statement and opinion, 1132
Station and neuroticism, 615
Statistics, 513, 899, 1282, 2578
in anthropology, 387, 4923, 4930
in bloidy, 5065
statement and opinion, 1132
Station and meturity, 3004
logic of, 2572
of non-metric data, 5066
and psychiatry, 3001
tables, 12511
test, 1236
variance analysis, 5065
(See also Average, Calculation, Ohisquero, Correlation, Covercione, Curve, Deviction, Evror, Pactor, Program, Medicult

socio-economic, scale, 1124
Stealing, see Theft
Stenographer, test. 3834
Stereoscopy, 14, 4687
in ball games, 57
sterlity and vitamin, rat, 1360
Morway, 2760, 2785
and psychiatry, 1754
Eweden, 1071
Stern, W., personalism, 927, 928
Stigma in hypophrenia, 3175
Stimulation, 3882
electrical, 1724, 2124, 2141, 3438
Intensity and time in, 4738
frequency and etimulation, 4284
by light, ameba, 2281
claim, 2739
localized, 4204
nerve, 2123, 3574
Stimulus choice, rat, 3529
equivalence, 1737
and sensation, 3832, 3841, 3850
Stomach function and fatigue, 4302
mortility and thyroid, 4741, 4742
nerve control, 3484
secretion, conditioned, 4740
Stop-watch dials, 2019
Strength in adolescence, 4529
and training, 2150
String instrument vibrato, 4497
Strychnine and refex epilepsy, dog, 3473
Student attitudes, church schools, 1230
counseling, 2000
employment, 3335, 3403, 3741, 4582
intelligence, 2051, 3029
Jewish, personality, 2996
personnel, bibliography, 3748
probation, 1634
reading and scholarship, 5040
record card, 2009
selection, 2907
tabu, 3756
teaching, 3758
tweering, 1876, 4087, 4488, 4036
graphic, 4044
and handedness, 4043
handwriting in, 3848
and personality, 4479
photophonographic analysis, 4028
treatment, 1878
Subject, paid, 1942, 2774
in morality, 3308
in occupational therapy, 3990
Substitution retention, 3863
Success, economic, prediction, 2298
and failure, child, 4534
Sujectic, paid, 1942, 4774
norality, 3308
in occupational therapy, 3990
Substitution retention, 3863
success, economic, prediction, 2298
and handedness, 4088
removal of, 672
review, 288
suspection, 1771, 4829
in art, 231
effects, 2323
in evaluation, 4111
and hallucination, 2789
motor, test, 4368
removal of, 672
review, 288
suspection, 1771, 4829
in and depression, 4872
and economics, 1866, 2400
flutution, 798
hunghag, 398
in Holand, 2429
and prospective, 2489
pen psycholis 288
student, 4017
Summati

binocular, 76
Super-ego, 2315
feminine, 2814
formation, 2792
Super-stition, 4945
drugs, 264
and intelligence, 603
and science, 1231
sex, 778
U. B. A., 4026
(See also Magic, Witch)
Support loss, infant response, 5006
reactions and bulbocapnine, 4750
Survival in anthropology, 358
personal, 1786, 1794
Swarming, bee, 3098
Swimming, teaching, 4570
Symbol, 280, 1064, 2058, 3468, 3919,
4837
dream, 4366
fire, 3918
gesture, 2787, 3150
in industry, 1937
interpretation, resistance to, 255
money, 250
raven, 224
religious, 1800
sense-datum and physical object,
4612
Symmetry in recall, 4687
Sympathetic and activity, rat, 2727
chronary, 1329
laryngeal part, 4719
and maternal behavior, rat, 3523
and posture, 3078
and retina, 2120
Sympathin effects, 1848
Symptom and dream, 2291
Synesthesia, 947, 960, 969, 4224
Syphilis in child, 4458
and epilepsy, 3986
and hypophrenia, 3172
mental concomitants, 4441
nerve, 1831
and malaria, 3236, 3273
in psychosis, 4898
Tabes, delusion in, 1810
Tables, statistical, 1251

and malaria, 3236, 3278
in psychosis, 4898

Tabes, delusion in, 1810
Tables, statistical, 1251
Tabu, college, 3756
student, 3756
Tachistoscope, 49
mirror, 52
Tact, 4467
Tactile, see Touch
Taine, psychology of, 2062
Talent, 684, 1415
(See also Genius)
Tapping, complicated, 68
Taste, 954
butterfly, 2258
deficiency, 1311, 2634
race difference, 3050
difference limen, 957
fish, 3090
fly, 2220
and heredity, 4648
nerve paths, 2648
and smell, review, 3447
and tears, 2696
Teacher attitudes, 491, 494
college presidents, 2527
as counselor, 2004
grading factors, 1995
preparation, 4576
and psychiatry, 1099
rating scale, 1613, 1648
shop, rating, 861
training, 4178
and educational psychology,
3395
(See also Education, Sohool)
Teaching, 2525
arithmetic, 2989, 2999, 4581
assignment in, 2383
character, 1682
college, 3750
efficiency, measurement, 1627
Gestalt in, 4618
individual psychology in, 5049
mathematics, 5042

method, 1248, 8770, 4587
music, 771
and philosophy, 2017
progressive secondary, 489
paychiatry, 2D88
paychology, 44, 211
reading in hypophrenia, 3170
remedial, 857
in sigsbra, 3402
in Rousseau Institute, 4610
scientific studies, 2594
social studies, 3751, 2028
by student opinion on, 886
success, prediction, 3755
and scholarship, 482
swimming, 4579
test in, 4170
value of business occupations, 4582
work organization, 1545
(see also Education, 8chool)
Tears and taste, 206
Technical information test, 3743
Technopsychology, 1542, 3323, 4140
Balkans, 1020
conference, 3316
congress, 33448, 3840, 3850, 3667
in education, 3702
Florence laboratory, 1532
in Germany, 401
intelligence in, 2025
Italy, 1185
meeting, 400, 817
Milan laboratory, 1544
Padua laboratory, 1546
Naples laboratory, 1552
and politics, 3629
on railronda, 3328
relations, 1943
Rome laboratory, 1556
(See also Psychotechnics)
Telepathy, 3489, 3578
Telephone, psychology of, 1183
Temperament, 1664, 2325, 3564
and drug, 1380
rat, 3580
and religion, 670
rest, race, 3802
and skin disease, 2812
theory, 1767
(See also Character)
and derestation, locust, 3096
posture and heart efficiency, 2699
and reflex, skate, 4780
and orientation, locust, 3096
posture and heart efficiency, 2699
and refrex, skate, 4780
and orientation, locust, 3096
posture and heart efficiency, 2699
and refrex, skate, 4780
and orientation, locust, 3096
posture and heart efficiency, 2699
and refrex, skate, 4780
and orientation, locust, 3096
Tension sensation, 88, 3840, 3841
Terman, L. M., autoblography, 2606
Tension sensation, 88, 3840, 3841
Terman, L. M., autoblography, 2606
Tension sensation, 89, 3837
in scholarship prediction, 2575
teacher-made, 2015
in trukey, 5085
accuracy, 3342
advertising artist, 2904
affectivity, 3023
alming, errors, 156
algebra, 1625
revision, 3032
aningerors, 156
algebra, 1626
revision, 3032
aningerors, 1578
arithmetic, 507, 789
in army, 4

stimulus familiarity, 5078
athletic ability, 2698
attitudes, 3412
auto driving, 4517
ball-and-field, 3028
Binet, 1655
book-keeping machine, 422
building trade, 4986
census checkers, 3666
character, review, 3798
child, 2-year-old, 5076
civics, 879
clerk, 410, 4982
college aptitude, 1652
color blindness, monocular, 4681
sensitivity, 3682
constitution, 887
cruelty, 3681
cube, vs. digit span, 3414
cumulative reliability, 2040
Descoudres, 4603
difficulty and diagnosis, 4184
directions, 3333
discussion in, 3768
drawing, 897
educational, 2544, 3757
France, 2530
measurements, 3760
paychology, 1633
for egg damage probability, 414
emotional, 4811, 5087
insight, 3544
maturity, 2052
employment, 3685
engineering, 309
English, 2550
errors, 3336
error employment, 3030
English, 2550
engineering, 309
English, 2550
errors, 3336
essay vs. objective, 504
evaluation, 5088
examinee types, 522
extroversion, 3415
fatigue, 2900
general science, 8753
geometry, 1611
Gesell, 2047
Gestait completion, 1658
hearing, child, 1987
high school, 1658
history, 483, 3352
honesty, 368
in hypophrenia, 2581, 8228
ability, 3984
and improvement, typing, 2911
and individual psychology, 4358, 14364
industrial, 434
intelligence, 1256, 1654, 1657, 2019, 2577, 2578, 2951, 3020, 3024, 3026, 3788, 3792, 4604, 4606, 5075, 5078, 5081
in blindness, 918
critique, 3418
infant, 3783, 4599
and language, 3793
movement, 2041
non-verbal, 1253
Norway, 3027
Otis, 915
Pintner-Paterson, 5070
quotient, constancy, 3790
review, 3704
and school achievement, 5082
exercise, 5071
Thorndike, 5072
validity, 909
interest, validation, 4002
introversion, 917
itom evaluation, 4195
Jewish attitude, 3299
background, 3298
labyrinth function, 4311
limitations in psychiatry, 391
vocational guidance, 826
machine operator, 4518
methods, 4598
milliner, 1543
methods, 4598
milliner, 1543
methods, 4598
milliner, 1543
methods, 4598
motal, 2884
knowledge, 349
motor aptitude, 2717
reliability, 172
suggestibility, 4368
motorman, 405

music, 908, 1924, 1925, 2425, 3616, 3657 ability, 2014
and achievement, 1905
neuroticism, 3786
new-type, weighting in, 1244, 2019
Neymann-Kohistedt, 5084
normality, 311
hurses, 2345
objective, in social studies, 4173
observation in, 400
organisation ability, 2921
pedagogical, 2979
performance, 2050
and environment, 3022
persistence, 2049
personal values, 3417
personality, 3574
physics, 891
policeman, 412
practical applications, 3781
practice effect, 1258
problem, 3770
child, 1647
psychology, 923
psychopathy in child, 1442
psychotechnical, 4071
reading retention, 490
reaction time, 3071, 3514
religious education, 3769
Rorseshach, 436
in cyclothymia, 3217
in hypophrenia, 3111
school, 2580
admission, 4171
aptitude, 4597
score scatter, 527
scoring, 514
selection, 2576
social intelligence, 2048
space perception, 3416
thuning, 3340
Spanish-speaking child, 3795
spelling, 492
standardisation, 4601, 5085
and 1Q distribution, 3081
statistics, 1236
stenographer, 3344
Stenquist, 914
in study of personality, 2306
survey, educational, 3380
in teaching, 4170
technical information, 3743
Thorndike, 525
true-false, 1242, 1254, 2008, 2555
missions, 895
types, comparison, 5045
typing, 1904
unlearning, 4770
uses, 3393
validity, 4600, 5686
value, 1653
visual fatigue, 4641
rocabulary, 3021, 5038
vocal control, 55
vocational guidance, 815, 3772
selection, 432
significance, 2920
weighting, 302, 2888
(sea less Messersemst, 2021e, 1264, 1325, 1327, 1498, 1910, 2106, 3223, 4074
in accidents, 4065
child, 3373
deaf mute, 121
experiment, 3466
medical, 1143
and occultiva, 3561
and personality, 3151, 3156
respiration in, 976
Testis diet and activity, goldfish, 2751
Testas deat mute, 121
experiment, 3466
medical, 1148
and occultiva, 3561
and personality, 3151, 3156
respiration in, 976
Testis diet and activity, goldfish, 2751
Testas deat mute, 121
experiment, 3466
medical, 1148
and occultiva, 3561
and personality, 3151, 3156
respiration in, 976
Testis deet and activity, goldfish, 2751
Testas deet and activity, goldfish, 2751
Testas deet and activity, goldfish, 2751
experiment, 3466
med

family, 382 industrial psychology, 416, 4985 logic, 118 nerve disease, 1851 neurology, 148, 1727 personality diagnosis, 1801 physics, 4621 physiology, 153 psychiatry, 1088, 2854 psychology, 25, 540, 1270, 1670, 4618 experimental, 4617 experimental, 4617
specifications, social psychology, 2488
The cause, 1875
psychiatric factors, 3308
Theology and psychology, 780, 4024
and psychotherapy, 1522
(See also Religion)
Therapy, occupational, 280
primitive, 372
reducation, 3184
Thesis, social work, 4852
Thirst, 3480
Thorndike examination, 525
Thought, 3855, 3850, 3860, 3862, 3865, 3869
adolescent, 1564
adult, 1706
and attitude, 980
in catatonia, 4408, 4457
of child, 3364, 3724, 4555
cosmic aspects, 3048
crentive, review, 122
and feeling, 974
tradition, 3861
and idea, 117
and kinesthesia, 4761
and learning, 1378
modes, psychology, 30
primitive, 1508
rural youth, 1505
in schisophrenia, 1437, 4878
(See also Reason)
Threshold, auditory, 91, 504
cutaneous, 945
intensity, vision, 987
and temperature, 4669
ultramusical tone, 93
(See also Limes)
Thumb sucking cure, 3362
Thyroid deficiency, 2811
disorder, 2364
feeding and heart rate, dog, 1029
and gastric motility, 4741, 4742
and learning, guinea-pig, 3029
and personality, 1004
(See also Giand, Myzedema)
Tic, audible, 738
Timbre vibrato, 4500
Time budget, college, 871
and consciousness, 4216
daylight saving and sleep, child, 3368
discrimination, rat, 2210
factors in epilepsy, 2578
filled and unfilled, 591
judgment, touch vs. audition, 1688
measurement methods, 3362
of work, 2908
perception, 95, 935, 979
sense, 234
brain lesions, 282
in depression, 1860
disturbance, 3950
fish, 1010
and type, 3811
and skill, 2997
and space effects, 1996
fillusion, 940
fillusion, 940
fillusion, 940
fillusion, 940
fillusion, 950
mate selection, 3648
musuele, drug effects, 2288
Tobacco, effect, 2338

discrimination, rat, 2756
fusion, 4220
ultramusical, 92
threshold, 93
Tonoscope, Model VI, 55
Tonus and chronaxy, 3074
after cord lesion, cat, 4270
in disphragm, 1844
fetal muscle, 182
and galvanie reflex, 4282
measurement, 255
muscle, 3511
relations, ocular, 3079
vazal phylogany, 3900
(See also Muscle)
Tool standardization, child, 1550, 1555
using, 1876
chimpansee, 1361
moukey, 3687
Tooth ache and masturbation, 4848
eruption in hypophrenia, 272
irritation, 4823
Torpedo, electric organ, 3084
Totsmism and incest, 4031
India, 746
survival, 2284
Touch, difference discrimination for rate, 2651
experience, 4242
in form perception, 2629
function, 1696
illusion of movement, 3454
imagination, 3857, 4645
judgment through probe, 3051
of time, 1688
learning, 935
localisation, 9053
fungers, 2631
orientation, 3846, 3847
reading, 498
receptors, responses, 4724
receptors, personses, 4724

apparatus, 50
heredity of. 3122
Treppe, cause, 4301
in muscle, 4300
Trichromatism, simultaneous contrast
in, 4667
Triplets, dichorionic identical, 689
similarities in, 4806
Trôton, orientation, 8004
Troland, L. T., obituary, 4209
Tropism, animal, 3552
galvanic, echinoderm, 1021
plant, 3550
(See also Geotropism, Phototropism,
Rheotropism)
Trout, behavior, 626
True-false test, improvement, 521
omission, 895
Truth, 3859, 3871
Tscherning, photometric glasses, 4652
Tuberculosis, euphoria in, 2303
and hypophrenia, 3199
Tumor, cerebral, and epilepsy, 4861
cord, 743
pineal, 4880
and schizophrenia, 687
Turkey, affective behavior, 3539
Turtle, action currents, 138
conditioned reflex, 206
heart chromaxy, 2737
mase learning, 3541
Twins, 3125, 3135, 3551
education, 2013
spliepsy, 3126
heredity, 1759
mongolism, 3127
personality development, 4348
psychopathy in, 3124
psychosis, 1101, 3972, 4341
reared apart, 2202, 3557
resemblance, 3558, 4342
Tympanum, injury to, 3628
Type, 2779
actor, 4984
body, 10
character, 1054, 4365
and eldetic imagery, 3868
existence, 2301
legibility, 342
libidinal, 4820
personality, 3017, 3924
and time sense, 3811
Typing and distraction, 614
efficiency, 3683
eye-hand span, 1729
retention, 3865
test, 1994
and improvement, 2911
Typography, errors, 4189
Ulcer, peptic, 3188
neurogenic factor, 3252
Ultra-violet and nerve activity, 4266 Ulcer, peptic, \$183

neurogenic factor, \$252
Ultra-volet and nerve activity, 4266
visibility, 4668
Unconscious, \$51, 1760, 1766, 2319, 2603, 3040, 3919, 3936
activities, 1774
chemistry of, 1673
etiology, 2342
and group life, 1783
and handwriting, 786
in industry, 1188
and invention, 1714
in life and art, 3922
modes, 1770
perception, 60
racial, 236
relativity, 1790
training of, 2310
Understanding vs. individual psychology, 4620
Understanding vs. individual psychology, 100
Understanding, psychology of, 3322, 3673
Unemployment and crime, 1181, 4088
research, \$230, 1908
Urbanisation and delinquency, 1177
Urine, incontinence, 4855
symbolism, 3918

Vagrancy, causes, 4498 Vagus center, 3483 tone, phylogeny, 3900 Validity, 4600 of behavior schedule, 1210
infant intelligence test, 3783
interest scales, 4602
mase experiment, 1750
test, 5086
Value, 42, 1505
color, 585
in psychology, 17
social in psychosis, 3949
test, 3417
theory, 2420, 4201
Vampire belief, 658
Variability, daily, 3780
in intelligence, 3003
limits, 1648
measure, 4188
and reliability, 3411
Variance analysis, 2570, 5065
distribution, 2568
Verbal and auditory hallucinations, 4890
cues in learning, child, 5018
Veronal and work, 2316
Veronal and work, 2316
Versatility of genius, 678
in play, 1804
Vertebrate cornea, 4788
(See also Bird, Pish, Frog, Nectural, Repetie, Balamander, Toad, Triton)
Vertigo, vasomotor, 1827
Vestibular, see Labyrinth
Vibration, conditioning to, 3515
sonse, 2397, 2651
of deaf, 4674
Vibrato, 1525, 4406, 4503, 4504, 4508, 4510
apparatus, 4214
concert vs. opera, 4466
and pitch, 4485
psychophysics of, 386
string instrument, 4497
timbre, 4550
violin, 4477
voice, 4241, 4480, 4507
wind instruments, 4474
Viewpolnt, psychologist, 3799
vs. subject, 15
Village life, 1174
Violin vibrato, 4477
Virginity, 3501
in goddessee, 3289
Visceral pain, 4691
Vision in accident, 3678
aculty, anomalies of, 3446
and fatigue, 3680
adaptation, crustacea, 2212
dark, 5451
amblyopia, 4683
aphasia, 2352
apparent change of sine, 4255
movement, 2645, 2647, 4226
apprehension by, child, 1984
area, and intensity in, 4230
perception, 4692
and artistic work, 4483
and andition in spelling, 1235
bat, 307
Berkeley's theory, 95
binocular, 2079
summation, 76
black in, 4686
blind spot for color, 4660
variations, 4097, 4698
brain area, 402, 2148
rat, 3540
ra

ensitivity, 2641 temperature, 567
test, 4671, 4681
theory, 576, 4684
convergence, 1699
and cortex, 4698
rat, 4325
depth, 581, 1695, 3837
rat, 4326
distance and intensity, 70
set, rat, 8897
distinctness, and border contrast, 74
dog, 1864
drug effects, 63
duration limen, 3827
and eldetics in deaf mutes, 955
and eye muscle training, 4700
field, contraction, 101, 4690
defects, 66
and hallucination, 3088
fish, 1748, 3899
form field, 4658, 4661
fish, 3102
fusion in, 80
hemianopla, 4678
Heyman's iaw, 75
and illumination, 4679
Illusion, 102, 3443
image, adolescent, 3697
size, 4635, 4630, 4646
survival in blind, 3503
impairment, 1682
amblyopia, 3054
and intelligence, 67
intensity, 2086
threshold, 937
judgment by, 3445, 4229
vs. kinesthesis in localization, 586
mammal, 2227
in mase, 1373
rat, 4316
monochromatic, 4647
movement and field structure, 2075
parallax, 4644
pathways, 3679
perception, 103
bird, 3901
perlyberal, 1210, 1685, 3834
in disease, 2650
pigment, crustaces, 1038
presbyopia and life span, 4695
protanopia, 4655
purple, rat, 3458
rabbit, 4633
rat, 1371
and eye structure, 3535
receptors, 2087
Afys, 2228
refex stimul, 4656
refraction asymmetry, 4659
representation process, 3842
retinal chromatic fields, 4252
rhythm in, 1698
sensitivity, 2636
minimum, 4652
size and distance, 62
judgment, 4229
make, 3114
space localization and proprioception, 4653
stereo-effect, 4037
summation, 77, 79
therapy, 4677
and touch fusion, 956
images, 1292
trichromatic functions, 4234
twilight, 3822
In periphery, 1299
(See also Accommodation, Aowity, Adaptation, Appendic, Periphery, Periphery, Periphery, 4679
and 1848, 1848, 1849 Vitalism va. mechanism, 547
Vitamin and sterility, rat, 1360
Vitreous humor chemistry, 4855
Vocabulary, biology, 858
child, 1198, 1190, 1208, 1209, 1500, 1594, 2957
college, 1618
collargement, 4167
French, learning of, 3766
history, 1237
music, 781
test, 3021, 5038
of textbooks, 500
(See also Speech, Word)
Vocation adjustment, girl, 1932
army as, 430
change, 4130
change, 4130
choice, 418, 433, 2907, 3740, 4135, 4849
motives, 5396
physician, 2321
problem adolescent, 2489
and sibling number, 4993
tendencies, 2001
tests, 432
counsellor, apprenticeship, 1941
and economic crisis, 4132
foreign service, 421
guidance, 326, 877, 878, 1238, 1948, 1997, 3390, 4570
of abnormal, 1073, 1534
adult, 1949
and change, 4142
and constitution, 3772
and energy, 610
Portugal, 2480
psychoenalysis in, 253
and psychonourology, 3226
testing, 815
women, 1981
handicap, adjustment to, 1935
information, 426
interest and ability, 823
permanence, 842
mental hygiene of, 2897
outlook for handicapped, 3686
parental, and scholarship, 1240
precious metal, 3343
status, 459
study, 2482
success, 4137
test, significance, 2920
training, 4131
women, social status, 3644
(See also Occupation)
Voice, 1144
and audition, 4248
care, 770
control, 53
disturbance, stuttering, 4028
intensity in deafness, 4244
method, 1141
neurous affecting, 3610
and personality, 4981
science of, 804
vibrato, 4241, 4466, 4489, 4507, 4510
(See also Usur, 468
types, 972
(See also Will)
Volume judgment, 3455
Von Frey, M., biography, 3432
Votien index of 388
and pitch, 4228

Wages, 4100 Walking, 2154

energy utilization, 4756
Wandering, youth, 2484
War, effect on child, 440
instinct, 4745
and mob psychology, 1117
Washburn, M. F., autobiography, 2606
Wasp, habits, 4756
psychology of, 2757
temperature regulation, 3111
Weather feeling, 1056
and rheumatism, 3444
Weaving, illumination, 406, 407
Weber law, 1687, 8832
in wool sorting, 4514
Weeping, 1730
Weevill, responses, 1352
Weight, child, Hungary, 1568
discrimination and filing, 2924
illusion, 2655
interpolated, 81
ilfting, 69, 2184
and mental traits, 3894
perception, 1308
and size judgment, 3455
Weighting effects, 902
new-type tests, 1224
objective tests, 2019
tests, 3898
Weiss, A. P., obituary, 18
Werewolf, 658
Western Psychological Association, meeting, 537
Whispering in school, 884
Whole-part learning, 1322
Widow, immolation of, 4116
Widowhood, 1138
Will, 2707, 4767
child, 3709, 3703, 4556
free, in penology, 3279
and uncertainty, 1278
and habit, 1342
and intelligence, 1504
measurement, 1349
and muscle, 178
and personality, 609
and reason, 3898
therapy, 4838
training, 4772
(See also Welition)
Wind instrument vibrato, 4474
Wink, 1346
asymmetry, 4850
oye-ball movement in, 3076
reflex, 1730
wish fulfilment, 3928
suicide, 1041
Wit, 3579
(See also Magic, Superstition)
Woman in Arabia, 761
in court, 4107
crime, 2448, 4015
delinquency, 2821
develupment, 219
enuresis, 4853
immature, 3941
impotence, 3519
lung capacity and body type, 4276
male dread of, 4826
in marriage, isw, 3295
movement, 360
personality, 2811
primitive, 380
problems, 801
psychology of, 2302
reformatory, intelligence, 1891
social status of occupations, 3644
status, 3315
super-ego, 2314
vocational guidance, 1981

(See also Female, Gyacoology)
Woodworth, R. S., autobiography, 2606
Wood sorting, Weber law in, 4514
Word associations in blind, 3442
automatism, 715
difficulty, 5038
frequency, German, 3891
perception, 806
pleasure, of child, 2047
reading and color naming, 1712
recall, 4710
(See also Voosbulary)
Work ability, child, 1557
in adolescence, 1558, 4562
analysis, shoe industry, 4970
tea balling, 4974
by animal, 623
attitudes, 3827
capacity and phosphates, 2195
change and decrement, 1741
and chronaxy, 2691
confidence in, 1930
cooperation in, 2916, 3681
curve, 993
discipline of, 827
division, bee, 2241
effect on antagonist, 2695
efficiency, 2175
excessive, 2168
and eye accidents, 3456
fatigue, 3677, 4774
at high altitudes, 4290
interest, 3664
child, 3761
material, rationalization, 4987
medical aspecta, 1554
in mental hygiene, 4519
mental, and motor activity, 164
monotony in, 3691
movements, 4129
and neurasthenia, 1187
organisation, teaching, 1545
and play, hospital, 3260
posture, 4768
paychology, 833, 2620, 3661, 3662,
4988
and puise, 2722
rate, 995
and rest, 3320, 4138, 4141
rhythm, 1547, 1938
in special schools, 893
speed, 2917
and practice, 1936
technique, 402
tempo, 2903, 3878
time, control, 3672
study, 3668, 3669
unconscious in, 1188
and veronal, 2316
voluntary, 902
and worker, Russia, 3341
Worker, emotions of, 4973
Worm, phototropism, 2235
Wrecking, motives, 1884
Writing cramp, 271
eve movements in, 3615
(See also Handwriting)
Yerkes, R. M., autobiography, 2606
Youth, crime, 4015
and maturity, 2518

Yerkes, R. M., autobiography, 2006 Youth, crime, 4015 and maturity, 2513 movement, 3708 pre- and post-war, 1876 religion of, 2976 robbery by, 4014 rural, thought of, 1895 wandering, 2484 working, 1866, 1867 (See also Adolescence)

Zoology, 2287 Zwaardemaker, obituary, 4202

ADDITIONAL BIBLIOGRAPHIC SOURCES

Orrectory of American Paychological Periodicals

L'Année biologique. (Ed) Fed. des Soc. des Sci. Naturelles (Pub) Paris: Presses Universitaires.

L'Année psychologique. (Ed) Pléron, H. (Pub) Paris: Alcan.

Bibliographia esgenica. (Eds) Davenport, C. B., Laughlin, H. H., & Steggerda, M. (Pub) Coid Spring Harbor, Long Island, N. Y.: Eugenics Res. Asso. (Suppl. to Eugenical News.)

Bibliographia evolutionis. Paris. (Suppl. to Bull, Biol. de la France et de la Beloique.)

Bibliographia evolutionis. Paris. (Suppl. to Bull, Biol. de la France et de la Beloique.)

Bibliographia der Philosophie und Psychologie. Leipzig: Heims.

Bibliographie der Philosophie und Psychologie. Leipzig: Heims.

Bibliographie der Philosophie und Psychologie. Leipzig: Heims.

Bibliographie selentifique frunçuise. (Section 2, sciences naturelles et biologiques.) (Ed) Commission du repertoire de bibl. sci. (Pub) Paris: Gauthler-Villars.

Biological Abstracts. (Ed) Schramm, J. R. (Pub) Philadelphia: Union of American Biological Societies, Univ. of Pennsylvania.

Child development abstracts. (Ed) Durea, M. A. (Pub) Washington: Committee on Child Development, National Research Council International index to periodicals. (Ed) Muench, A. F. (Pub) New York: Wilson.

Jahresbericht über die gesamte Kinderheilhunde. (Ed) Putzig, H. (Pub) Berlin: Springer.

Jahresbericht über die Physiologie und experimentelle Pharmakologie. (Eds) Rons, P., & Spiro, K. (Pub) Berlin: Springer.

Medical science abstracts and reviews. London: Medical research council.

New international yearbook (article Psychology). (Ed) Wade, H. T. (Pub) New York: Dodd, Mead.

Psychological indes. (Eds) Hunter, W. S., & Willoughby, R. R. (Pub) Princeton, N. J.: Psychological Review Co. (Material duplicated in Zeitschrift für Psychologie. (Ed) Schumann, F. (Pub) Leipzig: Barth, and Archiv für die gesamte Psychologie. (Ed) Wirth, W. (Pub) Leipzig: Fock.)

Physiological abstracts. (Ed) Mellanby, J. (Pub) London: Lewis.

Quarteriy cumulative indes medicus. (Eds) Fishbein, M., Hutchins, M., Ashburn, P. M., & Allemann, A. (Pub) Chicago: American Medical Association.

Social science abstracts. (Ed) Chapin, F. S. (Pub) Menasha, Wis.: Social Science Research Council.

U. S. Burcau of Education. Monthly record of current educational publications. (Ed) McCabe, M. R. (Pub) Washington: Gov't Printing Office.

U. S. Surgeon General's Office. Index-catalogue of the library. (Ed) Ashburn, P. M. (Pub) Washington: Gov't Printing Office.

Zentralblatt für die gesamte Neurologie und Psychiatrie. (Ed) Hirschfeld, R. (Pub) Berlin: Springer.

STREET, STREET,

...

Directory of American Psychological Periodicals

- American Journal of Psychology—Ithaca, N. Y.; Cornell University.

 Subscription \$6.50. 624 pages annually. Edited by M. F. Washburn, K. M. Dallenbach, Madison Bentley, and E. G. Boring.

 Ouarterly, General and experimental psychology. Founded 1887.
- Journal of Genetic Psychology—Worcester, Mass.; Clark University Press.

 Subscription \$14.00 per annum; \$7.00 per volume. 1,000 pages annually (2 volumes). Edited by Carl Murchison.

 Quarterly. Child behavior, animal behavior, and comparative psychology. Founded 1891.
- Psychological Review—Princeton, N. J.; Psychological Review Company.
 Subscription \$5.50. 540 pages annually. Edited by Howard C. Warren.
 Bi-monthly. General psychology. Founded 1894.
- Psychological Monographs—Princeton, N. J.; Psychological Review Company.

 Subscription \$6.00 per vol. 500 pages. Edited by Herbert S. Langfeld.

 Without fixed dates, each issue one or more researches. Founded 1895.
- Psychological Index—Princeton, N. J.; Psychological Review Company.

 Subscription \$4.00. 300-400 pages. Edited by Walter S. Hunter and R. R. Willoughby.

 An annual bibliography of psychological literature. Founded 1895.
- Psychological Bulletin—Princeton, N. J.; Psychological Review Company.
 Subscription \$6.00. 720 pages annually. Edited by Edward S. Robinson.
 Monthly (10 numbers). Psychological literature. Founded 1904.
- Archives of Psychology—New York, N. Y.; Columbia University.
 Subscription \$6.00. 500 pages per volume. Edited by R. S. Woodworth.
 Without fixed dates, each number a single experimental study. Founded 1906.
- Journal of Abnormal and Social Psychology-Eno Hall, Princeton, N. J.; American Psychological Association. Subscription \$5.00. 448 pages annually. Edited by Henry T. Moore. Quarterly. Abnormal and social. Founded 1906.
- Psychological Clinic—Philadelphia, Pa.; Psychological Clinic Press.
 Subscription \$3.00. 288 pages. Edited by Lightner Witmer.
 Without fixed dates (9 numbers). Orthogenics, psychology, hygiene. Founded 1907.
- Psychoanalytic Review—Washington, D. C.; 3617 10th St., N. W.
 Subscription \$6.00. 500 pages annually. Edited by W. A. White and S. E. Jelliffe.
 Quarterly. Psychoanalysis. Founded 1913.
- Journal of Experimental Psychology—Princeton, N. J.; Psychological Review Company.
 Subscription \$7.00. 700 pages annually. Edited by Samuel W. Fernberger.
 Bi-monthly. Experimental psychology. Founded 1916.
- Journal of Applied Psychology—Baltimore, Md.; Williams & Wilkins Company.
 Subscription \$5.00. 400 pages annually. Edited by James P. Porter.
 Bi-monthly. Founded 1917.
- Journal of Comparative Psychology—Baltimore, Md.; Williams & Wilkins Company.

 Subscription \$5.00 per volume of 450 pages. Three volumes every two years. Edited by Knight Dunlap and Robert M. Yerkes. Founded 1921.
- Comparative Psychology Monographs—Baltimore, Md.; The Johns Hopkins Press.
 Subscription \$5.00. 400 pages per volume. Knight Dunlap, Managing Editor.
 Published without fixed dates, each number a single research. Founded 1922.
- Genetic Psychology Monographs—Worcester, Mass.; Clark University Press.

 Subscription \$14.00 per annum; \$7.00 per volume. 1,000 pages annually (2 volumes). Edited by Carl Murchison.

 Monthly. Each number one complete research. Child behavior, animal behavior, and comparative psychology.

 Founded 1925.
- Psychological Abstracts—Eno Hall, Princeton, N. J.; American Psychological Association. Subscription \$6.00. 700 pages annually. Edited by Walter S. Hunter and R. R. Willoughby. Monthly. Abstracts of psychological literature. Founded 1927.
- Journal of General Psychology—Worcester, Mass.; Clark University Press.
 Subscription \$14.00 per annum; \$7.00 per volume. 1,000 pages annually (2 volumes). Edite Quarterly. Experimental, theoretical, clinical, and historical psychology. Founded 1927.

 Journal of Social Psychology—Worcester, Mass.; Clark University Press.
 Subscription \$7.00. 500 pages annually. Edited by John Dewey and Carl Murchison.
 Quarterly. Political, racial, and differential psychology. Founded 1929. **Edited by Carl Murchison**

PUBLICATIONS

OF THE AMERICAN PSYCHOLOGICAL ASSOCIATION

EDITED BY

HOWARD C. WARREN, PRINCETON UNIVERSITY (Review)

S. W. FERNBERGER, University of Pennsylvania (J. Exper. Psych., WALTER S. HUNTER, CLARE University (Index and Abstracts)

HENRY T. MOORE, SKIDMORE COLLEGE (J. Abn. and Soc. Psychol.)

HERBERT S. LANGFELD, PRINCETON UNIVERSITY (Monographs)

EDWARD S. ROBINSON, YALE UNIVERSITY (Bulletin)

HERBERT S. LANGFELD, Business Editor

PSYCHOLOGICAL REVIEW

containing original contributions only, appears bi-monthly, January, March, May, July, September, and November, the aix numbers comprising a volume of about 540 pages.

PSYCHOLOGICAL BULLETIN

containing critical reviews of books and articles, psychological news and notes, university notices, and announcements, appears monthly (10 numbers), the annual volume comprising about 720 pages. Special issues of the BULLETIN consist of general reviews of recent work in some department of psychology.

JOURNAL OF EXPERIMENTAL PSYCHOLOGY

containing original contributions of an experimental character, appears bi-monthly, February, April, June, August, October, and December, the aix numbers comprising a volume of about 700 pages from Jan. 1, 1932.

PSYCHOLOGICAL INDEX

is a compendious bibliography of books, monographs, and articles upon psychological and cognate topics that have appeared during the year. The INDEX is issued annually in June, and may be subscribed for in connection with the periodicals above, or purchased separately.

PSYCHOLOGICAL ABSTRACTS

appears monthly, the twelve numbers and an index supplement making a volume of about 700 pages. The journal is devoted to the publication of non-critical abstracts of the world's literature in psychology and closely related subjects.

PSYCHOLOGICAL MONOGRAPHS

consist of longer researches or treatises or collections of laboratory studies which it is important to publish promptly and as units. The price of single numbers varies according to their size. The MONOGRAPHS appear at irregular intervals and are gathered into volumes of about 500 pages.

JOURNAL OF ABNORMAL AND SOCIAL PSYCHOLOGY

appears quarterly, April, July, October, January, the four numbers comprising a volume of 448 pages. The journal contains original contributions in the field of abnormal and social psychology, reviews, notes and news.

ANNUAL SUBSCRIPTION RATES

Review: \$5.50 (Foreign, \$5.75). Index: \$4.00 per volume.

Journal: \$7.00 (Foreign, \$7.25). Monographs: \$6.00 per volume (Foreign, \$6.30).

Bulletin: \$6.00 (Foreign, \$6.25). Abstracts: \$6.00 (Foreign, \$6.25).

Abnormal and Social: \$5.00 (Foreign, \$5.25). Single copies \$1.50.

Current numbers: Journal, \$1.25; Review, \$1.00; Abstracts, 75c; Bulletin, 60c.

COMBINATION RATES (from Jan. 1, 1932)

Review and Bulletin: \$10.00 (Foreign, \$10.50).
Review and J. Exp.: \$11.00 (Foreign, \$11.50).
Bulletin and J. Exp.: \$12.00 (Foreign, \$12.50).
Review, Bulletin, and J. Exp.: \$16.00 (Foreign, \$16.75).
Review, Bulletin, J. Exp., and Index: \$19.00 (Foreign, \$19.75).

Subscriptions, orders, and business communications should be sent to the

PSYCHOLOGICAL REVIEW COMPANY
PRINCETON, N. J.

